

# References

- AASHTO. 1997. Specification M288-96 on geotextiles. *Standard Specifications for Transportation Materials and Methods of Sampling and Testing*. 18th Ed. Washington DC: American Association of State Highway and Transportation Officials.
- Ahmad, S.; Y. Lacroix; and J. Steinbach. 1975. Pumping tests in an unconfined aquifer. *Proc Conf In Situ Measurement of Soil Properties*. Raleigh NC: ASCE, 1:1-21.
- Allen, J. 1977. Disc to Shipton and Graze (1976). *J Hydraulics Div.* 103(8):944.
- ASCE. 1993. *Design, Construction and Maintenance of Relief Wells: Technical Engineering and Design Guides as Adapted from the U.S. Army Corps of Engineers, No 3*. New York: ASCE Press.
- ASTM. Published annually. *Annual Book of ASTM Standards*. West Conshohocken, PA: American Society for Testing and Materials.
- AWWA. 1986. *Corrosion Control for Operators*. Denver CO: American Water Works Association.
- Barton, N. R. and V. D. Choubey. 1977. The shear strength of rock joints in theory and practice. *Rock Mechanics* 10(1/2):1-54.
- Bertram, G. E. 1940. An experimental investigation of protective filters. *Publications of the Graduate School of Engineering*, Harvard University, No 267, January.
- Bezuijen, A.; H-J. Kohler; and H-U. Abromeit. 1994. Geotextiles permeability as a function of temperature. *Proc 5th Inter Conf Geotextiles, Geomems & Rel Prods.*, Singapore. 2: 655-58.
- Bianco, B. 1988. Landslide stabilization by means of drainage tunnels in central Italy. *Proc 5th Inter Symp on Landslides*, Lausanne. 2:857-62.
- Bishop, A. W. 1955. The use of the slip circle in the stability analysis of slopes. *Géotechnique* 5(1):7-17.
- Bishop, A. W.; G. E. Green; V. K. Garga; A. Andresen; and J. D. Brown. 1971. A new ring shear apparatus and its application to the measurement of residual strength. *Géotechnique* 21(4): 273-328.
- Bjerrum, L. 1972. Embankments on soft ground. *Proc Specialty Conf on Performance of Earth and Earth-Supported Structures*. Purdue University—ASCE. 2:1-54.
- Brand, E. W. 1984. Landslides in Southeast Asia: A state-of-the-art report. *Proc 4th Inter Symp on Landslides*, Toronto. 1:17-59.

- Brand, E. W. and J. Premchitt. 1980. Shape factors for cylindrical piezometers. *Géo-technique* 30(4): 369-84.
- Brandl, H. 1996. Stabilization of multiple progressive slip failures. *Proc 7th Inter Symp on Landslides*, Trondheim. 3:1661-66.
- Broms, B. 1971. Lateral earth pressures due to compaction of cohesionless soils. *Proc 4th Budapest Conf Soil Mech Found Eng.*, Budapest. 373-384.
- Calhoun, C. C., Jr. 1972. *Development of Design Criteria and Acceptance Specifications for Plastic Filter Cloths*. Technical Report S-72-7. Vicksburg, MS:U.S. Army Engineers Waterways Experiment Station.
- Caltrans. 1995. *Standard Specifications, July 1995*. Sacramento, CA: State of California Department of Transportation.
- Casagrande, A. 1937. Seepage through dams. *J New England Water Works Assn.* 51(2): 131-72.
- Cedergren, H. R. 1974. *Drainage of Highways and Airfield Pavements*. New York: John Wiley & Sons.
- . 1989. *Seepage, Drainage and Flow Nets*. 3rd Ed. New York: John Wiley & Sons.
- Choi, E. C. C. 1983. Seepage around horizontal drains in hill slopes. *J Hydraulic Eng* 109(10):1363-68.
- Choi, Y. L. 1974. Design of horizontal drains. *J Eng Soc of Hong Kong*. December: 37-49.
- Chowdhury, R. N. 1984. Recent developments in landslide studies: Probabilistic methods. State-of-the-art-report. Session VII(a). *Proc 4th Inter Symp on Landslides*, Toronto. 1: 209-228.
- Christopher, B. R. and G. R. Fischer. 1992. Geotextile filtration principles, practices and problems. *Geotextiles and Geomembranes* 11(4-6): 337-353.
- Chugh, C. P. 1985. *Manual of Drilling Technology*. Rotterdam: A. A. Balkema.
- Collin, A. 1846. *Recherches expérimentales sur les glissements spontanés des terrains argileux*. (Experimental investigations of spontaneous landslides in clay). Paris: Carilian-Gœury et Dalmont édit (in French).
- Cooper, H. H., Jr and C. E. Jacob. 1946. A generalized graphical method for evaluating formation constants and summarizing well-field history. *Trans Amer Geophysical Union* 27(IV): 526-34.
- Darcy, H. 1856. *Les fontaines publiques de la ville de Dijon*. (The Dijon town water supply.) Paris: Victor Dalmont (in French).
- Datye, K. R. and V. N. Gore. 1994. Application of natural geotextiles and related products. *Geotextiles and Geomembranes* 13(6-7):371-88.
- Desai, C. S.; N. C.Samtani; and L.Vulliet. 1995. Constitutive modeling and analysis of creeping slopes. *J Geotechnical Eng* 121(1): 43-56.
- Dharmawardene, W. and N. Weimer. 1988. A case history of the use of horizontal drains to stabilize a landslide in Alberta, Canada. *Proc 5th Inter Symp on Landslides*, Lausanne. 2:893-96.
- Di Maio, C. and C. Viggiani. 1987. Influence of intermittent rainfall on effectiveness of trench drains. *Proc 9th European Conf Soil Mech Found Eng*. Dublin. 1:149-152.
- DMR. 1986. *Specification for Installation of Horizontal Drains for the Stabilisation of Slopes*. M R Form No. 1013. Sydney, NSW: Department of Main Roads, New South Wales.
- Donnan, W. W. 1946. Model tests of a tile-spacing formula. *Proc Soil Science Soc of America*. 11:131-36.

- Dowding, C. H.; M. B. Su; and K. O'Connor. 1989. Measurement of rock mass deformation with grouted coaxial antenna cables. *Rock Mechanics and Rock Eng* 22:1-23.
- Dowding, C. H. and F-C. Huang. 1994. Early detection of rock movement with time domain reflectometry. *J Geotechnical Eng* 120(8):1413-27.
- Dunnicliff, J. 1993. *Geotechnical Instrumentation for Monitoring Field Performance*. New York: John Wiley & Sons.
- Dysli, M. and E. Recordon. 1984. Landslides analysed as viscous flow. *Proc 4th Inter Symp on Landslides*, Toronto. 2:405-10.
- Fell, R.; J.P. MacGregor; J. Williams; and P. Searle. 1987. Hue Hue Road landslide, Wyong. In *Soil Slope Instability and Stabilisation*. Edited by B.F. Walker and R. Fell. Rotterdam: A. A. Balkema: 315-24.
- Fellenius, W. 1927. *Erdstatische Berechnungen mit Reibung und Kohäsion und unter Annahme kreisylindrischer Gleitflächen*. (Earth statics calculations with friction and cohesion, assuming cylindrical sliding surfaces). Berlin: Wilhelm Ernst (in German).
- Forchheimer, P. 1917. Zur Grundwasserbewegung nach isothermischen Kurvenscharen. (On the movement of groundwater according to sets of isothermal curves.). *Sitzungsber K-K Akad der Wissenschaft* 126(4):409-40 (in German).
- Ford, H. W. 1974. Low pressure jet cleaning of plastic drains in sandy soil. *Trans Amer Soc of Agricultural Engrs*. 17:895-897.
- . 1982. Estimating the potential for ochre clogging before installing drains. *Trans Amer Soc of Agricultural Engrs*. 25:1597-600.
- . 1985. *Iron ochre and related sludge deposits in subsurface drain lines*. Circular 671. Gainesville, FL: Institute of Food and Agricultural Sciences, Univ of Florida.
- Forrester, K. 1987. The Carisbrooke Avenue landslide. In *Soil Slope Instability and Stabilisation*. Edited by B.F. Walker and R. Fell. Rotterdam: A. A. Balkema: 337-46.
- . 1992. Ochre clogging in subsoil drains. *Proc 6th Inter Symp on Landslides*. Christchurch. 3:1761-66.
- Forrester, K. and G. Nyland. 1980. Two landslides on New South Wales highways. *Inter Symp on Landslides*, New Delhi. 1:181-84.
- Fredlund, D. G. 1984. Analytical methods for slope stability analysis. *Proc 4th Inter Symp on Landslides*, Toronto. 1:229-50.
- Gerard, J. A. 1985. On site sewing of geotextiles. *Geotechnical Fabrics Report* 3(5): 17-21.
- Giroud, J-P. 1977. Commentaire de M. Giroud. *International Conference on the Use of Fabrics in Geotechnics*, Paris. 3:111 (in French).
- Grass, L. B. and A. J. MacKenzie. 1972. Restoring subsurface drain performance. *J Irrigation and Drainage Div*. 98(1):97-106.
- Gress, J. C. 1996. Dewatering a landslip through siphoning drains—Ten years of French experience. *Proc 7th Inter Symp on Landslides*, Trondheim. 3:1705-08.
- Griffiths, D. V. and P. A. Lane. 1999. Slope stability analysis by finite elements. *Géotechnique* 49(3):387-403.
- Gupta, J. D.; W. A. Kneller; R. Tamirisa; and E. Skrzypczak-Jankun. 1994. Characterization of base and subbase iron and steel slag aggregates causing deposition of calcareous tufa in drains. *Transportation Research Record* 1434:8-16.
- Haliburton, T. A. and P. D. Wood. 1982. Evaluation of the U.S. Army Corps of Engineers gradient ratio test for geotextile performance. *Proc 2nd Inter Conf Geotextiles*, Las Vegas. 1:97-101.

- Healy, K. A. and R. P. Long. 1972. Prefabricated filter-fin for subsurface drains. *J Irrigation and Drainage Div.* 98(4):543-52.
- Hermesmeier, L. F. and L. S. Willardson. 1970. Friction factors for corrugated plastic tubing. *J Irrigation and Drainage Div.* 96(3):265-71.
- . 1972. Closure to Hermesmeier and Willardson (1970). *J Irrigation and Drainage Div.* 98(3):495-98.
- Hoek, E. and J. Bray. 1981. *Rock Slope Engineering*. 3<sup>rd</sup> Ed. London: The Institution of Mining and Metallurgy.
- Hurd, J. O. 1988. Effect of slag type on tufa precipitate formation. *Transportation Research Record* 1192:79-84.
- Hutchinson, J. N. 1977. Assessment of the effectiveness of corrective measures in relation to geological conditions and types of slope movement. *Bull Inter Assn Eng Geology* 16:131-55.
- Hvorslev, M. J. 1949. *Subsurface exploration and sampling of soils for civil engineering purposes*. Vicksburg, MS: Waterways Experiment Station, U.S. Army Corps of Engineers.
- . 1951. *Time lag and soil permeability in ground-water observations*. Bulletin No 36. Vicksburg, MS: Waterways Experiment Station, U.S. Army Corps of Engineers.
- Ingold, T. 1980. Lateral earth pressures. *Civil engineering* (UK) February:45-56.
- Irwin, R. W. 1984. Corrugated pipe flow rate from pipe geometry. *J Irrigation and Drainage Eng* 110(2):237-41.
- Irwin, R. W. and J. Motycka. 1979. Friction factors for corrugated plastic drainage pipe. *J Irrigation and Drainage Div.* 105(1):29-36.
- Janbu, N. 1973. Slope stability computations. In *Embankment-Dam Engineering*. Casa-grande Volume. Edited by R. C. Hirschfeld and S. J. Poulos. New York: John Wiley & Sons.
- . 1996. Slope stability evaluations in engineering practice. *Proc 7th Inter Symp on Landslides*, Trondheim. 1:17-34.
- Janbu, N.; L. Bjerrum; and B. Kjærnsli. 1956. Veiledning ved løsning av fundamenteringsoppgaver. (Guide to the solution of foundation problems.) *Publication No 16*. Norwegian Geotechnical Institute, Oslo (in Norwegian).
- John, K. W. 1968. Graphical stability analysis of slopes in jointed rock. *J Soil Mech and Found Div.* 94(2):497-526.
- Karplus, W. J. 1958. *Analog Simulation. Solution of Field Problems*. New York: McGraw-Hill Book Co.
- Keaton, J. R. and J. V. DeGraff. 1996. Surface observation and geologic mapping. In *Landslides: Investigation and Mitigation. Special Report 247*. Chapter 9. Washington, DC:Transportation Research Board, National Research Council.
- Kjellman, W. 1948. Accelerated consolidation of fine-grained soils by means of cardboard wicks. *Proc 2nd Inter Conf Soil Mech Found Eng*, Rotterdam. 2:302-05.
- Kneller, W. A.; J. Gupta; M. L. Borkowski; and D. Dollimore. 1994. Determination of original free lime content of weathered iron and steel slags by thermogravimetric analysis. *Transportation Research Record* 1434:17-22.
- Koerner, R. M. 1994. *Designing with Geosynthetics*. 3rd Ed. Englewood Cliffs, NJ: Prentice Hall.
- Koerner, R. M.; W. M. McCabe; and A.E. Lord, Jr. 1981. *Acoustic emission behavior and monitoring of soils*. ASTM STP 750:93-141.

- Koppula, S. D. 1984. Forecasting groundwater levels: a stochastic procedure. *Transportation Research Record* 965:16-21.
- Kuntze, H. 1982. *Iron Clogging in Soils and Pipes. Analysis and Treatment*. Deutscher Verband für Wasserwirtschaft und Kulturbau. Bulletin 10. English translation from Verlag Paul Parey, Hamburg and Pitman Publishing, London.
- Lang, S. M. 1967. Pumping test methods for determining aquifer characteristics. *Permeability and Capillarity of Soils* ASTM STP 417:35-55.
- Lew, K. V. and J. Graham. 1988. Riverbank stabilization by drains in plastic clay. *Proc 5th Inter Symp on Landslides*, Lausanne. 2:939-44.
- McCauley, M. L. 1986. Personal communication.
- McGown, A. 1976. The properties and uses of permeable fabric membranes. *Residential Workshop on Materials and Methods for Low Cost Road, Rail and Reclamation Works*. Leura, Australia. pp. 663-709.
- McGuffey, V. C. 1971. Plastic pipe observation wells for recording groundwater levels and depth of active slide movements. *Highway Focus* 3(3):1-3.
- Mearns, R. and T. Hoover. 1973. *Subaudible rock noise (SARN) as a measure of slope stability*. Report No CA-DOT-TL-2537-1-73-24. California Department of Transportation, Transportation Laboratory.
- Miller, E. 1988. The eductor dewatering system. *Ground Engineering* 21(6):29-34.
- Moody, W. T. 1966. Nonlinear differential equation of drain spacing. *J Irrigation and Drainage Div.* 92(2):1-9.
- Morgenstern, N. R. and V. E. Price. 1965. The analysis of the stability of general slip surfaces. *Géotechnique* 15(1):79-93.
- Morris, H. M. 1959. Design methods for flow in rough conduits. *J Hydraulics Div.* 85(7):43-62.
- Murray, R. 1982. Fabric reinforcement of embankments and cuttings. *Proc 2nd Inter Conf Geotextiles*, Las Vegas. 3:707-13.
- NAVFAC. 1986a. *Soil Mechanics*. Design Manual 7.01. Alexandria, VA: U.S. Navy, Naval Facilities Engineering Command.
- . 1986b. *Foundations & Earth Structures*. Design Manual 7.02. Alexandria, VA: U.S. Navy, Naval Facilities Engineering Command.
- Nonveiller, E. 1981. Efficiency of horizontal drains on slope stability. *Proc 10th Inter Conf Soil Mech Found Eng*, Stockholm. 3:495-500.
- Olcese, A.; C. Vescovo; S. Boni; and G. Giusti. 1991. Stabilization of a landslide with submerged motor-driven pumps. In *Slope Stability Engineering. Developments and Applications*. Edited by R. J. Chandler. London: The Institution of Civil Engineers, Thomas Telford, pp. 321-326.
- Powers, J. P. 1992. *Construction Dewatering. New Methods and Approaches*. 2nd Ed. New York: John Wiley & Sons.
- Richardson, G. N. and B. Christopher. 1997. Geotextiles in drainage systems. *Geotechnical Fabrics Report* 15(3):19-23.
- Robinson, C. S. 1980. Horizontal drilling by using an oriented core at Wheeler Junction, Colorado. *Transportation Research Record* 783:31-35.
- Royster, D. L. 1980. Horizontal drains and horizontal drilling: An overview. *Transportation Research Record* 783:16-20.
- RTA. 1991. *Materials Guide No 2. Acoustic Emission*. Sydney NSW: Roads and Traffic Authority, New South Wales.

- Rulon, J. J.; R. Rodway; and R. A. Freeze. 1985. The development of multiple seepage faces on layered slopes. *Water Resources Res* 21(11):1625-36.
- Ryznar, J. W. 1944. A new index for determining amount of calcium carbonate scale formed by a water. *J Amer Water Works Assn* 36(4):472-86.
- Sällfors, G. B. and C. Svensson. 1984. Prediction of maximum groundwater pressure. *Proc 4th Inter Symp on Landslides*, Toronto. 1:437-40.
- Sangrey, D. A.; K.O. Harrop-Williams; and J. A. Klaiber. 1984. Predicting groundwater response to precipitation. *J Geotechnical Eng* 110(7):957-75.
- Sauer, E. K. and D. G. Fredlund. 1988. Effective stress, limit equilibrium back-analysis of failed slopes: Guidelines. *Proc 5th Inter Symp on Landslides*, Lausanne. 1: 763-70.
- Seed, H. B. and I. M. Idriss. 1971. Simplified procedure for evaluating soil liquefaction potential. *J Soil Mech and Found Div.* 97(9):1249-73.
- Shipton, R. J. and H. R. Graze. 1976. Flow in corrugated pipes. *J Hydraulics Div.* 102(9):1343-51.
- Smith, D. D. 1980. Long-term performance of horizontal drains. *Transportation Research Record* 783:39-45.
- Smith, T. W. and G. V. Stafford. 1957. Horizontal drains on California highways. Proc Paper 1300. *J Soil Mech and Found Div.* 83(3).
- Sowers, G. F. and D. L. Royster. 1978. Field investigation. In *Landslides: Analysis and control. Special Report 176*. Washington DC:Transportation Research Board. National Academy of Sciences, pp. 81-111.
- Stanic, B. 1984. Influence of drainage trenches on slope stability. *J Geotechnical Eng* 110(11):1624-36.
- Suits, L. D. and G. N. Richardson. 1998. M288-96: The updated AASHTO geotextile specifications. *Geotechnical Fabrics Report* 16(2):39-41.
- Sutton, J. G. 1960. Installation of drain tile for subsurface drainage. *J Irrigation and Drainage Div.* 86(3):27-49.
- Taylor, D. W. 1948. *Fundamentals of Soil Mechanics*. New York: John Wiley & Sons.
- Taylor, G. S. 1977. Ochre is the ogre. *Drainage Contractor* 3(1):79-80.
- Terzaghi, K. 1943. *Theoretical Soil Mechanics*. New York: John Wiley & Sons.
- Terzaghi, K., and R. B. Peck. 1967. *Soil Mechanics in Engineering Practice*. 2<sup>nd</sup> Ed. New York: John Wiley & Sons.
- Theis, C. V. 1935. The relation between the lowering of the piezometric surface and the rate and duration of discharge of a well using groundwater storage. *Trans Amer Geophysical Union* (2):519-24.
- Tschebotarioff, G. P. 1973. *Foundations, Retaining and Earth Structures*. 2<sup>nd</sup> Ed. New York: McGraw-Hill Book Co.
- USBR. 1977. *Ground Water Manual*. Bureau of Reclamation, U.S. Department of the Interior. Washington, DC: U.S. Govt Printing Office.
- USBR. 1978. *Drainage Manual*. Bureau of Reclamation, U.S. Department of the Interior. Washington, DC: U.S. Govt Printing Office.
- Varnes, D. J. 1978. Slope movement types and processes. In *Landslides: Analysis and Control. Special Report 176*. Transportation Research Board. Washington DC: National Academy of Sciences, pp. 12-33.
- Zaruba, Q. and V. Mencl. 1969. *Landslides and Their Control*. 1<sup>st</sup> Ed. Amsterdam: Elsevier.