

# References

- Algermissen, S. T. (1969). *Seismic risk studies in the United States*, U.S. Coast & Geodetic Survey, National Oceanic and Atmospheric Admin., Silver Spring, MD.
- Applied Technology Council. (1978). *Tentative provisions for the development of seismic regulations for buildings: A cooperative effort with the design profession, building code interests and the research community*, U.S. Government Printing Office, Washington, DC.
- ASTM International. (2010). *Annual book of ASTM standards*, West Conshohocken, PA.
- Baecher, G. B., and Christian, J. T. (2003). *Reliability and statistics in geotechnical engineering*, John Wiley & Sons, New York.
- Bailey, W. A., and Christian, J. T. (1969). "ICES-LEASE-I: A problem-oriented language for slope stability analysis." *MIT Soil Mechanics Publ. No. 235*, Massachusetts Inst. of Technology, Cambridge, MA.
- Beles, A. A., and Stanculescu, I. I. (1958). "Thermal treatment as a means of improving the stability of earth masses." *Geotechnique*, 8(4), 158–165.
- Berg, R. R., Anderson, R. P., Rose, R. J., and Chouery-Curtis, V. E. (1990). "Reinforced soil highway slopes." *Transp. Res. Rec. 1288*, Transportation Research Board, Washington, DC, 107, Fig. 10.
- Bishop, A. W. (1955). "The use of failure circle in the stability analysis of slopes." *Geotechnique*, 5(1), 7–17.
- Bishop, A. W., and Henkel, D. J. (1957). *The measurement of soil properties in the triaxial test*, Edward Arnold, London.
- Bishop A. W., and Morgenstern, N. (1960). "Stability coefficients for earth slopes." *Geotechnique*, 10(4), 129–150.
- Bjerrum, L. (1972). "Embankments on soft ground." *Proc., ASCE Specialty Conf. on Performance of Earth and Earth-Support Structures*, Purdue University, ASCE, Reston, VA, II, 1–54.
- Bjerrum, L., and Simons, N. E. (1960). "Comparison of shear strength characteristics of normally consolidated clays." *Proc., ASCE Specialty Conf. on Shear Strength of Cohesive Soils*, ASCE, Reston, VA, 711–726.
- Bowles, J. E. (1984). *Physical and geotechnical properties of soils*, 2nd Ed., McGraw-Hill, New York.
- Bray, J. D., Zekkos, D., Kavazanjian, E., Athanasopoulos, G. A., and Reimer, M. F. (2009). "Shear strength of municipal waste." *J. Geotech. Geoenv. Eng.*, 135(6), 709–722.
- Broms, B. B., and Flodin, N. (1988). "History of soil penetration testing." *Proc., 1st Int. Symp. on Penetration Testing*, Orlando, FL, 1, 157–220.

- Casagrande, A. (1937). "Seepage through dams." *Contributions to soil mechanics*, BSCE (1925–1940.) Paper first published in *J. New Engl. Water Works Assoc.*, June 1937, 295–336.
- Casagrande L., Loughney, R. W., and Matich, M. A. J. (1961). "Electro-osmotic stabilization of a high slope in loose saturated silt." *Proc., 5th Int. Conf. on Soil Mechanics and Foundation Engineering*, International Society of Soil Mechanics and Geotechnical Engineering (ISSMGE), London, 2, 555–561.
- Casagrande, L., Wade, N., Wakely, M., and Loughney, R. (1981). "Electro-osmosis projects, British Columbia, Canada." *Proc., 10th Int. Conf. on Soil Mechanics and Foundation Engineering*, International Society of Soil Mechanics and Geotechnical Engineering (ISSMGE), London, 3, 607–610.
- Cedergren, H. R. (1977). *Seepage, drainage, and flow nets*, 3rd Ed., John Wiley & Sons, New York.
- Chowdhury, R. N. (1980). "Landslides as natural hazards: Mechanisms and uncertainties." *Geotech. Eng., SE Asian Soc. of Soil Eng.*, 11(2), 135–180.
- Christian, J. T., and Baecher, G. B. (2011). "Unresolved problems in geotechnical risk and reliability." *Geotechnical Risk Assessment & Management*, GeoRisk 2011 Conference, ASCE, Reston, VA, 45–63.
- Christian, J. T., Ladd, C. C., and Baecher, G. B. (1994). "Reliability applied to slope stability analysis." *J. Geotech. Eng.*, 120(12), 2180–2207.
- Chugh, A. K. (1981). *User information manual, slope stability analysis, Program SSTAB2*, U.S. Dept. of Interior, Bureau of Reclamation, Washington, DC.
- Cornell, C. A. (1971). "First-order uncertainty analysis of soils deformation and stability." *Proc., 1st Int. Conf. on Applications of Probability and Statistics in Soil and Structural Engineering*, International Society of Soil Mechanics and Geotechnical Engineering (ISSMGE), London, 129–144.
- Cruden, D. M., and Varnes, D. J. (1996). "Landslide types and processes." *Landslides: Investigations and mitigations, Special Rep. 247*, Transportation Research Board, Washington, DC, 36–75.
- D'Appolonia Consulting Engineers, Inc. (1975). *Engineering and design manual: Coal refuse disposal facilities*, Mining Enforcement and Safety Administration, U.S. Department of Interior, Washington, DC.
- Dennis, T. H., and Allan, R. J. (1941). "Slide problem: Storms do costly damages on state highways yearly." *California Highways and Public Works*, 20, 1–3.
- Drnevich, V. P., Gorman, T., and Hopkins, T. C. (1974). "Shear strength of cohesive soils and friction sleeve resistance." *Proc., European Symp. on Penetration Testing*, National Swedish Institute for Building Research, Stockholm, 2:2, 129–132.
- Duncan, J. M. (1996). "State of the art: Limit equilibrium and finite-element analysis of slopes." *J. Geotech. and Geoenv. Eng.*, 122(7), 577–596.
- Duncan, J. M., and Wright, S. G. (2005). *Soil strength and slope stability*, John Wiley & Sons, New York.
- Eid, H. T., Evans, W. D., and Sherry, P. E. (2000). "Municipal solid waste slope failure: Waste and foundation soil properties." *J. Geotech. and Geoenv. Eng.*, 126(5), 391–407.

- Federal Highway Administration (FHWA). (2000). "Mechanically stabilized earth walls and reinforced soil slope: Design and construction guidelines." *Rep. FHWA-NHI-00-043*, Washington, DC.
- Federal Register*. (1977). "Mineral resources." Part II, Title 30, Chapter VII, Part 715, Office of Surface Mining Reclamation and Enforcement, U.S. Dept. of Interior, Washington, DC.
- Fellenius, W. (1936). "Calculation of the stability of earth dams." *Trans., 2nd Congress on Large Dams*, U.S. Government Printing Office, Washington, DC, 4, 445–462.
- Fredlund, D. G., and Dahlgren, A. E. (1972). "Statistical geotechnical properties of glacial Lake Edmonton sediments." *Proc., Int. Conf. on Statistics and Probability in Civil Engineering*, Hong Kong Univ. Press, Hong Kong (also distributed by Oxford Univ. Press, London).
- Gedney, D., and Weber, W. (1978). "Design and construction of soil slopes." Chapter 8, *Landslides: Analysis and control, Special Rep. 176*, R. L. Schuster and R. J. Krizek, eds., Transportation Research Board, Washington, DC.
- Gilboy, G. (1933). "Hydraulic-fill dams." *Proc., Int. Comm. on Large Dams*, World Power Conference, Stockholm.
- Gray, D. H., and Leiser, A. T. (1982). *Biotechnical slope protection and erosion control*, Van Nostrand Reinhold, New York.
- Gray, D. H., and Leiser, A. T. (1992). "Biotechnical stabilization of cut and fill slopes." *Proc., Stability and Performance of Slopes and Embankments: II*, Berkeley, CA, ASCE Geotech. Spec. Publ. No. 31, Reston, VA, 1395–1410.
- Gray, D. H., and Leiser, A. T. (1995). "Biotechnical stabilization of steep slopes." *Transp. Res. Rec. 1474*, Transportation Research Board, Washington, DC.
- Handy, R. L., and Williams, W. W. (1967). "Chemical stabilization on an active landslide." *Civil Eng.*, 37(8), 62–65.
- Hansen, W. R. (1965). "Effect of the earthquake of March 27, 1964 at Anchorage, Alaska." *USGS Professional Paper 542-A*, U.S. Geological Survey, Reston, VA.
- Harr, M. E. (1962). *Groundwater and seepage*, McGraw-Hill, New York.
- Harr, M. E. (1977). *Mechanics of particulate media*, McGraw-Hill, New York.
- Haugen, J. J., and DiMillio, A. F. (1974). "A history of recent shale problems in Indiana." *Highway Focus*, 6(3), 15–21.
- Henkel, D. J. (1967). "Local geology and the stability of natural slopes." *J. Soil Mech. and Found. Div. ASCE*, 93(SM4), 437–446.
- Hill, R. A. (1934). "Clay stratum dried out to prevent landslides." *Civil Eng.*, 4(8), 403–407.
- Hopkins, T. C., Allen, D. L., and Deen, R. C. (1975). "Effect of water on slope stability." *Res. Rep. 435*, Div. of Research, Kentucky Dept. of Transportation, Frankfort, KY.
- Hovland, H. J. (1977). "Three-dimensional slope stability analysis method." *J. Geotech. Eng. Div. ASCE*, 103(GT9), 971–986.
- Huang, Y. H. (1975). "Stability charts for earth embankments." Fig. 1, p. 4 and Fig. 4, p. 7, *Transp. Res. Rec. 548*, Transportation Research Board, Washington, DC.

- Huang, Y. H. (1977a). "Stability of mine spoil banks and hollow fills." *Proc., Conf. on Geotechnical Practice for Disposal of Solid Waste Materials*, Ann Arbor, MI, Specialty Conference of the Geotechnical Engineering Division, ASCE, Reston, VA, 407–427.
- Huang, Y. H. (1977b). "Stability coefficients for sidehill benches." *J. Geotech. Eng. Div. ASCE*, 103(GT5), 467–481.
- Huang, Y. H. (1978a). "Stability charts for sidehill fills." *J. Geotech. Eng. Div. ASCE*, 104(GT5), 659–663.
- Huang, Y. H. (1978b). "Stability of spoil banks and hollow fills created by surface mining." *Res. Rep. IMMR34-RRR1-78*, Inst. for Mining and Mineral Research, Univ. of Kentucky, Lexington, KY.
- Huang, Y. H. (1979). "Stability charts for refuse dams." *Proc., 5th Kentucky Coal Refuse Disposal and Utilization Seminar and Stability Analysis of Refuse Dam Workshop*, Univ. of Kentucky, Lexington, KY, 57–65.
- Huang, Y. H. (1980). "Stability charts for effective stress analysis of nonhomogeneous embankments." *Transp. Res. Rec. 749*, Transportation Research Board, Washington, DC, 72–74.
- Huang, Y. H. (1981). "Line of seepage in earth dams on inclined ledge." *J. Geotech. Eng. Div. ASCE*, 107(GT5), 662–667.
- Huang, Y. H. (1983). *Stability Analysis of Earth Slopes*, Van Nostrand Reinhold Company, New York.
- Huang, Y. H. (1986). "Unsteady-state phreatic surface in earth dams." *J. Geotech. Eng. Div. ASCE*, 112(1), 93–98.
- Huang, Y. H., and Avery, M. C. (1976). "Stability of slopes by the logarithmic-spiral method." *J. Geotech. Eng. Div. ASCE*, 102(GT1), 41–49.
- Hungr, O., Salgado, F. M., and Byrne, P. M. (1989). "Evaluation of a three-dimensional method of stability analysis." *Canadian Geotech. J.*, 26, 679–686.
- Hunter, J. H., and Schuster, R. L. (1971). "Chart solutions for stability analysis of earth slopes." *Highway Res. Rec. 345*, Highway Research Board, Washington, DC, 77–89.
- Hutchinson, J. N. (1988). "General report: Morphological and geotechnical parameters of landslides in relation to geology and geohydrology." *Proc., 5th Int. Symp. on Landslides*, Rotterdam, International Society of Soil Mechanics and Geotechnical Engineering (ISSMGE), London, 3–35.
- International Business Machines Corp. (IBM). (1970). *System/360 scientific subroutine package, version III, programmer's manual*, Armonk, NY.
- Janbu, N. (1954). "Application of composite failure surface for stability analysis." *Proc., European Conf. on Stability of Earth Slopes*, International Society of Soil Mechanics and Geotechnical Engineering (ISSMGE), London.
- Janbu, N. (1973). "Slope stability computation." *Embankment-dam engineering, Casagrande volume*, R. C. Hirschfeld and S. J. Poulos, eds., John Wiley & Sons, New York, 47–86.
- Janbu, N., Bjerrum, L., and Kjaernsli, B. (1956). "Soil mechanics applied to some engineering problems." *Publ. 16*, Norwegian Geotechnical Inst., Oslo.
- Karlsson, R., and Viberg, L. (1967). "Ratio  $c/p'$  in relation to liquid limit and plasticity index, with special reference to Swedish clays." *Proc.*,

- Geotechnical Conf.* International Society of Soil Mechanics and Geotechnical Engineering (ISSMGE), London, 1, 43–47.
- Kavazanjian, E., Jr. (2001). "Mechanical properties of municipal solid waste." *Proc., 8th Int. Waste Management and Land Filling Symp.*, International Society of Soil Mechanics and Geotechnical Engineering (ISSMGE), London, 415–424.
- Kavazanjian, E., Jr., Matasovic, N., Bonaparte, R., and Schmertmann, G. R. (1995). "Evaluation of MSW properties for seismic analysis." *Geotech. Special Publ.* 46, ASCE, Reston, VA, 1126–1141.
- Kenney, T. C. (1959). "Discussion." *J. Soil Mech. and Found. Div. ASCE*, 85(SM3), 67–79.
- Kulhawy, F. H., and Mayne, P. W. (1990). "Manual on estimating soil properties for foundation design." *Rep. EPRI EL-6800*, Electric Power Research Inst., Palo Alto, CA.
- Ladd, C. C., and Foott, R. (1974). "New design procedure for stability of soft clays." *J. Geotech. Eng. Div. ASCE*, 100(GT7), 763–786.
- Ladd, C. C., Moh, Z. C., and Gifford, D. G. (1972). "Statistical analysis of undrained strength of soft Bangkok clay." *Proc., Int. Conf. on Statistics and Probability in Civil Eng.*, Hong Kong Univ. Press, Hong Kong (also distributed by Oxford Univ. Press, London).
- Lambe, T. W., and Whitman, R. V. (1969). *Soil mechanics*, John Wiley & Sons, New York.
- Lumb, P. (1966). "Variability of Natural Soils." *Canadian Geotech. J.*, 3(2), May, 1966.
- Lumb, P. (1972). "Precision and accuracy of soil tests." *Proc., Int. Conf. on Statistics and Probability in Civil Engineering*, Hong Kong Univ. Press, Hong Kong (also distributed by Oxford Univ. Press, London).
- Leshchinski, D., and San, K. (1994). "Pseudostatic seismic stability of slopes: Design charts." *J. Geotech. Eng. Div. ASCE*, 120(9), 1514–1532.
- Lowe, J., and Karafiath, L. (1959). "Stability of earth dams upon drawdown." *Proc., 1st Pan American Conf. on Soil Mechanics and Foundation Engineering*, International Society of Soil Mechanics and Geotechnical Engineering (ISSMGE), London, 2, 537–552.
- Makdisi, F. I., and Seed, H. B. (1978). "A simplified procedure for estimating dam and embankment earthquake-induced deformations." *J. Geotech. Eng. Div. ASCE*, 107(7), 849–867.
- Marachi, N. D., Chan, C. K., Seed, H. B., and Duncan, J. M. (1969). "Strength and deformation characteristics of rockfill materials." *Rep. TE 69-5*, Dept. of Civil Engineering, Univ. of California, Berkeley, CA.
- Matsuo, M., and Kuroda, K. (1974). "Probabilistic approach to design of embankments." *Soils and Foundations*, Japanese Soc. of Soil Mech. and Foundations Eng., 14(2).
- Mayne, P. W., and Campanella, R. G. (2005). "Versatile site characterization by seismic piezocone." *Proc., 16th Int. Conf. on Soil Mechanics and Geotechnical Engineering*, International Society of Soil Mechanics and Geotechnical Engineering (ISSMGE), London, 2, 721–724.



- Mendez, C. (1971). "Computerized slope stability: The sliding block problem." *Tech. Rep. No. 21*, Purdue Univ. Water Resources Research Center, Lafayette, IN.
- Meyerhof G. G. (1956). "Penetration tests and bearing capacity of piles." *J. Soil Mech. and Found. Div. ASCE*, 82(1), paper 886.
- Mines Branch, Canada. (1972). *Tentative design guide for mine waste embankments in Canada*. Natural Resources Canada (formerly Dept. of Energy, Mines, and Resources), Ottawa, Ontario, Canada.
- Morgenstern, N. R. (1963). "Stability charts for earth slopes during rapid draw-down." *Geotechnique*, 13(2), 121–131.
- Morgenstern, N., and Price, V. E. (1965). "The analysis of the stability of general failure surfaces." *Geotechnique*, 15(1), 79–93.
- Morse, R. K. (1972). "The importance of Proper Soil Units for Statistical Analysis," *Int. Conf. on Statistics and Probability in Civ. Eng.*, Hong Kong University Press, Hong Kong, also distributed by Oxford University Press, London.
- National Coal Board. (1970). *Spoil heaps and lagoons: Technical handbook*, London.
- Neumann, F. (1954). *Earthquake intensity and related ground motion*, Univ. of Washington Press, Seattle, WA.
- O'Colman, E., and Trigo, R. J. (1970). "Design and construction of tie-back sheet pile wall." *Highway Focus*, 2(5), 63–71.
- Oka, Y., and Wu, T. (1990). "System reliability of slope stability." *J. Geotech. Eng. Div. ASCE*, 116(8), 1185–1189.
- Peck, R. B. (1967). "Stability of natural slopes." *J. Soil Mech. and Found. Div. ASCE*, 93(SM4), 403–417.
- Peck, R. B., and Ireland, H. O. (1953). "Investigation of stability problems." *Bull. 507*, American Railway Engineering Assn., Chicago, 1116–1128.
- Petersen, M. D., et al. (2008). *2008 United States national seismic hazard maps*, U.S. Geological Survey Fact Sheet, U.S. Geological Survey, Reston, VA.
- Robertson, P. K., and Campanella, R. G. (1983). "Interpretation of cone penetration tests. 1: Sands." *Canadian Geotech. J.*, 20(4), 718–733.
- Root, A. W. (1958). "Prevention of landslides." Fig. 8.12, p. 179, *Landslides and engineering practice*, Special Rep. 29, E. B. Eckel, ed., Highway Research Board, Washington, DC.
- Royster, D. L. (1974). "Construction of a reinforced earth fill along I-40 in Tennessee." *Proc., 25 Highway Geology Symp.*, International Society of Soil Mechanics and Geotechnical Engineering (ISSMGE), London, 76–93.
- Schmertmann, J. H. (1975). "Measurement of in-situ shear strength: State of the art review." *Proc., ASCE Specialty Conf. on In-Situ Measurement of Soil Properties*, North Carolina State Univ., ASCE, Reston, VA, 2, 57–138.
- Schultze, E. (1972). "Frequency distributions and correlations of soil properties." *Proc., Int. Conf. on Statistics and Probability in Civil Engineering*, Hong Kong Univ. Press, Hong Kong (also distributed by Oxford Univ. Press, London).
- Schultze, E. (1975). "The general significance of statistics for the civil engineer." *Proc., 2nd Int. Conf. on Application of Statistics and Probability to Soil and*

- Structural Engineering*, International Society of Soil Mechanics and Geotechnical Engineering (ISSMGE), London.
- Schuster, R. L., and Krizek, R. J. (1978). "Landslides analysis and control." *Special Rep. 176*, Transportation Research Board, Washington, DC.
- Seed, H. B., Idriss, I. M., Lee, K. L., and Makdisi, F. I. (1975a). "Dynamic analysis of the slide in the lower San Fernando dam during the earthquake of February 9, 1971." *J. Geotech. Eng. Div. ASCE*, 101(GT9), 889–911.
- Seed, H. B., Lee, K. L., Idriss, I. M., and Makdisi, F. I. (1975b). "The slides in the San Fernando dams during the earthquake of February 9, 1971." *J. Geotech. Eng. Div. ASCE*, 101(GT7), 651–688.
- Senneset K., Sandven, R., and Janbu, N. (1989). "Evaluation of soil parameters from piezocone tests." *Transp. Res. Rec. 1235*, Table 2, p. 28; Fig. 8, p. 30; and Fig. 9, p. 31, Transportation Research Board, Washington, DC.
- Shannon and Wilson, Inc. (1968). *Slope stability investigation vicinity of Prospect Park, Trunk Highway No. 94, Contract No. 12605*. Report prepared for State of Minnesota Department of Highways, Project No. W-1311-01, Shannon and Wilson, Inc., Seattle, WA.
- Shen, C. K., Bang, S., Herrmann, L. R., and Romstad, K. M. (1978). "A reinforced lateral earth support system." *Proc., Symp. on Earth Reinforcement, Pittsburgh*, ASCE, Reston, VA, 764–793.
- Shen, C. K., Bang, S., Romstad, K. M., Kulchin, L., and Denatale, J. S. (1981a). "Field measurements of an earth support system." *J. Geotech. Eng. Div. ASCE*, 107(GT12), 1625–1642.
- Shen, C. K., Herrmann, L. R., Romstad, Bang, S., Kim, Y. S., and Denatale, J. S. (1981b). "In situ earth reinforcement lateral support system." *Rep. No. 81-03*, Dept. of Civil Engineering, Univ. of California, Davis, CA.
- Singh, A. (1972). "How reliable is the factor of safety in foundation engineering?" *Proc., Int. Conf. on Statistics and Probability in Civil Engineering*, Hong Kong Univ. Press, Hong Kong (also distributed by Oxford Univ. Press, London).
- Skempton, A. W. (1964). "Long-term stability of clay slopes." *Geotechnique*, 14(2), 77–101.
- Smith T. W., and Forsyth, R. A. (1971). "Potrero Hill slide and correction." *J. Soil Mech. and Found. Div. ASCE*, 97(SM3), 541–564.
- Smith, T. W., and Cedergren, H. R. (1962). "Cut slope design in field testing of soils and landslides." *ASTM Special Tech. Publ. 322, Field Testing of Soils*, ASTM International, West Conshohocken, PA, 135–158.
- Sowers, G. F. (1979). *Introductory soil mechanics and foundations: Geotechnical engineering*, 4th Ed., Macmillan, New York.
- Spencer, E. (1967). "A method of analysis of the stability of embankments assuming parallel inter-slice forces." *Geotechnique*, 17(1), 11–26.
- Spencer, E. (1973). "Thrust line criterion in embankment stability analysis." *Geotechnique*, 23(1), 85–100.
- Stark, T., and Eid, H. (1994). "Drained residual strength of cohesive soils." *J. Geotech. Eng. Div. ASCE*, 120(5), 856–871.
- Taylor, D. W. (1937). "Stability of Earth Slopes." *J. Boston Society Civ. Eng.*, 24, 197–246.

- Taylor, D. W. (1948). *Fundamentals of soil mechanics*, John Wiley & Sons, New York.
- Terzaghi, K., and Peck, R. B. (1967). *Soil mechanics in engineering practice*, John Wiley & Sons, New York.
- Turner, A. K., and Schuster, R. L., eds. (1996). "Landslides: Investigation and mitigation." *Special Rep. 247*, Transportation Research Board, Washington, DC.
- U.S. Army Corps of Engineers (USACE). (1970). "Engineering and design: Stability analysis of earth and rock-filled dams." *Engineer Manual EM 1110-2-1902*, Washington, DC.
- USACE. (1986). "Seepage analysis and control for dams." *Engineering Manual EM 1110-2-1901*, Washington, DC.
- U.S. Bureau of Reclamation (USBR). (1973). *Design of small dams*, 2nd Ed., U.S. Government Printing Office, Washington, DC.
- USBR. (1974). *Earth manual*, 2nd Ed., U.S. Dept. of Interior, Denver, CO.
- U.S. Navy. (1971). "Design manual, soil mechanics, foundations, and earth structures." *NAVFAC DM-7*, Naval Facilities Engineering Command, Washington, DC.
- Varnes, D. J. (1978). "Slope movement types and processes." Fig. 2.2, p. 11, *Landslides: Analysis and control*, *Special Rep. 176R*, L. Schuster and R. J. Krizek, eds., Transportation Research Board, Washington, DC.
- Whitman, R. V., and Moore, P. J. (1963). "Thoughts concerning the mechanics of slope stability analysis." *Proc., 2nd Pan American Conf. on Soil Mechanics and Foundation Engineering*, Associacao Brasileira de Mecanica dos Solos, Sao Paulo, Brazil, 1, 391–411.
- Wong, K. S., and Duncan, J. M. (1974). "Hyperbolic stress-strain parameters for nonlinear finite element analysis of stresses and movements in soil masses." *Geotech. Eng. Rep. TE 74-3*, Dept. of Civil Engineering, Univ. of California, Berkeley, CA.
- Wu, T., Tang, W., Sangrey, D., and Baecher, G. (1989). "Reliability of offshore foundation: State of the art." *J. Geotech. Eng. Div. ASCE*, 115(2), 157–178.
- Zaruba, Q., and Mencl, V. (1969). *Landslides and their control*, Elsevier, New York.