

# Index

**Pages with tables, figures, and equations are indicated by *t*, *f*, and *e***

- acetate; anaerobic digestion processes and, 211*t*, 298–300, 298*f*, 299*f*, 302; biological phosphorus removal process, 386, 387–88, 391; denitrification process, 384; hydrogen fermentation, 831, 832, 833*f*, 838, 840, 852*f*, 855, 856*t*, 885; MCRT and, 388; methane fermentation and production of, 885–86; methanogenic reaction utilization of, 797, 800; PHA production, 261–62; VFA degradation to, 840
- acetic acid; anaerobic digestion and hydrogen production, 831–32; biological nutrient removal and BOD:P ratio, 392; hybrid UASB reactor treatment and removal of, 247; methanogens sensitivity to, 891; nanomembrane fabrication, 980; PHA production, 259, 261
- acetogenesis process and acetogens/acetogenic bacteria; *Acetobacterium woodii*, 886*t*; anaerobic digestion and hydrogen production, 830, 831–32, 832*e*; anaerobic digestion process, 298–300, 298*f*, 299*f*; anaerobic granulation process, 233–34; hydraulic retention time and, 302; methane fermentation, 885–86; obligate hydrogen-producing acetogenic bacteria, 298–99, 300, 874, 886*t*; pH and, 874, 890–91
- acidification and surfactant recovery, 641–42
- Acidithiobacillus* sp.; *A. ferrooxidans*, 603–5; *A. thiooxidans*, 603
- acidogenesis process and acidogens/acidogenic bacteria; acid inhibition during, 874; anaerobic digestion and hydrogen production, 830, 831, 831*e*, 840; anaerobic digestion process, 210*t*, 211*t*, 299–300, 299*f*, 831; methane fermentation, 885–86; nutrients and, 211*t*; pH and, 210*t*, 874, 890–91; toxic compounds and, 304
- acids; adsorption of phosphorous with AWBs and, 504–5, 525–26; aerobic processes compared anaerobic granular sludge processes, 239; desorption of phosphorous from AWBs, 502–3; gravity-fed GAC and membrane filters system and removal of, 70*t*, 71; MEUF process and pH, 630–31; organic materials in rainwater, 41–42, 54; pH and, 38; refractory wastewater properties, 653*t*; SBAC activation, 723, 724*t*
- Acinetobacter*, 279*t*, 283, 389, 401
- Acorus calamus*, 355
- Acorusgramineus soland*, 355

*Actinastrium* sp., 815

activated carbon; adsorbent

applications for anionic pollutants removal, 457, 459*t*, 460; adsorbent applications for heavy metals removal, 595, 596*t*; adsorbent applications for pollutant removal, 360–67, 360*f*, 360*t*, 361*e*, 362*t*, 363*t*, 364*t*, 365*t*, 366*f*, 367*t*, 719; adsorption and TrOC treatment, 27, 538–540; adsorption capacity of, 512*t*, 513*t*; adsorption process for treatment of surfactant-rich effluent from MEUF, 616, 643; applications of, 357; background organic matter and effectiveness of adsorption process, 539–540; biomaterial-based activated carbons for anion removal, 27, 462–63, 466–67, 468; biosorbent applications, 464*t*, 465*t*, 475*t*, 479; biosorbent desorption and regeneration capacities, 481*t*, 482; burning of dead wetland plants and production of, 338; cattail fiber-based activated carbon, 360–62, 360*f*, 362*t*; characteristics and properties of, 357–360, 358*f*, 359*t*, 360*f*, 462–63, 463, 719; chemical activation, 357, 462–63; coal-based activated carbon, 595; costs associated with producing, 357; Fe-modified activated carbon, 366–67, 366*t*, 367*t*; granular activated carbon (GAC), 616, 719; granular activated carbon (GAC) adsorption filtration, 56–60, 57*f*, 57*t*, 58*f*, 59*t*, 596*t*; granular activated carbon (GAC)–AFBR systems, 800–801; granular activated carbon (GAC) and heavy metal remediation, 596*t*; granular activated carbon (GAC) and recycled water treatment methods, 16; granular activated carbon (GAC) biofilters for

stormwater treatment, 96, 97, 98–100, 99*f*, 99*t*, 101; granular activated carbon and membrane fouling, 805; gravity-fed granular activated carbon (GAC) and membrane filters system, 64–72, 65*f*, 66*t*, 67*f*, 68*f*, 69*t*, 70*t*, 71*f*; lead removal with, 585; lignite coal, 475*t*; lignocellulosic materials-based activated carbon and removal of Cd(II), 365–66, 365*t*; lotus stalks-based activated carbon, 364–66, 364*t*, 365*t*; MBR-activated carbon adsorption system, 561; Mn-modified activated carbon, 362–64, 363*t*, 364*t*; phosphorous adsorption applications, 495, 499; physical activation, 357, 462–63; powdered activated carbon (PAC), 14, 596*t*, 616, 719; powdered activated carbon and membrane fouling, 805; powdered activated carbon use in SANMBR, 884; sludge-based activated carbon, 28–29; sludge-based activated carbon (SBAC), 719–729, 721–22*t*, 724–26*t*; sources of, 357; stormwater treatment methods, 90. *See also* sludge-based activated carbon (SBAC)

activated carbon bed (ACB), 697

activated carbon fiber (ACF);

adsorption capacity of, 362*t*, 512*t*; adsorption process for treatment of surfactant-rich effluent from MEUF, 616, 643; biosorbent applications, 465*t*; heavy metals remediation, 28, 596*t*; MEUF-ACF hybrid process, 28, 616, 644; properties of, 28, 616

activated sludge/activated sludge

process; anaerobic process integration with, 249–250; anaerobic treatment as replacement for, 209; anammox process use of,

- 439–440; ASBR compared to conventional activated sludge process, 308; biomass concentration in, 164; concepts and applications, 190*t*; conventional activated sludge systems, 388–89, 390, 391, 402, 415, 552–53, 553*f*; environmental impact of conventional activated sludge (CAS) process, 18–19; environmental impact of conventional activated sludge system-ultrafiltration (CAS-UF), 18–19; enzyme production from, 26, 256, 278–285; PHA production with, 258, 260–62; sludge floc hydrolysis, 278–281, 279*t*, 283; sludge generation by process, 255; water quality after treatment with conventional activated sludge (CAS) process, 19
- ADI-AnMBR, 869, 871*t*
- ADI Systems, 297, 869, 871*t*
- adsorbents and adsorption processes; adsorption capacity of chlorophenols on various adsorbents, 362*t*; anionic pollutants removal, 456; carbon nanotubes adsorbents, 596; commercial adsorbents for removal of anionic pollutants, 457, 459*t*, 460–61; commercial adsorbents for removal of phosphorous, 508, 513*t*; costs of commercial adsorbents, 456, 461; desalination, 11; heavy metals remediation, 28, 595–97, 596*t*, 598–99*t*, 602, 642–43; low-cost adsorbents, 597; nanomaterials applications, 30, 981–83; phosphorous recovery, 521–22, 522*f*, 526; phosphorous removal, 494*t*, 495; renewable organic sources for, 456; sludge conversion for use as, 256, 706; surfactant-rich effluent from MEUF, treatment of, 616, 642–43, 644; TrOC removal, 27, 538–540; wastewater treatment methods, 17, 162, 163*t*, 164. *See also* activated carbon; activated carbon fiber (ACF); agricultural by-product-based biosorbents (AWBs); biosorbents/biomass-based adsorbents; sludge-based activated carbon (SBAC)
- advanced oxidation processes (AOPs); mechanism, 671; textile wastewater treatment with, 670–71, 671*t*; TrOC treatment with, 27, 543–44, 565, 680; wastewater treatment with, 162, 163*t*, 680
- aeration; biological nutrient removal and, 388; cost of, 239, 868, 880; CW uses of, 26, 203, 349–351, 350*f*; lagoon treatment systems, 198; natural purification, environmental water bodies, and water quality, 167; onsite wastewater treatment systems, 399; POME treatment systems, 964; reservoir storage of reclaimed water and water quality, 165–66, 166*f*; wastewater treatment processes, 190*t*; wetlands systems use of, 203
- aerobic biodegradation; kinetics of, 915–925, 916*f*, 917*t*, 918*e*, 921*t*, 922*t*, 923*t*, 924*f*; moisture content and composting process, 926–933, 930*f*, 931*f*, 932*f*, 934*f*, 942–45, 944*f*; temperature and, 906, 909, 920, 925–26, 927*f*, 928*f*, 942–45, 944*f*
- aerobic treatment processes and systems; aerobic MBRs and combination treatment systems, 874; anaerobic-aerobic-oxic-membrane bioreactor treatment system, 174, 174*f*, 175–78, 177*f*, 179, 874; anaerobic processes compared to, 235–240, 300, 878–79; biological treatment systems and phosphorous removal, 383;

- biomass washout and sludge bulking, 237, 248; chemical requirements, 239; conventional aerobic treatment comparison to anaerobic, aerobic MBR, and AnMBR treatments, 874, 875*t*; costs associated with, 868; degradation and detoxifying capabilities, 237–38, 249–250; energy efficiency and requirements of, 239–240, 241–43, 763–64, 764*t*; energy utilizing process, 300; feed loading rate, 236–37; foaming of surfactants, 238–39; nutrient requirements for, 239; onsite wastewater treatment systems, 399, 415; pH control, 239; process stability, 237; recycling needs and energy use, 242; sludge generation by, 255; sludge production from, 236; VOC emissions from, 238; wastewater treatment methods, 190*t*
- Aeromonas* sp.; *A. caviae*, 260, 604*t*; *A. hydrophila*, 257, 263
- aesthetics; first flush runoff, 48; integrated water management and, 22; iron in water and, 48; storage of reclaimed water and water quality, 16*f*, 164–66; stormwater reuse for toilet flushing and clothes washing and, 79
- Africa; AnMBR research in South Africa, 869; fossil groundwater resources in North Africa, 117; freshwater resources in, 148*t*; irrigation with groundwater in, 114, 115*f*; leakage of water in South Africa, 749; Modified University of Cape Town, South Africa (MUCT) process, 403–4, 403*f*, 406, 407*t*, 415; SAT geo-purification systems in, 216; shale gas exploration and development in, 129*f*, 130; University of Cape Town, South Africa (UCT) process, 403, 403*f*, 404, 407*t*, 415; water shortages in, 147
- Agency for Toxic Substances and Disease Registry, U.S. Department of Health and Human Services, 589
- agricultural by-product-based biosorbents (AWBs); adsorption processes mechanisms for phosphorous removal, 469–499, 498*f*; advances and innovations in process, 524–25; advantages and benefits of using, 496; AWBs dosage and AWBs adsorption capacities, 506, 509–11*t*; contact time and AWBs adsorption capacities, 507–8, 509–11*t*, 525; desorption of and pH, 499, 500–501*t*, 502; desorption of and regeneration capacities, 499–503, 500–501*t*, 521–22, 522*f*, 525–26; economic and environmental benefits of use of, 27, 496, 526, 597; future research recommendations, 525–26; heavy metals remediation, 597, 598–99*t*; metal-impregnated biosorbents, 497–98, 504–5, 514–15, 516, 517*t*, 525; modified AWBs adsorption capacity and performance, 508, 512–13*t*, 514–16, 517–19*t*, 525; particle sizes of AWBs and AWBs adsorption capacities, 508, 525; pH and phosphorous removal, 497–98, 499, 503–5, 504*f*, 509–11*t*, 525–26; phosphorous biosorption, factors that influence, 503–8, 504*f*, 509–11*t*, 525; phosphorous removal/recovery with, 27, 495–96, 525–26; quaternization, 497, 515–16, 518–19*t*, 525, 526; selection of, 27; selection of for phosphorous removal/recovery, 523–24, 524*f*; selenium removal with, 478; thermal activation and

- phosphorous removal, 516, 519t;  
unmodified AWBs adsorption  
capacity and performance, 508,  
512t, 514, 525
- agriculture; best management  
practices for pollution control,  
192t; biofuel production and  
competition for land and water  
resources, 22; biosolids uses in, 18;  
climate change adaptation and  
mitigation strategies, 749–750;  
climate change adaptation  
strategies, 746–47; climate change  
impact on, 737–741, 739f; climate-  
ready crops, 749; conversion of  
agricultural materials into harmless  
or valuable products using  
nanomaterials, 978; crop  
diversification, 749; crop failure  
insurance, 750; crop-planting  
calendar, adjustments to, 750; crop  
yield and climate change, 740; data  
collection and management of  
water for, 23–24; emerging  
contaminants from, concern about,  
117–18; energy crops and hydrogen  
production, 834–35; environmental  
and regional impact of white  
biotechnology, 22; environmental  
impacts of waster from, 496;  
greenhouse gases emissions from,  
738–39; land-use management  
changes, 750; nanomaterials and  
nanotechnologies applications, 30,  
977–78; nanomaterials and  
nanotechnologies for treatment of  
wastes, 978, 979–984; partially-  
treated wastewater use for, 755–56;  
phosphorous materials-flow  
analysis, 756–59, 760f;  
photocatalytic treatment of wastes,  
978, 980; pollutant concentration in  
stormwater runoff, 77; relocation of  
crops, 750; sludge disposal on  
agricultural fields, 271, 581, 705;  
stormwater reuse for, 82t, 84t;  
sustainable development and  
management and, 965, 968;  
temperature increases from climate  
change and, 740–41;  
vermicomposting use of waste  
from, 273t, 275; wastewater from,  
electrical energy from with MFCs,  
806, 808t, 811; water-related  
policies and issues, complexity and  
interconnectedness of, 20, 22
- Alberto, Tropical Storm, 410, 412,  
415
- Alcaligenes* sp.; *A. eutrophus*, 256,  
257t, 261; *A. latus*, 259; PHA  
production with, 257
- alcohols, 653t
- algae; algae photosynthesis, algae  
biomass, and biofuel production,  
203–4, 203e, 204f; biofuel  
production from, 29, 790, 812–15,  
814t, 816–17, 818; biomass  
production and simultaneous  
wastewater treatment, 812–15,  
814t; carbon dioxide fixation  
photosynthesis of, 203, 203e, 204f;  
carbon dioxide role in biomass and  
lipid production, 817; direct  
combustion of algal biomass, 814t;  
environmental impacts of biofuels  
production from, 816–17;  
wastewater contaminants and  
environmental risks, 377, 379t;  
wastewater treatment methods, 17,  
817
- alkalines/alkalinity. *See* bases/  
alkalines
- almond shells and husk, 462t, 598t
- aluminium (Al); first flush runoff, 48,  
49f, 55t; GAC adsorption filtration  
and removal of, 58, 59t, 60; gravity-  
fed GAC and membrane filters  
system and removal of, 68, 69t;  
membrane filtration and removal  
of, 62t, 63; metal-impregnated

- chelate resins, 462; metal-impregnated/treated biosorbents, 473*t*, 512*t*, 513*t*, 517*t*; natural component of AWBs, 505; rainwater properties, 40*t*, 45*t*, 55*t*, 68; sludge properties, 708
- amino acids; acidogenesis process, 831; acidogenesis process and acidogens/acidogenic bacteria, 831; anaerobic digestion and, 298–300, 298*f*, 299*f*; biological phosphorus removal process, 386; production of, 279, 283; proline, 347
- amitriptyline, 554, 556, 556–57
- ammonia (NH<sub>3</sub>); anaerobic digestion processes and, 209, 210*t*, 300, 303, 874; CWs and removal of, 341, 344; environmental impacts of, 382; first flush runoff, 49*f*, 53, 55*t*; free ammonia (FA), 426, 428, 435–36, 436*e*; GAC adsorption filtration and removal of, 59*t*, 60; lagoon treatment systems and removal of, 195, 196–97, 196*f*; manufacturing process, 759; membrane filtration and removal of, 62*t*, 64; pH value, impact on, 891; plant selection for CWs and, 345–46, 347; rainwater properties, 38, 39*t*, 44*t*, 46, 55*t*; relationships among compounds and formation of fine particles in the atmosphere, 196–97, 196*f*; removal of, factors that affect, 388; stormwater properties, 85*t*; swine operations, ammonia emissions, and public health and environmental regulations, 197; wetlands systems and removal of, 199
- ammonia nitrogen/ammoniacal nitrogen (NH<sub>3</sub>+N); composting toilets and elimination of from effluent, 905; discharge limits, 411, 411*t*, 420; feces characteristics, 907*t*; groundwater quality in areas with and without POME application, 966*t*, 967*t*; nitrogen elimination applications, 759; North Cary Water Reclamation Facility biological nutrient removal technology performance, 412; pollutant loads from household appliances, 904*t*; reclaimed water quality criteria, 173*f*, 177–78, 177*f*; refractory wastewater properties, 655
- ammonium; anammox process use of, 420–22, 421*f*, 422*e*, 425, 425*e*, 426–27; CANON process, 430–33, 431*e*, 431*f*; SHARON–Anammox process, 429–430, 429*f*, 430*e*, 431; SNAD process, 432–33, 433*f*. *See also* anaerobic ammonium oxidation (Anammox)
- ammonium dodecyl sulfate (ADS), 634, 634–35
- ammonium nitrate, 196–97, 196*f*, 259, 771*t*
- ammonium nitrogen (NH<sub>4</sub>+N); BAF water treatment comparison between SBCP and commercial ceramic particles, 712–15, 714*f*, 715*f*, 716–17, 717*f*; CWs and removal of, 349–351, 350*f*, 351*t*, 354*t*, 355, 356*t*; CWs and winter weather, 203; nitrification-denitrification, 27, 199, 202–3, 340, 341, 347–48, 349–351, 383–84, 383*f*, 388, 420, 421, 421*f*, 915; North Cary Water Reclamation Facility use of, 413*t*; wastewater properties, 379*t*
- ammonium sulfate/sulphate, 196–97, 196*f*, 259, 771*t*
- amphiphilics, 41, 54
- amylase, 279, 279*t*, 283
- Anabaena*, 812
- anaerobic/aerobic fixed-bed sequencing batch biofilm reactors (FB-SBBR), 796

- anaerobic-aerobic-oxic-membrane bioreactor treatment system, 174, 174*f*, 175–78, 177*f*, 179, 874
- anaerobic-aerobic sludge system, 261–62
- anaerobic ammonium oxidation (Anammox); advantages and benefits of, 422–23; ammonium nitrogen conversion to nitrogen gas, 420–22; applications of, 27, 442–45, 444*t*; bacteria involved in, 420, 421–22, 422*t*; biomass yield, 422, 426, 439; costs associated with, 422, 427–28, 430, 431, 442; discovery and history of process, 420–23; ecological advantages of, 423; historical developments in, 27; inhibitors/potential inhibitors of, 27, 426, 427, 428, 434–38, 434*t*, 436*e*; integration with other nitrogen removal processes, 428–433, 429*f*, 431*f*, 433*f*, 443–45, 444*t*; limitations of, 445; mechanism, process, and parameters, 27, 425–28, 425*e*, 427*e*; microbial physiology and growth requirements of anammox bacteria, 27, 423–28, 424*f*, 425*e*, 427*e*, 433, 439–440, 441, 442, 445; naming of process, 421; nitrogen cycle, 421, 421*f*; nitrogen removal, 27, 420, 439–445, 444*t*; pH and, 425–26, 428; reactor systems used for, 27, 438–442, 443, 444*t*; research on and papers published about, 422, 423*f*, 443; stoichiometry of, 422, 422*e*; temperature and, 425–26, 427–28, 427*e*
- anaerobic/anoxic/oxic process, 400–401, 400*f*, 407*t*
- anaerobic attached growth processes; anaerobic expanded bed reactor, 205, 208, 321*f*, 322; anaerobic hybrid reactors, 326–27, 326*f*; concepts, types, and applications, 320–21, 321*f*; down-flow anaerobic attached growth reactor, 323, 323*f*; hydraulic retention time, 320, 322; solids retention time, 320, 322. *See also* anaerobic fluidized bed reactor (AFBR)/fluidized bed reactor (FBR); anaerobic packed-bed reactor (APBR)
- anaerobic baffled reactor (ABR); characteristics, process function, and applications, 243, 248, 315, 318–19, 318*f*; hydraulic retention time, 318; polymer-conditioned anaerobic sludge and granular sludge, 248; POME treatment and methane capture/biogas production, 968–69; startup time needed for, 248; wastewater treatment with, 319
- anaerobic batch reactor, 842–44, 855, 856*t*
- anaerobic biofilter, 715–16
- anaerobic contact process; characteristics and functions, 206*t*, 307–8, 307*f*; concepts and applications, 190*t*; feedstocks, 212*t*; hydraulic retention time, 307; process design and parameters, 312–13*e*, 312–14, 313*f*; solids retention time, 307
- anaerobic digestion/treatment processes; acceptability and prevalence of use of, 297–98, 867, 878–79; acid inhibition, pH, and process stability, 874; advances and innovations in technologies, 298; advantages and benefits of, 26, 205, 300–301, 315, 332, 867, 878–79; aerobic processes compared to, 235–240, 300, 878–79; AnMBR comparison to, 868; biogas production with, 17–18, 26, 29, 30, 205, 212–13, 249, 255, 298–301, 298*f*, 299*f*, 303, 763–64, 764*t*, 790, 801–2, 816, 818; biomass

accumulation with, 26, 867, 878–79; CHP systems use with, 18; concepts and applications, 26, 297–98; concepts and process stages, 190*t*, 205, 298–300, 298*f*, 299*f*, 332–33; conditions for wastewater treatment, 300; conventional anaerobic treatment comparison to aerobic, aerobic MBR, and AnMBR treatments, 874, 875*t*; disadvantages and limitations, 301, 315, 867; Dranco process, 214–15, 214*f*; efficiency of, 209, 315; effluent from, anammox treatment of, 432, 433, 438, 443, 444*t*, 445; effluent from, properties of, 428*t*; effluent from, treatment of to meet water reuse standards, 867–68, 878; electricity production from, 815–16; energy efficiency and requirements of, 239–240, 241–43, 790, 792–93; energy production from, 300–301, 790, 818; environmental benefits of, 17; feedstocks and types of digesters, 209, 212*t*, 244; hydraulic retention time, 209, 211*t*, 302, 315, 878; hydrogen production with, 205, 213, 240–41, 298–300, 298*f*, 299*f*, 796–97, 830–33, 830*e*, 831*e*, 832*e*, 833*f*, 857; kinetic model analysis for performance prediction, 328–332, 328–332*e*, 329*f*, 330*f*, 331*f*, 332*f*; kinetic models and process kinetics, 26; Kompogas process, 215; limitations of, 878; methane production from, 297, 298–301, 298*f*, 299*f*, 303, 792, 793, 798; mixing, 209, 211*t*; monitoring requirement for, 301; municipal solid waste treatment case studies, 213–15, 214*f*, 215*f*; natural wastewater treatment with, 25–26; organic loading rate, 303–4; palm oil mill effluent treatment, 963–64,

964*f*; palm oil mill effluent treatment and methane capture/biogas production, 968–970, 969*f*, 970*f*, 972–73; performance of and pollutant removal, 209, 210–11*t*; pH and, 209, 210*t*, 300, 301, 302–3, 874, 890–92; process design and parameters for operations and performance, 301–4, 332–33; sludge generation by, 255; solids retention time, 204, 211*t*, 242, 303, 304, 878–79; startup time needed for, 301; sustainable energy management systems for wastewater treatment, 793–805, 795*f*; temperature and, 209, 210*t*, 250, 301, 302, 867; temperature-wise two-stage anaerobic digestion, 205; toxic compounds and, 304; toxicity resistance of, 26; two-stage anaerobic digestion, 205; types and applicability, 190*t*, 205, 206*f*; types of reactors associated with, 26; Valorga process, 215, 215*f*; Wassa process, 214; wastewater characteristics and process performance, 301–2; wastewater treatment methods, 190*t*, 443, 445, 793–805, 795*f*

#### Anaerobic Digestion Ultrafiltration (ADUF) systems, 869, 870*t*

anaerobic expanded bed reactor, 205, 208, 321*f*, 322

anaerobic filter reactors; biomass retention with, 872; characteristics of, 206*t*; feedstocks, 212*t*; hybrid UASB-filter reactor, 207–8, 246–47, 799, 844; industrial wastewater treatment with, 885

anaerobic fluidized bed reactor (AFBR)/fluidized bed reactor (FBR); advantages and benefits of, 208, 322; anammox process in, 421, 438–39; biogas production with, 801–2; biomass retention with, 793,



- 872; characteristics, process function, and applications, 206*t*, 208, 208*f*, 321*f*, 322, 795*f*, 799–802; efficiency and performance of, 800–802; GAC–AFBR systems, 800–801; granular SBAC use in, 728–29; hybrid systems/combined processes, 805; hydrogen production with, 843; limitations of, 208, 322
- anaerobic granular sludge technology and systems; acceptability of process and increase in interest in, 232, 249–250; advantages and benefits of, 26, 233–34, 234*t*, 239–240, 243, 249; aerobic processes compared to, 235–240; biomass washout and sludge bulking, 237, 248; biosolids from, amount of, 232; biosolids from, fertilizer and soil conditioner uses for, 231–32; carbon credits, reduction of greenhouse gas emissions, and, 236, 250; chemical requirements, 239; composition of anaerobic granules, 232; costs associated with, 235, 236–37, 239–240, 241, 242–43, 249–250; degradation and detoxifying capabilities, 237–38, 249–250; development of anaerobic granules, 233–34, 233*f*, 235; ecological and economic benefits of, 239–240, 243; effectiveness of treatment and promising future of, 231–32, 249–250; energy consumption, COD concentrations, and energy self-sufficiency, 242; energy efficiency and requirements of, 239–240, 241–43; energy production associated with, 26, 231, 236, 239–243, 249; feed loading rate, 236–37, 243; foaming of surfactants, 238–39; granular seed sludge, 235; heat for reactor, biogas use for, 231, 236, 239, 240, 241–43; hydraulic retention time, 238, 243, 247, 250; hydrogen production with, 240–41, 249; limitations of, 26, 232–35; membrane bioreactors coupled with, 249–250; methane production from, 231, 236, 238, 239–240, 242, 243, 249; nutrient requirements for, 232, 239; operating time for, 235; pH control, 239; process stability, 237; reactor systems, 26, 243–49; sludge production from, 236, 250; startup time needed for, 232–33, 235, 244–45; stressed loading conditions and startup time, 244–45; temperature and, 241–42, 250; VOC emissions from, 238
- anaerobic hybrid reactors, 326–27, 326*f*
- anaerobic lagoons, 194–95, 323–26, 324*f*, 325*e*, 325*f*
- anaerobic membrane bioreactors (AnMBRs), 872; advantages and benefits of, 30, 328, 868, 878–79, 888, 893; anaerobic microbes growth in, 868, 874, 878–79; AnMBR comparison to anaerobic, aerobic, and aerobic MBR treatments, 875*t*; biogas production, operational parameters for, 888–893; biogas production with, 30, 802–5, 868, 881–84, 885–893; biogas production with, research recommendations to optimize, 893–95; biomass retention with, 868, 878–79, 881–82; characteristics, process function, and applications, 327–28, 328*f*, 795*f*, 802–5; commercial applications, 30; concepts and fundamentals, 868–878, 869; conventional anaerobic processes comparison to, 868; costs associated with, 880, 894–95; development and evolution of,

- 868–69, 870–71*t*; economic viability of, 868, 880, 883, 894–95; efficiency of removal of contaminants by, 879–880; energy consumption of external configurations, 872; environmental and economic advantages of, 30; evolution of membrane and process design, 29–30; hybrid AnMBR systems, 874, 876*t*, 877–78*t*; hybrid systems/combined processes, 805; hydraulic retention time, 802, 804, 868, 878, 879, 888, 892–93; industrial wastewater treatment with, 803, 869, 880–85; limitations of, 328, 868; membrane cleaning and antifouling mechanism, 804–5; membrane fouling issues, 30, 804–5, 868, 891–92, 894–95; membrane types, 872; methane recovery efficiency of, 803–4; methane recovery with, 802–5; methanogens growth in, 868, 881–84; municipal wastewater treatment with, 878–880; pH and, 874, 890–92; process design and configurations, 869, 872–78, 873*f*, 875*t*, 876*t*, 877–78*t*; research recommendation, 893–95; size of, 868; sludge production from, 888, 892–93; solids retention time, 802, 804, 868, 878–79, 882, 888, 892–93; submerged anaerobic membrane bioreactors (SAnMBRs), 803, 872, 873*f*, 879–880, 883–84, 888, 889–890, 891–92, 893–95; temperature and, 867, 871, 880, 883, 888–890
- anaerobic migrating blanket reactor (AMBR), 243, 249, 315, 319–320, 319*f*, 320*e*
- anaerobic/oxic (Phoredox) process, 400–401
- anaerobic packed-bed reactor (APBR); anaerobic hybrid reactor compared to, 326; biogas production with, 793; biomass washout issues, 321; characteristics, process function, and applications, 321, 321*f*; feedstocks, 212*t*; hydrogen production with, 843; limitations of, 321, 326; types of, 843
- anaerobic reactor systems; acceptability and prevalence of use of, 209; anaerobic attached microbial expanded bed reactor, 206*t*; anaerobic migrating blanket reactor (AMBR), 243, 249; characteristics of, 206*t*; fixed-film reactors, 205–6, 206*f*, 212*t*; granular sludge systems, 26, 243–49; internal circulation (IC) reactor, 243, 248; plug-flow reactors, 209, 212*t*, 214–15, 214*f*, 389. *See also* anaerobic baffled reactor (ABR); anaerobic filter reactors; continuous stirred tank reactor (CSTR); expanded granular sludge bed (EGSB) reactor; upflow anaerobic sludge blanket/bed (UASB) reactor
- anaerobic sequencing batch biofilm reactor (ASBbR), 794–96
- anaerobic sequencing batch reactor (ASBR); AMBR compared to, 319–320; bacterial growth rate and hydrogen production, 844–48, 845–48*e*; characteristics and functions, 308, 308*f*, 794–97, 795*f*; concepts and applications, 243, 248; efficiency of, 308, 794; feedstocks, 212*t*; hydrogen production with, 796–97, 842; organic loading rate, 248; UASB compared to, 248
- anaerobic sludge blanket processes; anaerobic migrating blanket reactor (AMBR), 243, 249, 315, 319–320, 319*f*, 320*e*; concepts, types, and applications, 315; hydraulic retention time, 315. *See also*

- anaerobic baffled reactor (ABR);  
expanded granular sludge  
bed (EGSB) reactor; upflow  
anaerobic sludge blanket/bed  
(UASB) reactor
- anaerobic suspended growth  
processes; anaerobic contact  
process, 190*t*, 206*t*, 212*t*, 307–8,  
307*f*, 312–13*e*, 312–14, 313*f*;  
completely mixed process, 305–7,  
305*f*, 306*f*, 309–11, 309–11*e*, 310*f*,  
313; concepts, types, and  
applications, 305; conventional  
anaerobic reactor, 311–12, 311–  
12*e*, 311*f*, 314–15, 314–15*e*;  
hydraulic retention time, 305–7;  
process design and parameters,  
309–15, 309–15*e*, 310*f*, 311*f*, 313*f*;  
solids retention time, 305–7. *See also* anaerobic sequencing batch  
reactor (ASBR)
- androsterone, 554, 556
- animal waste and wastewater;  
anaerobic lagoons for treatment of,  
194; anaerobic suspended growth  
processes for treatment of, 305;  
anammox process for treatment of,  
444*t*; AnMBR treatment of, 869,  
876*t*, 891; cow dung, 272, 274, 275;  
CWs for treatment of, 341;  
electrical energy from with MFCs,  
882–83; feedstocks and types of  
digesters, 212; fertilizer  
applications, 758, 771; hydrogen  
production with, 836*t*, 840, 842;  
methane emission from, 738;  
nitrogen load from, 761; phosphate  
concentrations in, 758;  
vermicomposting use of, 272, 274,  
275, 276, 277. *See also* swine waste  
and wastewater
- anion-exchange resins; adsorbent  
applications for removal of anionic  
pollutants, 27, 459*t*, 460–61, 483;  
biosorbent desorption and  
regeneration, 479, 482;  
phosphorous removal, 495, 496
- anionic pollutants; adsorbents and  
adsorption processes to remove,  
456; biosorbents for removal of, 27,  
461–479, 462*t*, 464–65*t*, 472–73*t*,  
474–75*t*, 482–83; commercial  
adsorbents for removal of, 457,  
459*t*, 460–61; discharge limits, 455;  
environmental impacts of, 27, 455,  
456, 457, 458*t*; health hazards  
related to, 27, 455, 456–57, 458*t*;  
permissible limits for drinking  
water, 456–57, 458*t*; remediation  
technologies, 455–56; renewable  
organic sources for adsorption of,  
456; sources of, 455, 456; toxic  
anions removal with biosorbents,  
469–471, 472–73*t*; toxic metal  
complex anions removal with  
biosorbents, 471, 474–75*t*, 476–79,  
476*f*
- anionic surfactants, 616, 619, 627,  
628–29, 641. *See also* sodium  
dodecyl sulphate (SDS)
- anions and anionic metal complexes;  
adsorption of phosphorous with  
AWBs and, 507, 525; co-existence  
of pollution and metal cations and  
efficiency of MEUF, 641; first flush  
runoff, 53; industrialization and  
increase in, 27; rainwater  
properties, 37–38, 43, 46
- anode ceramic-corrosion-cell fillers,  
717–18
- anoxic treatment processes, 190*t*
- anthropogenic compounds, 238
- antibiotics; AnMBR for removal of,  
879–880; combined toxicity of in  
the environment, 534;  
heterogeneous photocatalysis  
degradation of, 690, 691*t*;  
inhibitory effects of on anammox  
process, 437–38; refractory  
wastewater properties, 654, 655; RO

- and removal of, 542; UASB-MBR for removal of, 805
- apartments, water efficiency measures and metering individual, 21*t*
- Aphanotheca halophytica*, 604*t*
- apple peels, 500*t*, 502, 507, 517*t*, 521–22
- appliances; wastewater effluent from, 903–4, 904*t*; water efficiency measures, 21*t*
- aquatic treatment systems, 190–91*t*, 193*t*, 198–204, 200*t*, 202*t*, 204*f*. *See also* constructed wetlands (CWs)
- aquifers; seawater intrusion into, 117, 118–19, 120–21, 376, 393; soil/aquifer/riverbank (SAT) geopurification systems, 190–91*t*, 215–220, 216*f*, 218*f*, 219*t*; storage and recovery of desalinated water, 14
- aquifer treatment systems, 25–26
- Argentina; Guaraní Aquifer System, 112–13, 114; shale gas exploration and development in, 129–130
- Arizona, 216, 216*f*
- arsenic (As); adsorption process for removal of, 599*t*; arsenate [As(V)], 457, 459*t*, 460, 475*t*, 477–78; arsenite [As(III)], 457, 459*t*, 475*t*, 477–78; bioadsorbents for removal of, 475*t*, 477–78, 483; biosorbent desorption and regeneration capacities, 479, 480*t*, 481*t*, 482; coexistence of anions and efficiency of MEUF, 641; commercial adsorbents for removal of, 459*t*, 460; CWs and removal of, 354; disposal of, 583; environmental impacts of, 27–28, 457, 471, 588; first flush runoff, 50*t*, 51*t*, 52*t*, 53; health hazards related to, 27–28, 457, 458*t*, 471, 477, 589–590; heterogeneous photocatalysis treatment, 694; industrial waste properties, 579; membrane filtration and removal of, 63; MEUF and removal of As(V), 626, 628, 637, 640, 641; MEUF membrane type and removal of As(V), 640; pH, MEUF, and removal of, 631; Pourbaix diagram of, 586–88, 587*f*; prevalence of water contamination with, 477; properties, occurrences, and forms, 580*t*, 582–83, 589; rainwater properties, 37–38, 46, 59*t*, 68; regulation of and permissible limits for drinking water, 458*t*, 583, 590; sludge-based ceramic particles properties, 710*t*; sludge properties, 708*t*; sources of waste and contamination, 589; stormwater properties, 85*t*; surfactant concentration, S/M ratio, and removal of, 628
- Arthrobacter nicotianae*, 604*t*
- artificial neural network (ANN) modeling; activation function, 852, 852*e*; artificial neuron, structure of, 850, 850*f*; back propagation algorithm, 853–54, 853–54*e*, 855; concepts and applications, 849–850; feedback networks, 851; hydrogen production optimization with, 849, 855, 856*t*; multi-layer perceptrons, 850–52, 851*f*, 852*f*; procedure for and flow chart of steps, 852–55, 853–55*e*, 853*f*; recurrent type network, 850–51; sigmoid function, 852, 852*e*; types of neural networks, 850*f*
- Asia; anaerobic treatment plants in, 297; freshwater resources in, 148*t*; irrigation with groundwater in, 114, 115*f*; shale gas resources in, 129*f*; water shortages in, 147
- Aspergillus niger*, 280, 282, 283, 470, 472*t*
- assessment tools and models, 6, 24
- atrazine, 536*t*, 538, 539, 540, 543, 544, 547*t*, 555*t*

- Australia; air quality and air pollution sources and distribution, 36–37, 47; aquifer recharge projections for, 109; Border Rivers, Queensland, 116; building sustainability index (BASIX) scheme for water and energy efficiency, 20; chromium in water, sources of, 583–84; coal-bed methane (CBM), coal seam gas (CSG), and shale gas production and groundwater resources, 126–27, 130–33, 135; constructed wetlands use in, 340; estimated roof area of average dwelling, 53; Great Artesian Basin, 110, 117, 130–33, 131f, 135; groundwater management policy and practice case studies, 112–14, 130–35, 131f; groundwater overallocation in, 120; lead consumption and recycling in, 585; mercury contamination in, 585; mineral resource extraction and groundwater management policies and legislation in, 122, 126–27, 130–35, 135; Murray-Darling Basin, 110, 130–31, 131f, 133–35; non-renewable groundwater resources in, 117; programs for roof water and stormwater harvesting in, 75–76; rainwater harvesting for alternative water supply, 25, 35; rainwater/stormwater water quality guidelines, 9; rainwater tank locations and characteristics, 36–37, 37f, 43; Southern Coalfield mining and groundwater management in, 123–25, 124f; stormwater harvesting for alternative water supply, 25, 75–76; stormwater quality guidelines, 10t; stormwater runoff, volume of, 75; topography of Sydney basin, 36; water and energy efficiency measures, 20, 21t, 23; water demand projections for cities in, 75; Water Efficiency Labeling and Standards scheme, 23; water quality guidelines, 11; water rights, entitlements, and allocations, 119–120; water shortages and restrictions in, 75; wetlands systems for wastewater treatment in, 199. *See also* rainwater harvesting and tanks
- Australian Drinking Water Guidelines (ADWG); first flush runoff properties compared to, 48–53, 49f, 50t, 51t, 52t, 54, 55t; rainwater properties compared to, 25, 35, 37–38, 46–47, 54, 55t, 68; stormwater reuse and quality parameters, 81, 83–86, 85t
- Australian Guidelines for Water Recycling, Stormwater Harvesting and Reuse – Phase 2, 77, 79–81, 80t
- Austria, Dranco process solid waste anaerobic digestion treatment in, 215
- Auxenochlorella protothecoides*, 813, 814t
- 2,2'-azino-bis(3-ethylbenzthiazoline-6-sulphonic acid) (ABTS), 548–550, 549t
- Azobacter vinelandii*, 259–260
- Bacillus* sp.; *B. amyloliquifaciens*, 695t; *B. coagulans*, 838; bioaugmentation and biosorbents for heavy metal remediation, 604t; *B. licheniformis*, 279t, 281, 284–85, 604t; *B. megaterium*, 257t, 281, 604t; *B. stearothermophilus*, 279t, 281; *B. subtilis*, 604t; *B. thuringiensis*, 281, 604t; enzyme production from, 281; PHA production with, 257
- Bacillus thuringiensis* (Bt) based biopesticides; commercial uses of, 264; cost of production of, 264; crop properties after use of, 263–64;

- entomotoxicity, 263–64, 265–69, 270; fermentation processes, 264–69; formulation development, 269–270; growth and development of, 263–64; medium ingredients, 264; oxygen transfer and fermentation process, 266–67, 269; raw materials for production, cost of, 264; sludge use for production of, 26, 256; success of biopesticides, 264; UV sensitivity of, 264, 270; wastewater and wastewater sludge use for production of, 263–270
- back propagation algorithm, 853–54, 853–54*e*, 855
- bacteria; anammox bacteria, 420, 421–22, 422*t*; anammox bacteria microbial physiology and growth requirements, 423–28, 424*f*, 425*e*, 427*e*, 433, 439–440, 441, 442, 445; genetically-engineered bacteria and PHA production, 262–63; heterogeneous photocatalysis deactivation, 694–96, 695*t*; onsite wastewater treatment systems and removal of, 377, 378; stormwater properties and quality criteria, 25, 83*t*, 101; wastewater properties, 379*t*; wastewater treatment measures and removal of, 163*t*; wastewater treatment methods, 17
- banana peel and stem; biosorbent applications, 456, 474*t*, 477, 598*t*; biosorbent desorption and regeneration capacities, 500*t*, 521–22, 522*f*; modifications for better adsorption capacity and performance, 519*t*; phosphorous adsorption applications, 496, 497, 499, 504, 515–16
- Bangladesh, arsenic pollution and disposal in, 477, 583, 589
- Bardenpho process and Modified Five-Stage Bardenpho process, 401–2, 401*f*, 407*t*, 415
- barium (Ba), 710*t*
- bases/alkalines; adsorption of phosphorous with AWBs and, 504–5, 525–26; aerobic processes compared anaerobic granular sludge processes, 239; anaerobic digestion processes and alkalinity, 209, 210*t*, 301, 302–3, 304; biological nutrient removal and alkalinity, 390; desorption of phosphorous from AWBs, 502–3; MEUF process and pH, 630–31; SBAC activation, 723, 724–25*t*, 727
- BASIX (building sustainability index) scheme for water and energy efficiency, 20
- bathing, washing, and showering; anaerobic baffle technology use for water from, 319; chromium in water from, 583–84; discharge volume and pollutant loads from, 903–4, 904*t*; greywater sources, 16; water budget analysis for district water cycle, 157*t*; water efficiency measures, 20, 21*t*, 23
- Belgium, Dranco process solid waste anaerobic digestion treatment in, 214
- bezafibrate, 554, 555*t*
- Bifidobacterium, 831, 886*t*
- bioaugmentation; heavy metals remediation, 28, 603; SANMBR process and antibiotic-rich wastewater treatment, 879–880
- BioDenipho process, 410, 411, 413
- biodiversity, 115–16, 741
- bioenergy. *See* energy
- biofilm and biofilm processes; anaerobic attached growth processes, 320, 322; anaerobic fluidized bed reactor, 208, 322; anaerobic processes, 237; fixed-bed biofilm reactor (up-flow biofilter/up-flow biofilm reactor), 436, 442, 444*t*; fixed-film reactors, 205–6,

- 212*t*; hybrid UASB-filter reactor, 207–8, 246–47, 799, 844
- biofilters; GAC biofilters for stormwater treatment, 96, 97, 98–100, 99*f*, 99*t*, 101; hybrid UASB-filter reactor, 207–8, 246–47, 844; operation and maintenance of, 91; performance of, 91, 95; stormwater treatment methods, 11, 12*t*, 86, 87*t*, 88–90, 89*t*, 95, 101; Turramurra stormwater harvesting scheme case study, 91–93, 92*f*
- biogas/biofuel; advantages and benefits of production and use of, 17–18, 886–87; algae cultivation for production of, 29, 790, 812–15, 814*t*, 816–17, 818; algae photosynthesis, algae biomass, and production of, 203–4, 203*e*, 204*f*; anaerobic degradation and production of, 830, 830*e*; anaerobic migrating blanket reactor and production of, 319, 319*f*, 320*e*; anaerobic treatment processes and production of, 17–18, 26, 29, 30, 205, 212–13, 249, 255, 298–301, 298*f*, 299*f*, 303, 763–64, 764*t*, 790, 801–2, 816, 818; AnMBR and production of, 802–5, 868, 881–84, 885–893; AnMBR and production of, research recommendations to optimize process, 893–95; AnMBR operational parameters for production of, 888–893; bio-ethanol production, 22; biogas energy recovery and net carbon sequestration process, 29, 815; conversion of waste to and use of, 17–18, 763–64, 764*t*; electricity generation from, 236, 239–240, 763–64, 764*t*; energy in, harnessing of, 18; excess capacity for external sources, 18; expanded granular sludge bed reactor, 317*f*, 318; HRT, SRT, and production of, 892–93; organic matter, generation of energy from, 17, 239–240, 763–64, 764*t*, 790; pH and production of, 890–92; POME treatment and methane capture/biogas production, 968–970, 969*f*, 970*f*, 972–73; production of and competition for land and water resources, 22; production potential of wastewater, 790–93, 791*t*; substitute for fossil fuel-based energy with, 29; temperature and production of, 888–890; upflow anaerobic sludge blanket reactor, 315–16, 316*f*; wetlands systems and production of, 201
- biohydrogen. *See* hydrogen/biohydrogen
- bioleaching and heavy metals remediation, 28, 603–5, 603–5*e*, 607*t*
- biological aerated filter (BAF), 710–17, 713*f*, 714*f*, 715*f*, 717*f*
- biological/biochemical oxygen demand (BOD); anaerobic granular sludge treatment and, 237; anaerobic process performance and, 301–2; AnMBR for removal of, 884; BAF water treatment comparison between SBCP and commercial ceramic particles, 716–17; biological nutrient removal and, 401–2; biological nutrient removal and BOD:P ratio, 392; CWs and removal of, 342, 344; groundwater quality in areas with and without POME application, 964, 966*t*, 967*t*; industrial wastewater properties, 884; natural wastewater treatment and disposal technologies, 193*t*, 197; North Cary Water Reclamation Facility use of, 413*t*, 414; reclaimed water quality criteria, 173*f*; removal of, factors that affect, 388–89; SAT treatment

- and removal of, 217; wastewater properties, 17, 379*t*, 389–390; wastewater treatment costs and, 774–75; wastewater treatment measures and removal of, 190*t*, 379–380; wetlands systems and removal of, 200
- biological nutrient removal; chemical backup systems for, 391–92; factors that affect, 388–391; nitrogen removal, 383–84, 383*f*, 400–408, 400*f*, 401*f*, 403*f*, 404*f*, 405*f*, 406*f*, 407–8*t*, 420 (*see also* anaerobic ammonium oxidation [Anammox]); North Cary Water Reclamation Facility biological nutrient removal technology case study, 410–15, 411*t*, 412*t*, 413*t*, 414*t*; operational issues associated with, 391–93; phosphorous removal, 384–88, 385*f*, 387*f*, 391, 392–93, 400–408, 400*f*, 401*f*, 403*f*, 404*f*, 405*f*, 406*f*, 407–8*t*; treatment processes and systems for, 400–408, 400*f*, 401*f*, 403*f*, 404*f*, 405*f*, 406*f*, 407–8*t*
- biological treatment processes; greywater treatment methods, 16; industrial wastewater treatment with, 680, 881–82; phosphorous removal, 492, 495; phosphorous removal with, 493–94*t*; refractory wastewater treatment methods, 653–54; wastewater treatment methods, 161. *See also* biological nutrient removal
- biology/biological properties of water systems; assessment tools and models for, 24; CWs and removal of, 338, 339–340; storage of reclaimed water and water quality, 16*f*, 164–66; stormwater properties, 25, 77; wastewater treatment measures and removal of, 162
- biomass; accumulation for longer mean cell retention time, 237; as adsorbents for anion removal, preparation and utilization of, 27; algae photosynthesis, algae biomass, and biofuel production, 203–4, 203*e*, 204*f*; anaerobic granulation and retention of, 237; anaerobic treatment processes and accumulation of, 26, 867, 878–79; anammox process and production of, 422, 426, 439; AnMBR and retention of, 868, 878–79, 881–82; CW biomass and energy production, 356–57; EGSB and retention of, 872; FBR and retention of, 793, 872; hybrid UASB-filter reactor, 246; mass balance for anaerobic suspended growth processes, 309–15, 309–15*e*, 310*f*, 311*f*, 313*f*; MBR and retention of, 793; MBR biomass concentration, 554*f*, 557; Monod kinetic model analysis, 330–32, 330–32*e*, 331*f*, 916; substrate and biomass rate of change in UASB reactor, 330–32, 330–32*e*, 331*f*, 332*e*, 332*f*; UASB and retention of, 793, 872; wastewater treatment with biomass utilization, biogas energy recovery, and net carbon sequestration process, 29, 815; wetlands systems production of, 201
- biopesticides, 264. *See also* *Bacillus thuringiensis* (*Bt*) based biopesticides
- bioplastics, 256
- biopolymers; adsorbent recycling and use of, 479; biodegradability of and adsorption applications, 479; bioplastics from, 256; biosorbent applications, 470–71, 478; food packaging materials, 978–79; gravity-fed GAC and membrane filters system and removal of, 70*t*, 71–72; molecular weight



- distribution of rainwater organic matter, 41–43, 53–54, 54*f*; pH and membrane fouling from, 891–92. *See also* polyhydroxyalkanoates (PHA)
- bioprecipitation, 28, 605–6, 607*t*
- BIOREK system, 870–71*t*
- Bioscan Engineering A/S, 870*t*
- biosorbents/biomass-based
- adsorbents; advantages and benefits of, 456; anionic nutrients removal, 463–69, 464–65*t*; anionic pollutants removal with, 27, 461–479, 462*t*, 464–65*t*, 472–73*t*, 474–75*t*, 482–83; biomaterial-based resins for anion removal, 27, 461–62, 462*t*; chemical activation of biomasses, 357, 462–63; costs associated with, 456, 479; desorption of and regeneration capacities, 479–482, 480–81*t*, 483, 499–503, 500–501*t*, 521–22, 522*f*, 525–26; future research recommendations, 483; heavy metals remediation, 28, 602, 604*t*; metal-impregnated biosorbents, 462, 463, 463*f*, 466, 470, 471, 472*t*, 477, 481*t*, 482, 483, 497–98, 500*t*, 504–5, 514–15, 516, 517*t*, 525; modified biosorbents adsorption capacity and performance, 461–479, 464–65*t*, 472–73*t*, 474–75*t*, 508, 512–13*t*, 514–16, 525; pH and biosorption process, 503–5, 504*f*, 509–11*t*, 525, 601; physical activation of biomasses, 357, 462–63; toxic anions removal with, 469–471, 472–73*t*; toxic metal complex anions removal with, 471, 474–75*t*, 476–79, 476*f*; waste materials used for, 456; wastewater treatment methods, 17. *See also* agricultural by-product-based biosorbents (AWBs)
- biostimulation, 28, 603
- biosurfactants, 28, 605
- biotoilets. *See* composting toilets/ biotoilets
- bisphenol A, 534, 535*t*, 540, 541, 544, 545, 546*t*, 548, 550–51, 555*t*, 556, 558, 561, 563, 564*t*
- bisphenol B, 546*t*
- Blackmans Swamp Creek stormwater harvesting project case study, 76, 83, 94
- blackwater; anaerobic pretreatment of, 764; characteristics and properties of, 938; discharge volumes from household appliances, 903–4, 904*t*; OWDS and reduction of, 904–5; pollutant loads of, 903–4, 906; treatment and reuse of, 189
- boiler units, water quality requirements of, 5
- Border Rivers, Australia, 116
- boron; algae cultivation and removal of, 812; boron-doped diamond film electrode, 655–56, 657*f*, 671; membrane filtration and removal of, 63
- Botryococcus braunii*, 812, 814*t*, 815
- brackish water, 14
- bran, wheat and rice, 258, 264, 456, 474*t*, 476, 835
- brass fittings, 64, 68, 71
- Brazil; anaerobic treatment systems use in, 209; Guaraní Aquifer System, 112–13, 114; mercury waste and contamination in, 591; wetlands systems in, 201
- brewery waste and wastewater; AFBR for treatment of, 799; anaerobic granular sludge treatment of, 232, 235, 237; brewery yeast, 276, 456, 470, 472*t*, 791*t*; EGSB treatment of, 246; electrical energy from with MFCs, 810; energy potential in, 791*t*; hydrogen production with, 835, 842; UASB treatment of, 244, 798; vermicomposting use, 274

- bromide, 16
- bromoform, 540
- brown water; anaerobic pretreatment of, 764; resource potential and treatment costs of partial streams, 782–84, 783*t*, 784*t*; sources of, 768; wastewater partial stream separation and recovery/recycling resources, 768, 769*t*, 770*t*. *See also* feces
- building blocks, 41, 54, 70*t*, 71
- building materials. *See* construction materials
- building sustainability index (BASIX) scheme for water and energy efficiency, 20
- Burkholderia sacchari*, 257
- butyric acid; anaerobic digestion and, 300; anaerobic digestion and hydrogen production, 831–32, 840; hybrid UASB reactor treatment and removal of, 247; methanogens sensitivity to, 891; PHA production, 261
- cadmium (Cd); adsorption capacity of lignocellulosic materials and removal of Cd(II), 365–66, 365*t*; adsorption process for removal of, 596*t*, 597, 598*t*; anaerobic digestion processes and, 304; bioaugmentation and biosorbents for heavy metal remediation, 604*t*; bioleaching, 605; bioprecipitation and removal of, 605; biostimulation and removal of, 603; biosurfactants and removal of, 605; chelating precipitation and removal of, 594; CWs and removal of, 354; environmental impacts of, 588; first flush runoff, 50*t*, 51*t*, 52*t*, 53; groundwater quality in areas with and without POME application, 966*t*, 967*t*; industrial waste properties, 579; lotus stalks-based activated carbon and removal of Cd(II), 364–66, 364*t*, 365*t*; membrane filtration and removal of, 63; metal-cyanide complexes, adsorption of, 470; metal-impregnated/treated biosorbents, 472*t*; MEUF and removal of, 637; pH, MEUF, and removal of, 630–31; properties, occurrences, and forms, 580*t*; rainwater properties, 46, 59*t*, 68; SAT treatment and removal of, 217; sludge-based ceramic particles properties, 710, 710*t*; sludge properties, 271, 706, 708, 708*t*; stormwater irrigation and hazards from, 79; stormwater properties, 85*t*; surfactant concentration, S/M ratio, and removal of, 630; vermicomposting and reduction of, 272
- caffeine, 535*t*, 543
- calcium (Ca); algae cultivation and removal of, 812; CWs and removal of, 354; first flush runoff, 50*t*, 51*t*, 52*t*, 55*t*; hydrogen production and, 839; metal-impregnated/treated biosorbents, 473*t*, 475*t*, 514, 515, 517*t*; natural component of AWBs, 505; rainwater properties, 37–38, 39*t*, 43, 44*t*, 46, 55*t*; stormwater properties, 85*t*; wastewater properties, 16; wastewater properties as resources, 754, 764–65
- Caldicellulosiruptor* sp., 838
- California; anaerobic digesters for biogas production in, 18; Palo Alto Water Reclamation Master Plan, 189; St. Helena lagoon system case study, 198
- Canada; shale gas production in, 128–130, 129*f*; TrOCs in surface waters in, 535–36*t*
- cancer-therapy drugs, 987
- Candidatus Anammoxoglobus propionicus*, 422*t*, 423

- Candidatus* Brocadia, 423, 426–27;  
*Ca. B. anammoxidans*, 422*t*, 426–28, 437; *Ca. B. caroliniensis*, 421, 422*t*; *Ca. B. fulgida*, 422*t*, 423; *Ca. B. sinica*, 422*t*, 426, 437
- Candidatus* Jettenia asiatica, 422*t*
- Candidatus* Kuenenia stuttgartiensis, 422, 422*t*, 423, 425, 426–28
- Candidatus* Scalindua, 426–27; *Ca. S. brodae*, 422*t*, 423; *Ca. S. profunda*, 422, 422*t*; *Ca. S. sorokinii*, 422*t*; *Ca. S. wagneri*, 422*t*
- Canna generalis*, 355
- CANON (Completely Autotrophic Nitrogen Removal over Nitrite), 430–33, 431*e*, 431*f*, 440, 443, 444*t*, 445
- carbamazepine, 535*t*, 537*t*, 539, 543–44, 545, 546*t*, 548, 550, 554, 555*t*, 556, 558, 563
- carbon; biofilter with embedded carbon source and rainwater/stormwater treatment measures, 11; biosorbent applications, 479; capture and sequestration, 29, 192*t*, 815; coal-based carbon membrane, 667; hydrogen production and, 839; sludge as source of, 26, 266; sludge properties, 18; titanium dioxide/carbon electrocatalytic membrane, 655, 656*f*, 664–67, 665*t*, 666*t*, 668–670, 671, 671*f*
- carbonaceous biochemical oxygen demand (CBOD), 388
- carbon cloths, 469
- Carbon Credit (Certified Emission Reduction), 236, 250
- carbon dioxide (CO<sub>2</sub>); algae biomass and lipid production, role in, 817; algae photosynthesis and fixation of, 203, 203*e*, 204*f*; algal biofuels and production and recycling of, 816–17; anaerobic processes and production of, 205, 297, 300–301, 303; anammox process use of, 422, 426, 438; emissions from anammox process, 423; emission sources, 738; global warming potential of, 818; impact of emissions, 738; increase in emission of, 737, 739*f*; methane fermentation and production of, 816–17, 885–86; sinks, 738; soil productivity and emissions of, 740
- carbon nanotube (CNT) membranes, 981
- carbon nanotubes (CNTs), 596, 695*t*, 976, 977, 982, 983–84, 985
- carbon-to-nitrogen (C/N) ratio; anaerobic biofilter process, 716; anaerobic digestion processes and, 209, 211*t*; hydrogen production, 839
- carboxyl/carboxyl groups, 358, 360*t*, 361, 363*t*, 364, 364*t*, 466, 478, 595, 595*e*
- Carrousel Biological Oxidation Process, 402
- case studies; Blackmans Swamp Creek stormwater harvesting project, 76, 83, 94; Dan Region Project SAT geo-purification system, 218–19, 218*f*; Denham Springs pond system, 198; district water cycle management principles, 25; Great Artesian groundwater management policy and practice, 110, 130–33, 131*f*, 135; Greenway Park stormwater harvesting scheme, 76, 81, 82*t*, 83*t*, 90, 93–94, 93*f*; Guaraní Aquifer System groundwater management policy and practice, 112–13, 114; Lincoln CW systems case study, 204; municipal solid waste anaerobic digestion treatment, 213–15, 214*f*, 215*f*; Murray-Darling Basin groundwater management policy and practice, 130–31, 131*f*, 133–35; Muskegon SAT geo-purification system, 219–220, 219*t*; North Cary

- Water Reclamation Facility  
 biological nutrient removal  
 technology, 410–15, 411*t*, 412*t*,  
 413*t*, 414*t*; Pichola Lake Basin  
 climate change impact, 741–45,  
 742*e*, 743–44*e*, 744*t*, 745*t*, 746*f*,  
 747*f*; Polson lagoon system, 197; St.  
 Helena lagoon system, 198;  
 Turramurra stormwater harvesting  
 scheme, 76, 79, 80*t*, 81, 83, 84*t*, 85*t*,  
 88, 89*t*, 90, 91–93, 92*f*; Umatilla  
 River Basin groundwater  
 management policy and practice,  
 113–14; wastewater materials flow  
 analysis, 765–770, 766*t*, 768*t*, 769*t*,  
 770*t*; Xi'an Siyuan University water  
 management, 25, 168–179, 169*f*,  
 171*t*, 172*f*, 173*t*, 174*f*, 174*t*, 175*f*,  
 176*f*, 177*f*, 178*f*, 180
- cassava wastes and wastewater, 272,  
 598*t*, 835, 836*t*, 842
- catalase (CAT), 345, 346
- cathode ceramic-corrosion-cell fillers,  
 717–18
- cationic surfactants, 616, 619, 627,  
 629. *See also* cetylpyridinium  
 chloride (CPC)
- cations; adsorption of phosphorous  
 with AWBs and, 507; co-existence  
 of pollution and metal cations and  
 efficiency of MEUF, 640; first flush  
 runoff, 53; ion exchange process,  
 595; modifications to AWBs with,  
 514–16; rainwater properties, 37–  
 38, 43, 46
- cattail and cattail fiber-based  
 activated carbon, 345, 359*t*, 360–62,  
 360*f*, 362*t*
- celestolide, 555*t*
- cellulase/cellulose; biomaterial-based  
 resins, 461–62, 462*t*; biosorbent  
 applications, 475*t*; biosorbent  
 desorption and regeneration  
 capacities, 479, 480*t*, 482; enzyme  
 production, 279*t*, 282, 283–84;  
 hydrogen production with, 834;  
 properties and structure of, 282,  
 461; refractory wastewater  
 properties, 653*t*; sludge properties,  
 706, 707*t*
- centralized waste water treatment  
 systems, 20, 149–150, 152–53, 189,  
 375, 377–78, 380, 415
- ceramic-corrosion-cell fillers, 717–18
- ceramic membranes, 639, 872
- ceramic particles; BAF water  
 treatment comparison between  
 SBCP and, 712–15, 713*f*, 714*f*, 715*f*;  
 characteristics of, 709*t*, 710, 711*f*,  
 712*f*; production and applications  
 of, 708–9; raw materials for  
 production, 709. *See also* sludge-  
 based ceramic particles (SBCP)
- Ceratophyllum demersum*, 202*t*, 348*t*
- cerium (Ce); Ce(III)-loaded orange  
 waste gel, 507, 511*t*, 515; metal-  
 impregnated chelate resins, 462;  
 metal-impregnated/treated  
 biosorbents, 498*f*, 514, 515, 517*t*
- Certified Emission Reduction  
 (Carbon Credit), 236, 250
- cetylpyridinium chloride (CPC);  
 adsorption process for removal of,  
 643, 644; co-existence of anions  
 and efficiency of MEUF, 641; co-  
 existence of pollution and metal  
 cations and efficiency of MEUF,  
 640; initial metal feed  
 concentration and efficiency of  
 process, 632–33; membrane type  
 and CMC, 639; MEUF-ACF hybrid  
 process and removal efficiency of,  
 644; pH and MEUF, 630–31;  
 phenol removal with, 619; pressure,  
 permeate flux, and retention, 624;  
 reduction in use of and reduction in  
 CMC, 635–38; removal of, 643, 644;  
 surfactant to metal molar ratio and  
 surfactant concentration, 627–28,  
 636; temperature and CMC, 634

- cetyltrimethyl ammonium bromide (CTAB), 470, 472*t*, 628, 631, 632, 634, 635–36, 637, 641
- Chaetocero scalcitrans*, 812
- charcoal; activated wheat straw charcoal, 466; adsorption process for treatment of surfactant-rich effluent from MEUF, 643; biosorbent applications, 456, 464*t*, 465*t*; biosorbent applications of activated charcoal, 469
- Charlotte, North Carolina (CNC) process, 406, 406*f*, 408*f*, 415
- chelate resins; adsorbent applications for removal of anionic pollutants, 27, 462, 483; biosorbent desorption and regeneration, 479, 482; biosorbents and arsenic removal, 475*t*, 478; metal-impregnated chelate resins, 462; metal impregnation for preparation of, 462, 463*f*; preparation of, 462
- chelating agents, 636, 641–42
- chelating precipitation, 594
- chemical industries; anaerobic granular sludge treatment of wastewater from, 237, 244, 245–46; EGSB treatment of wastewaters for, 246; hydrogen production with wastewater from, 835; nanomaterials and nanotechnologies applications, 977; wastewater characteristics from, 17; wastewater from, electrical energy from with MFCs, 807*t*; water quality requirements of, 5
- chemical oxidation, 360, 615, 642
- chemical oxygen demand (COD); algae cultivation and removal of, 812–15, 814*t*; anaerobic process performance and, 301–2; anaerobic sequencing batch reactor and removal of, 248; anammox process and removal of, 443, 445; AnMBR for removal of, 879–880, 881, 882–83, 884–85, 887–88; BAF water treatment comparison between SBCP and commercial ceramic particles, 712–15, 714*f*, 715*f*, 716–17, 717*f*; biodegradability of feces and, 907–15, 908*e*, 909*e*, 912*f*, 914*f*, 919; CWs and removal of, 342, 344, 354*t*, 355, 356*t*; ECMR for removal of, 658–661, 661*f*, 662, 662*e*, 664–67, 665*t*, 667*f*, 668–69; electricity generation from, 763–64; energy consumption, COD concentrations, and energy self-sufficiency, 242; energy production potential of, 790–93, 791*t*; feces characteristics, 907–9, 907*t*, 919–920; hybrid UASB reactor treatment, 247; industrial wastewater properties, 881, 882–83, 884–85; kinetics of aerobic biodegradation, 916, 917*t*; moisture content, composting process, and, 929–932, 931*f*; pH impact on removal of, 891; plant selection for CWs and, 346, 347; pollutant loads from household appliances, 903–5, 904*t*; reclaimed water quality criteria, 177–78, 177*f*; refractory wastewater properties, 654; SHARON–Anammox process and removal of, 437; SNAD and removal of, 432–33, 433*f*, 437; wastewater partial stream separation and recovery/recycling resources, 766–770, 766*t*, 768*t*, 769*t*, 770*t*; wastewater properties, 17, 428*t*, 790–93, 791*t*; wastewater treatment costs and, 774; wetlands systems and, 200, 201
- chemicals/chemistry in water systems; assessment tools and models for, 24; CWs and removal of, 338, 339–340; rainwater tank hazards, 36*t*; storage of reclaimed water and water quality, 16*f*, 164–66;

- stormwater properties, 25, 77, 85t;  
stormwater reuse hazards, 79, 83;  
wastewater properties, 379t, 767–68;  
wastewater treatment measures and  
removal of, 162
- chemical treatment processes;  
greywater treatment methods, 16;  
heavy metals remediation, 28;  
metal removal/immobilization  
processes, 271; nitrogen removal  
with, 420; phosphate removal with,  
382–83; phosphorous removal, 492;  
phosphorous removal with, 493t,  
494t; thermo-chemical technology,  
520–21, 520f; wastewater treatment  
methods, 161; wet-chemical  
technology, 520–21, 520f
- Chile, 477, 589
- China; activated carbon from  
wetlands plants, process for, 357;  
anaerobic treatment plants in, 297;  
anaerobic treatment systems use in,  
209; arsenic in water in, 477, 589;  
biofuel production in, 204;  
bioleaching research in, 605;  
constructed wetlands use in, 342,  
344, 345; green, blue, renewable,  
and non-local water for irrigation  
in, 116, 117f; irrigation with  
groundwater in, 114, 115f; TrOCs  
in surface waters in, 535–36t; water  
quality standards, 173, 173t, 342,  
344, 347; water tables data in, 116;  
WWTP life cycle energy  
consumption and recycled water  
reuse, 19; Xi'an Siyuan University  
water management, 25, 168–179,  
169f, 171t, 172f, 173t, 174f, 174t,  
175f, 176f, 177f, 178f, 180
- chitin and chitinase, 266, 269, 279t,  
479
- chitosan; anaerobic granulation  
process enhancement with, 245;  
biosorbent applications, 456, 465t,  
468–69, 470, 471, 472t, 473t, 474t,  
475t, 478; biosorbent desorption  
and regeneration capacities, 480t,  
481t; chemically-assisted primary  
sedimentation with, 18; chitosan-  
coated silica, 471
- Chlamydomonas reinhardtii*, 812,  
814t
- chloramphenicol, 437–38
- Chlorella* sp., 812, 815, 817; *C. kessleri*,  
814t; *C. protothecoides*, 814t; *C.*  
*pyrenoidosa*, 813, 814t; *C. vulgaris*,  
817; *C. zofingiensis*, 815
- chloride; algae cultivation and  
removal of, 812; anaerobic  
digestion processes and, 304; first  
flush runoff, 50t, 51t, 52t, 55t;  
rainwater properties, 37–38, 40t,  
43, 44t, 46, 55t; stormwater  
properties, 85t; wastewater  
properties, 16
- chlorine/chlorination; anaerobic  
granular sludge treatment and  
chlorinated organic compounds,  
237–38, 244; disinfection of RO  
feed water, 13–14; disinfection of  
stormwater with, 11; hazards  
related to, 653t; residual chlorine  
and water quality criteria, 9, 10t;  
trihalomethane formation, 697
- chloroform, 304, 540, 541, 635
- chlorophenols, 548
- Chlorophyceae*, 812
- chromate; co-existence of pollution  
and metal cations and efficiency of  
MEUF, 640; environmental and  
human health impacts related to,  
457; feed metal concentration and  
efficiency of MEUF process, 632–  
33; MEUF–ACF hybrid process  
and removal of, 644; MEUF and  
removal of, 622, 635, 637, 638, 639;  
MEUF operating pressure and  
removal of, 625; MEUF retentate  
pressure and removal of, 624; pH,  
MEUF, and removal of, 630, 632;

- production of, 590; surfactant concentration, S/M ratio, and removal of, 627–28
- chromium (Cr); adsorption process for removal of, 596*t*, 598*t*, 599*t*; anaerobic digestion processes and, 304; bioaugmentation and biosorbents for heavy metal remediation, 604*t*; bioprecipitation and removal of, 605; biosorbent desorption and regeneration capacities, 479, 480*t*, 482; commercial adsorbents for removal of, 459*t*; Cr(III) hazards and biosorbents for removal of, 471, 476–77; Cr(VI) hazards and biosorbents for removal of, 471, 474*t*, 476–77, 476*f*, 483; CWs and removal of, 354; electrodialysis and removal of, 600; environmental impacts of, 27–28, 471, 588; feed metal concentration and efficiency of MEUF process, 632; Fe-modified activated carbon and removal of Cr(VI), 366–67, 366*t*, 367*t*; first flush runoff, 50*t*, 51*t*, 52*t*, 53; health hazards related to, 27–28, 458*t*, 471, 590; heterogeneous photocatalysis treatment, 694; hydroxide precipitation and removal of, 593; industrial waste properties, 579; ion exchange for removal of, 584; lime softening for removal of, 584; mass flow in wastewater treatment plant, 585, 585*f*; membrane filtration and removal of, 63; metal-impregnated/treated biosorbents, 515; MEUF and removal of, 635, 637; pH, MEUF, and removal of, 631; photocatalysis/physical chemical operations, 698*t*; Pourbaix diagram of, 586–88, 587*f*; properties, occurrences, and forms, 580*t*, 583, 590; rainwater properties, 37–38, 46; regulation of and permissible limits for drinking water, 458*t*, 583; removal/recovery of, 583–84, 584*f*; reverse osmosis for removal of, 584; SAT treatment and removal of, 217; sludge-based ceramic particles properties, 710, 710*t*; sludge properties, 706, 708*t*; sources of waste and contamination, 583–84, 590; stormwater properties, 85*t*; surfactant concentration, S/M ratio, and removal of, 628; vermicomposting and reduction of, 272
- Citrobacter* sp., 841; *C. freundii*, 838; *C. intermedius*, 838
- clathrate desalination, 15*t*
- Clean Water Act, 9, 187, 192*t*
- climate change; adaptation strategies, 29, 738, 739*f*, 745–750; causes of, 737; concept and definition of climate change, 737; GCMs and groundwater resources predictions, 108–10; greenhouse gases emissions and, 737, 738–39, 739*f*, 789, 815, 818; groundwater management and, 25, 107–10; impact on agriculture, 737–741, 739*f*; impact on water resources, 29, 737–741, 739*f*; mitigation strategies, 29, 738, 739*f*, 747–750; Pichola Lake Basin case study, 741–45, 742*e*, 743–44*e*, 744*t*, 745*t*, 746*f*, 747*f*; predictions about and projections of, 737–38, 750–51; sustainable water management and, 4; temperature increases from, 737, 739*f*, 740–41
- clofibric acid, 543–44, 545, 547*t*, 555*t*
- clomazone, 691*t*, 693
- Clostridium* sp.; anaerobic microorganisms, 886*t*; *C. acetium*, 886*t*; *C. acetobutylicum*, 838; *C. acetobutyricum* JM, 838; *C. beijerinckii*, 838; *C. butyricum*, 838, 840; *C. fruendii*, 838;

- C. pasteurianum*, 838;  
*C. saccharoperbutylacetonicum*  
*N1-4(ATCC13564)*, 838;  
*C. sporoshaeroides*, 838;  
*C. thermocellum*, 838; hydrogen  
 fermentation, 831, 832, 833*f*, 838  
 clothes washing. *See* laundry and  
 clothes washing  
 clozapine, 556–57  
 coagulation/coagulation techniques;  
   anionic pollutants removal, 455–  
   56; concepts and mechanisms, 600;  
   heavy metals remediation, 28, 600–  
   602, 642; lead removal with, 585;  
   recycled water treatment methods,  
   16; seawater treatment for RO  
   plants, 14; sludge and biogas  
   production, 18; surfactants removal  
   with, 642; wastewater treatment  
   methods, 162, 163*t*, 164  
 coal-based activated carbon, 595  
 coal-based carbon membrane, 667  
 coal-bed methane (CBM), coal seam  
 gas (CSG), and shale gas  
 production and groundwater  
 resources, 25, 110, 121–22, 125–  
 133, 126*f*, 127*f*, 128*f*, 129*f*, 135  
 coal mining and groundwater  
 resources, 25, 110, 121–25, 124*f*,  
 130–33, 135  
 coal power plants, 274  
 Coal Seam Gas Water Management  
 Policy, 126–27  
 cobalt (Co); algae cultivation and  
 removal of, 812; anaerobic  
 processes and, 303; bioprecipitation  
 and removal of, 605–6; feed metal  
 concentration and efficiency of  
 MEUF process, 632; hydrogen  
 production and, 839; MEUF and  
 removal of, 638; pH, MEUF, and  
 removal of, 631; sludge properties,  
 708*t*; surfactant concentration, S/M  
 ratio, and removal of, 628–29  
 cocoa shell, 598*t*  
 coconut shells, husks, and coir pith;  
   adsorption capacity of, 362*t*;  
   biosorbent applications, 456, 464*t*,  
   465*t*, 466, 468, 470, 472*t*, 473*t*, 475*t*,  
   477, 598*t*; biosorbent desorption  
   and regeneration capacities, 480*t*,  
   481*t*, 482, 499, 501*t*, 503; coconut  
   granular activated carbon, 467;  
   modifications for better adsorption  
   capacity and performance, 517*t*,  
   519*t*; phosphorous adsorption  
   applications, 497, 504, 505, 507  
 coliform bacteria; anaerobic lagoons  
 and reduction in, 324; composting  
 toilets and health risk assessment,  
 933–38, 935*f*, 936*f*, 937*t*, 938*f*, 939*f*;  
 disinfection treatment for removal of,  
 65; membrane filtration and removal  
 of, 62*t*, 63–64, 65; North Cary Water  
 Reclamation Facility biological  
 nutrient removal technology case  
 study, 411*t*; rainwater properties, 9*t*,  
 45*t*, 46–47; rainwater tank hazards,  
 36*t*; reclaimed water quality criteria,  
 173*f*, 177*f*, 178; stormwater  
 properties, 81, 85*t*, 101; stormwater  
 treatment measures and removal of,  
 88, 89*t*, 99*t*; temperature and  
 formation of, 934–36, 935*f*, 936*f*, 943;  
 wetlands systems and removal of,  
 204. *See also* *Escherichia coli* (*E. coli*)  
 collagen fiber, 465*t*, 468, 471, 473*t*,  
 481*t*  
 Colombia, anaerobic treatment  
 systems use in, 209  
 Colorado, SAT geo-purification  
 systems in, 216*f*  
 combined heat and power (CHP)  
 systems, 18, 816  
 commercialization, green  
 technologies development and,  
 5–6, 5*f*  
 Commonwealth Scientific and  
 Industrial Research Organization  
 (CSIRO), 132



- Completely Autotrophic Nitrogen Removal over Nitrite (CANON), 430–33, 431*e*, 431*f*, 440, 443, 444*t*, 445
- composting sludge, 28, 705, 706
- composting toilets/biotoilets; advantages and benefits of, 30; biodegradation of feces, amount and character of compost, and design and operation of, 912–925; decomposition of feces and urine, 30; design and operation of, 30, 905–6, 906*f*, 941–952, 944*f*, 948*f*, 951*t*; dimensions of, 951–52, 951*t*; drying rates, 945–48, 946*e*, 947*e*, 948*e*, 948*f*; health risk assessment, 933–38, 935*f*, 936*f*, 937*t*, 938*f*, 939*f*; kinetics of aerobic biodegradation, 915–925, 916*f*, 917*t*, 918*e*, 921*t*, 922*t*, 923*t*, 924*f*; moisture content and composting process, 926–933, 930*f*, 931*f*, 932*f*, 942–45, 944*f*; as OWDTs component, 30, 904–5; sawdust use in, 905–6, 906*f*; temperature and composting process, 909, 920, 925–26, 927*f*, 928*f*, 942–45; toxicity assessment, 938–941, 940*f*, 941*f*; water-loading rate, 904, 945; withdrawal of compost from the system, 933, 937–38, 937*t*, 943, 949–951, 950*e*, 951*e*. *See also* sawdust
- computer displays, 977
- conductivity/electrical conductivity; first flush runoff, 48, 50*t*, 51*t*, 52*t*, 55*t*; MEUF and, 640–41; rainwater properties, 9*t*, 39*t*, 55*t*; stormwater properties and quality criteria, 85*t*; vermicomposting and level of, 272, 276
- Confederated Tribes of the Umatilla Indian Reservation (CTUIR), 113–14
- conflicts over water, sustainable water management and, 3
- conservation, integrated water management and, 22
- constructed wetlands (CWs); acceptability and prevalence of use of, 26, 199, 367–68; advantages and benefits of, 198–99, 338, 341*t*, 343*t*; aeration of, 26, 203, 349–351, 350*f*; aerobic processes in, 339–340; algae photosynthesis, algae biomass, and biofuel production, 203–4, 203*e*, 204*f*; anaerobic processes in, 339–340; applications of, 338–39, 341–42, 343–44; biomass material, energy production from, 356–57; chemical/biochemical reaction processes, 339; clogging issues, 203; concepts and fundamentals, 339–344, 340*f*, 341*t*, 343*f*, 343*t*; design of, 26, 199, 202, 338; disadvantages and limitations, 341*t*, 343*t*; enhancing techniques for, 26, 338, 344, 348–355, 350*f*, 351*t*, 355*f*, 366–68; filtration processes, 339–340; free-water-surface CWs, 191*t*, 339, 340–42, 340*f*, 341*t*, 396–97, 397*f*; greywater treatment methods, 16; historical development of, 340; horizontal-flow CWs, 343*f*, 349, 351*t*, 353*f*, 354*t*; hybrid CWs, 352–53, 353*f*, 354*t*; intermittent operation protocol, 349–351, 351*t*; nitrogen removal, 199–200, 201, 202–3, 202*t*, 339–340, 341, 344, 347–48, 348*t*, 349–351, 350*f*, 351*t*, 354–56, 354*t*, 356*t*; operation and maintenance of, 26, 91, 338; oxygen availability in, 349–352; performance of, 201–4, 202*t*, 204*f*, 338; phosphorous removal, 201, 202–3, 202*t*, 339–340, 341, 344, 347–48, 348, 348*t*, 354–56, 356*t*, 494*t*; plant allocation and configuration for, 353–55; plant harvesting, 355–56; plant reclamation and recycling, 26, 338,

- 344, 355–367, 355–368; plant selection and seasonal temperature variations, 354, 356*t*; plant selection for, 26, 338, 344, 345–48, 348*t*, 353–55, 367–68; plants role in, 338; pollutant removal in, 199–203, 338, 339–340, 341, 344, 345–355, 348*t*, 350*f*, 351*t*, 354*t*; productivity of, 198; sedimentation processes, 339–340; separations mechanisms, 339; septic tank effluent treatment with, 396–97, 397*f*, 398*t*; stormwater treatment methods, 12*t*, 86, 87*t*, 88–90, 95, 101; substrate, 339, 340*f*, 342–44, 343*f*; subsurface-flow CWs, 191*t*, 193*t*, 199, 203, 204, 339, 342–44, 343*f*, 343*t*, 349, 352–53, 353*f*, 354*t*, 396–97, 397*f*; success of, 338; surface-flow CWs, 199, 352–53, 353*f*, 354*t*; sustainability of CW wastewater treatments, 338–39, 344, 367–68; transformations mechanisms, 339; vertical-flow CWs, 191*t*, 342–44, 349, 350*f*, 351*t*, 352–53; wastewater treatment methods, 17, 26, 191*t*, 199–204; water hyacinth use, 199, 200–201, 200*t*, 355; wavy subsurface- and vertical-flow CWs, 203; winter temperatures and performance of, 341, 342–43, 355, 356*t*
- construction activities; stormwater reuse for, 82*t*; water budget analysis for district water cycle, 157*t*
- construction materials; arsenic sludge incorporation into, 583; phase change material (PCM), 718–19; sludge-based ceramic particles applications, 718–19; sludge recycling and production of, 28, 255, 706, 708; ultra-lightweight ceramic (ULWC), 718–19
- consumption systems; feedback on water consumption to users, 21*t*; water and energy efficiency measures, 19–20, 21*t*, 23
- continuous stirred tank reactor (CSTR); anammox process in, 435, 444*t*; biomass retention with, 869; characteristics of, 206*t*; concepts and applications, 243, 247–48, 869, 872; feedstocks, 212*t*; granule formation, 247–48; hydraulic retention time, 842–43, 869; hydrodynamics in, 247; hydrogen production with, 842–43; industrial wastewater treatment with, 881, 885; organic loading rate and sludge loading rate, 247–48; POME treatment and methane capture/ biogas production, 968–69; SHARON process in, 430; solids retention time, 869
- Contois kinetic model, 332, 332*e*, 332*f*
- cooling towers; stormwater reuse for, 77, 94; water budget analysis for district water cycle, 157*t*, 158
- copper (Cu); adsorption process for removal of, 596*t*, 597, 598*t*, 599*t*; algae cultivation and removal of, 812; anaerobic processes and, 303; bioaugmentation and biosorbents for heavy metal remediation, 604*t*; bioleaching, 605; bioprecipitation and removal of, 605; biostimulation and removal of, 603; biosurfactants and removal of, 605; chelating precipitation and removal of, 594; co-existence of anions and efficiency of MEUF, 641; co-existence of pollution and metal cations and efficiency of MEUF, 640; CWs and removal of, 354; effects of on anammox process, 437; electrodialysis and removal of, 600; feed metal concentration and efficiency of MEUF process, 633; first flush runoff, 50*t*, 51*t*, 52*t*, 53, 55*t*; GAC adsorption filtration and

- removal of, 58, 59*t*, 60; gravity-fed GAC and membrane filters system and removal of, 68, 69*t*, 71; groundwater quality in areas with and without POME application, 966*t*, 967*t*; hydrogen production and, 839; hydroxide precipitation and removal of, 593; industrial waste properties, 579; membrane filtration and removal of, 62*t*, 63; metal-cyanide complexes, adsorption of, 470; metal-impregnated/treated biosorbents, 472*t*, 482, 515; MEUF-ACF hybrid process and removal of, 644; MEUF and removal of, 622–23, 636; MEUF retentate pressure and removal of, 624; natural component of AWBs, 505; pH, MEUF, and removal of, 630–31; properties, occurrences, and forms, 580; rainwater properties, 40*t*, 45*t*, 55*t*, 68; rainwater/stormwater treatment measures and removal of, 11; SAT treatment and removal of, 217; sludge-based ceramic particles properties, 710, 710*t*; sludge properties, 271, 706, 708*t*; stormwater properties, 77, 78*t*, 85*t*; surfactant concentration, S/M ratio, and removal of, 628; vermicomposting and reduction of, 272
- co-precipitation technique, 455–56
- corn cob, stover, and stalks; biosorbent applications, 462*t*, 467, 473*t*, 474*t*, 475*t*, 476–77, 477–78, 478, 598*t*; composition and properties of, 462*t*; energy crops and hydrogen production, 834–35; modifications for better adsorption capacity and performance, 519*t*
- corrosion; distillation processes and resistance to, 13; orthophosphate, corrosion inhibitor uses of, 38; sulfur corrosive properties, costs related to, 765
- Corynebacterium glutamicum*, 604*t*
- costs. *See* pricing and costs
- cotton seed hulls, 456, 462*t*
- cotton stalks, 456, 465*t*, 474*t*, 480*t*, 501*t*, 518*t*
- covered in-ground anaerobic reactor (CIGAR), 968–69, 969*f*
- crab shells, 475*t*, 479, 505, 508
- crystallization, 492, 493*t*, 495*f*, 520–22, 520*f*, 522*f*, 523, 526
- Cupriavidus necator*, 256, 259, 261, 263
- current density, 658, 661*f*, 662, 662*e*
- cyanide; anaerobic digestion processes and, 304; applications of and wastewaters from operations using, 470; biosorbents for removal of, 470, 472*t*, 483; commercial adsorbents for removal of, 459*t*; environmental impacts of, 653*t*; health hazards related to, 458*t*, 470, 653*t*; metal-cyanide complexes, adsorption of, 470; permissible limits for drinking water, 458*t*; refractory wastewater properties, 655; regulations on concentrations in wastewater, 470
- Cyanidium caldarium*, 817
- cyanobacteria, 263
- Cyanobacteria*, 812
- Cyperus papyrus*, 202*t*, 348*t*
- Czech Republic, constructed wetlands use in, 344
- dairy wastewater; algae cultivation in for wastewater treatment and biofuel production, 813, 814*t*, 815; anaerobic treatment of, 326; AnMBR for treatment of, 881; AnMBR treatment of, 870*t*, 876*t*; biogas production with, 794; CWs for treatment of, 341, 344; hydrogen production with, 835,

- 837*t*; PHA production with, 260;  
toxic compounds in simulated, 304;  
vermicomposting use of, 275, 276,  
277
- data collection and analysis;  
assessment tools and models for,  
24; management decisions based  
on, 23–24; monitoring systems for  
data collection, 23–24
- date palm fibers and waste, 499, 500*t*,  
502, 506, 507
- date pits/stones, 474*t*, 476, 500*t*, 502
- decentralized wastewater  
management, 19, 24, 150, 152–53,  
187–88, 189, 190–92*t*, 193*t*, 220–23.  
*See also* onsite wastewater  
treatment systems (OWTSs)
- deep bed filters, 96–97, 99*t*
- deficits. *See* shortages and scarcity of  
water
- Delft University of Technology and  
SHARON process, 429–430, 429*f*,  
430*e*, 431, 443, 444*t*
- demand management, 6, 7–8*t*
- denitrifying phosphate accumulating  
organisms (DPAOs), 386
- Denmark, AnMBR research in, 870–  
71*t*
- desalinated water; advances and  
innovations in technologies, 11, 14,  
15*t*; as alternative water supply,  
748–49; aquifer storage and  
recovery, 14; brackish water as  
feedstock, 14; characteristics and  
fit-for-purpose treatment and  
applications, 11, 13–15; co-location  
of facilities near power plants or  
WWTPs, 14; concepts and  
applications, 748–49; cost of, 11, 13,  
14; expansion of use of, 4–5, 749;  
green technological developments  
for, 11, 13–14, 15*t*; management of  
from treatment to use, 11, 13*t*;  
stormwater as feedstock, 14;  
sustainable water management and  
use of, 2; treatment of before use of,  
4–5. *See also* reverse osmosis (RO)
- dewvaporation, 15*t*
- diazepam, 555*t*
- diazinon, 536*t*, 540
- dichloroacetic acid, 541
- dichlorophenoxyacetic acid, 540
- diclofenac, 534, 535*t*, 537*t*, 539, 540,  
543–44, 547*t*, 550, 551, 552, 555*t*,  
558, 563, 564*t*, 698, 698*t*
- diethyltoluamide (DEET), 555*t*
- diphenhydramine, 544
- diseases, climate change and, 740–41
- dishwashers, 16, 20, 21*t*
- disinfection treatments; coliform  
bacteria removal, 65; rainwater/  
stormwater disinfection, 11, 65, 72;  
RO feed water, disinfection of, 13–  
14; stormwater disinfection, 81, 82*t*,  
83*t*, 90; thermal disinfection and  
destruction of pathogens, 933;  
TrOC by-products from, removal  
of, 538–39, 544, 556*t*; wastewater  
treatment methods, 161, 162, 163*t*.  
*See also* UV (ultraviolet) light
- dissolved oxygen (DO); CANON  
process, 431, 432; CW intermittent  
aeration strategy, 349–351, 350*f*;  
groundwater quality in areas with  
and without POME application,  
966*t*, 967*t*; heterogeneous  
photocatalysis and, 28, 686–87;  
inhibitory effects of on anammox  
process, 436–37; MBR and, 554*f*,  
558; North Cary Water  
Reclamation Facility biological  
nutrient removal technology case  
study, 412, 413; photocatalytic  
treatment processes and, 28
- dissolved solids and total dissolved  
solids (TDS); first flush rainwater  
runoff, 50*t*, 51*t*, 52*t*, 53, 55*t*;  
rainwater properties, 37–38, 39*t*,  
43, 44*t*, 46, 55*t*; reclaimed water  
quality criteria, 173*f*, 177*f*, 178;

- stormwater properties, 85t;
- wastewater treatment measures and removal of, 162, 163t
- distillation processes; green
  - technological developments for, 11, 13; mercury removal with, 586
- distribution systems; data collection and decisions about, 23–24; leakage and losses, reduction in, 22–23, 749; water and energy efficiency measures, 19, 20
- district water cycle management;
  - anaerobic-aerobic-oxic-membrane bioreactor treatment system, 174, 174f, 175–78, 177f, 179; concept of district water cycle, 149–153, 179; design of system, 25, 169–175, 169f, 171t, 172f, 173t, 174f, 174t, 175f; environmental water bodies/landscaping lakes, natural purification, and water quality, 166–68, 167f, 170, 171t, 172, 172f, 174–78, 175f, 176f; materials balance analysis, 25, 156, 156f, 159–160, 159e, 160e, 172–74, 172e, 172f, 173e, 174t, 179; materials balance model, 155–56, 156f; models of systems, 153–56, 153f, 154f, 155f, 156f; natural purification, 25; pollution prevention strategies, 25; quality control treatment technologies, 161–68, 163t, 166f, 167f; quality of water and prevention of quality deterioration, 25, 160–61; socioeconomic benefits of, 178–79; storage of water and water quality, 164–66, 166f; wastewater as resource in, 149, 154–56, 154f, 155f, 156f; water budget analysis, 25, 156–59, 157t, 158e, 159e, 169–170, 169e, 169f, 171t, 179; Xi'an Siyuan University water management case study, 25, 168–179, 169f, 171t, 172f, 173t, 174f, 174t, 175f, 176f, 177f, 178f, 180
- diuron, 536t, 543
- Dorr-Oliver, Inc., 869
- down-flow anaerobic attached growth reactor, 323, 323f
- Doxil, 987
- drainage and disposal systems, 19, 20
- Dranco (Dry Anaerobic Composting) process, 214–15, 214f
- drinking water; anionic pollutants, permissible limits for, 456–57, 458t; arsenic, permissible limits for, 458t, 583, 590; chromium, permissible limits for, 458t, 583; lead, permissible limits for, 584; management of all water systems as a whole, 2; planning and design of water and wastewater systems, 149–156, 153f, 154f, 155f, 156f
- droughts; climate change and changes in precipitation patterns, 738, 739–740, 748; data collection and management of, 23–24; sustainable water management and, 3
- dry-sensitized solar cell (DSSC), 984
- dyes; dyeing wastewater, ECMR treatment of, 670–72, 671t, 672f; enzymatic membrane reactor for removal of, 562–63, 564t; SAnMBR for removal of, 883–84; SBAC water treatment for removal of, 727–28
- dye-sensitized photocatalysts, 679
- earthworms; *Allolobophora caliginosa*, 274, 275; *Allolobophora chlorotica*, 275; *Allolobophora longa*, 274; *Allolobophora nocturna*, 274; *Bimastos eiseni*, 274; *Dendrobaena octaedra*, 274; *Dendrobaena rubida*, 274; *Eisenia andre*, 275, 276–77; *Eudrilus eugeniae*, 271–72, 273t, 274, 275, 276, 278; *Lampito mauritti*, 273t, 274; *Lumbricus terrestris*, 273t, 275, 276; *Megascolex megascolex*, 273t,

- 274, 275, 276; *Perionyx excavatus*, 272, 274, 275, 276, 278; *Pheretima elongate*, 273*t*, 274, 275, 276; species for vermicomposting, 272–73, 273*t*; tiger worms *Eisenia fetida*, 272, 273, 273*t*, 274, 275, 276–77, 278. *See also* vermicomposting biotechnology
- East Asia, irrigation with groundwater in, 114, 115*f*
- ecological conditions and habitats; anammox process, eco-friendliness of, 423; assessment tools and models for, 24; integrated water management and, 22, 111; mining and pit lakes, 122–23; water-related policies and issues, complexity and interconnectedness of, 20, 22; white biotechnology, competition for land and water resources, and, 22
- economics; allocation decisions and sustainable water management, 4; AnMBRs, economic viability of, 30, 868, 880, 883, 894–95; balance sheet classification and distribution of cost centers, 784–85, 785*t*; demand management and, 6, 7–8*t*; distribution systems efficiency measures, 19; district water cycle management benefits, 178–79; environmental issues and, 3; green technologies and, 4; green technologies development and, 5–6, 5*f*; harsh economic climate and treatment systems, 337; infrastructure maintenance and, 3; integrated water management and, 22; investments in infrastructure and sustainable water management, 3–4; quantitative assessment of technical, economic, environmental, and social considerations, 24; sustainable development and management and, 829, 965, 968; sustainable water management and, 2, 3, 3*f*, 4, 965; wastewater-borne resources, economic value of, 29, 753, 765, 770–72, 771*t*, 786; wastewater partial stream separation and materials flow management, 765–770, 766*t*, 768*t*, 769*t*, 770*t*, 786; wastewater resource potential and treatment costs of partial streams, 782–84, 783*t*, 784*t*; water-related policies and issues, complexity and interconnectedness of, 20, 22. *See also* pricing and costs
- ecosystems; biodiversity in, 115–16, 741; groundwater availability and, 25, 110, 111, 114–16, 115–16; groundwater-dependent ecosystems (GDEs), 115–16; services and benefits, 115–16; stormwater harvesting impacts, 76; subsurface groundwater dependent ecosystems, 116; sustainable water management and damage to, 3; wastewater treatment methods, 26. *See also* constructed wetlands (CWs)
- educational campaigns; sustainable water management and implementation of, 2; water saving practices as focus of, 749
- efficiency/water efficiency, 23; building sustainability index (BASIX) scheme for water and energy efficiency, 20; consumption systems efficiency measures, 19–20, 21*t*, 23; distribution systems efficiency measures, 19, 20; drainage and disposal systems efficiency measures, 20; issues related to low water-use efficiency, 337; leakage and losses, reduction in, 22–23, 749; water-related policies and issues, complexity and interconnectedness of, 20, 22
- effluent disposal processes, 191*t*

- eggshell waste and powder, 272, 497, 500t, 502, 504, 506, 507, 517t, 522
- Eh-pH (Pourbaix) diagrams of heavy metals, 586–88, 587f
- Eichhornia crassipes*, 200, 202t, 348t
- electricity; anaerobic treatment processes, hydrogen formation, and production of, 212–13; anaerobic treatment processes, methane combustion in microturbine, and production of, 212–13; anaerobic treatment processes and production of, 815–16; biological hydrogen and electricity production with MFCs, 811; energy loss during conversion of methane to, 805; generation from biogas, 236, 239–240, 763–64, 764t; generation from POME, 968–970, 969f, 970f, 972–73; resource savings with biobased over conventional production of, 815–16. *See also* microbial fuel cells (MFCs)
- electrobath reactor, 717–18
- electrocatalytic membrane reactor (ECMR); advantages of, 675; application of for industrial wastewater treatment, 28; concepts and mechanisms, 28, 651–52, 672–74e, 672–75; design and operating parameters, 658–661, 659–660e, 661f; dyeing wastewater, treatment of, 670–72, 671t, 672f; efficiency and performance of, 652; electrochemical oxidation and membrane separation processes, 28, 651–52, 673; industrial wastewater treatment with, 661–672, 674–75; kinetic analysis, 661–63, 662e; liquid hourly space velocity, 661–63, 662e, 666–67, 667f; membrane fouling issues, 28; membrane materials and types, 28, 652, 655–58, 656f, 657f, 658f; membrane preparation with nanocatalysts, 652; membrane self-cleaning and antifouling mechanism, 652, 673–74, 673–74e, 675; oily wastewater, treatment of, 663–67, 663t, 665f, 665t, 666t, 667f; operating costs, 28; pH and, 659–660, 659–660e, 661f; phenolic wastewater, treatment of, 667–670, 669f; residence time, 659, 661f, 669–670, 669f; temperature and, 660, 661f; tubular carbon membranes, 652, 655
- electrocatalytic oxidation/ electrochemical oxidation; advantages of, 651; costs associated with, 651, 652; ECMR integration of membrane separation and, 28, 651–52, 673; industrial wastewater treatment with, 651; pharmaceutical compounds removal with, 544
- electrochemical treatments and processes; dyeing wastewater treatment with, 671; heavy metals remediation, 615, 642; oily wastewater treatment with, 663–64; surfactants removal with, 642
- electrocoagulation (EC) technique; anionic pollutants removal, 455–56; heavy metals remediation, 581; oily wastewater treatment with, 664
- electrode spacing, 658–59
- electrodialysis; heavy metals remediation, 600; wastewater treatment methods, 162, 163t
- electrolyte; concentration in wastewaters and MEUF, 637–38; concentrations in wastewater and ECMR, 659
- electronics industries, water quality requirements of, 5
- endocrine disrupting compounds (EDCs); adverse health and environmental effects of, 534, 537t; AnMBR for removal of, 879;

- blackwater properties, 938;  
 detection of in water, 533; MBR  
 system and removal of, 552–53,  
 555*t*, 558; oxidation processes and  
 removal of, 544; wastewater  
 properties, 16, 768; wastewater  
 treatment for removal of, 768. *See also specific compounds*
- endogenous respiration and aerobic  
 biodegradation of toilet waste, 910,  
 915–18, 916*f*, 917*t*
- energy; aerobic process energy  
 efficiency and requirements, 239–  
 240, 241–43, 763–64, 764*t*;  
 anaerobic granulation and  
 bioenergy production, 26, 231, 236,  
 239–243, 249; anaerobic processes  
 energy efficiency and requirements,  
 239–240, 241–43, 790, 792–93;  
 anaerobic treatment as renewable  
 energy source, 300–301, 790, 818;  
 bioenergy generation, 29, 789–790,  
 790, 818; bioenergy recovery  
 plants/biorefineries, 818; building  
 sustainability index (BASIX)  
 scheme for water and energy  
 efficiency, 20; combined heat and  
 power (CHP) systems, 18, 816;  
 consumption rate projection for  
 growth in population, 789;  
 consumption systems efficiency  
 measures, 19–20, 21*t*, 23; CW  
 biomass and energy production,  
 356–57; demand for sustainable  
 and renewable sources, 29, 829,  
 857; demand management and, 6,  
 7–8*t*; desalination and energy  
 recovery devices, 14; distribution  
 systems efficiency measures, 19;  
 efficiency of extraction from  
 wastewater, 792–93; electricity  
 generation from POME, 968–970,  
 969*f*, 970*f*, 972–73; energy density  
 of wastewater, 792; Gibbs free  
 energy, 792, 793; global energy  
 crisis, biohydrogen as solution to,  
 829–830; integrated water  
 management and, 22; localized and  
 networked treatment systems and  
 power generation, 19;  
 nanomaterials and  
 nanotechnologies applications, 30,  
 976–77, 984–85, 986*t*; optimization  
 of WWTP processes and energy use  
 and production, 18–19; organic  
 matter, generation of energy from,  
 17, 239–240, 763–64, 764*t*, 790;  
 palm oil mills, energy efficiency at,  
 957, 958–960, 959*f*; phase change  
 material (PCM), 718–19; recycled  
 water reuse and life cycle energy  
 consumption, 19; renewable energy  
 research, 829–830, 857; sludge  
 recycling and energy generation,  
 28; sustainable energy management  
 systems for wastewater treatment,  
 793–815; sustainable water  
 management and, 2, 3*f*; wastewater,  
 potential energy available in, 790–  
 93, 791*t*; wastewater properties as  
 resources, 790, 818; water-related  
 policies and issues, complexity and  
 interconnectedness of, 20, 22; white  
 biotechnology, competition for  
 land and water resources, and, 22.  
*See also* biogas/biofuel; fossil fuel–  
 based energy
- energy crops and hydrogen  
 production, 834–35
- Energy Information Administration,  
 U.S., 128
- engineering, water-supply, 22
- Enhanced Biological Phosphate  
 Removal (EBPR), 385–88, 385*f*, 387*f*
- Enterobacteriaceae, 886*t*. *See also*  
*Escherichia coli* (*E. coli*)
- Enterobacter* sp.; biosorbent  
 applications, 604*t*; *E. aerogenes*,  
 838; *E. cloacae*, 838; hydrogen  
 fermentation, 838



*Enterococcus faecalis*, 694, 695*t*, 696  
entomotoxicity (Tx), 263–64, 265–69,  
270

environmental impacts and issues;  
agricultural wastes, hazards related  
to, 496; algal biofuels, impacts of  
production of, 816–17; of ammonia  
(NH<sub>3</sub>), 382; anionic pollutants,  
hazards related to, 27, 455, 456,  
457, 458*t*; AnMBR advantages, 30;  
arsenic, hazards related to, 27–28,  
457, 471, 588; cadmium, hazards  
related to, 588; chlorine, hazards  
related to, 653*t*; chromium, hazards  
related to, 27–28, 471, 588; cyanide,  
hazards related to, 653*t*; demand  
management and, 6, 7–8*t*; district  
water cycle management benefits,  
178–79; economics and, 3; failed  
septic systems, environmental risks  
from, 377, 378; green technologies  
and, 4; green technologies  
development and, 5–6, 5*f*; heavy  
metals, impact of, 27–28, 588–89,  
615, 653*t*; integrated water  
management and, 22; lead, hazards  
related to, 27–28, 588; mercury,  
hazards related to, 27–28, 588;  
methane recovery, 815; microbial  
fuel cells impacts, 816;  
nanomaterials and  
nanotechnologies applications for  
environmental protection, 30;  
nitrate, hazards related to, 457,  
458*t*; nitrogen pollution, 377, 379–  
380, 379*t*, 382, 419; optimization of  
WWTP processes and, 18–19; palm  
oil mills and POME, 30, 955, 956–  
57, 963–65, 968; perchlorate,  
hazards related to, 469; phenols,  
hazards related to, 653*t*; phosphate,  
hazards related to, 457, 458*t*, 467;  
phosphorous pollution, 377, 379–  
380, 379*t*, 384, 491–92; plastics  
waste, concerns about, 256; pricing

water and, 21*t*; public awareness of  
and calls for treatment standards,  
337; quantitative assessment of  
technical, economic,  
environmental, and social  
considerations, 24; refractory  
wastewater, hazards related to, 653,  
653*t*; selenium, hazards related to,  
457, 458*t*, 471; stormwater  
harvesting impacts, 76, 90, 91;  
stormwater irrigation  
environmental hazards, 79; sulfates,  
hazards related to, 653*t*; sulfides,  
hazards related to, 653*t*;  
surfactants, hazards related to,  
653*t*; sustainable development and  
management and, 965, 968;  
sustainable water management and,  
2, 3, 3*f*; TrOCs, hazards related to,  
27, 533, 534, 537*t*, 538; wastewater  
contaminants and environmental  
risks, 16, 377, 378, 379*t*; water-  
related policies and issues,  
complexity and interconnectedness  
of, 20, 22; white biotechnology  
impact and, 22

*Environmental Planning and  
Assessment Act 1997*, 127

*Environmental Protection Act 1994*,  
127

enzymatic membrane reactor (EMR),  
561–63, 562*f*, 564*t*

enzymes; activated sludge use for  
production of, 26, 256, 278–285,  
279*t*; antioxidant activities in CW  
plants, 346; hydrogen production,  
832–33, 833*f*, 840–41;  
immobilization of and stability  
against thermal and chemical  
reactions, 550–51, 561–63; lysis-  
cryptic growth process, 278–79,  
281; redox-mediators, 548–550,  
549*t*; sludge floc hydrolysis, 278–  
281, 279*t*, 283; TrOC degradation  
with enzymatic treatment

- processes, 544–551, 546–47*t*, 549*t*, 565
- erythromycin, 540
- Escherichia coli* (*E. coli*); disinfection performance and testing for, 91; electrical energy from with MFCs, 806; heterogeneous photocatalysis deactivation, 694, 695*t*, 696; hydrogen fermentation, 838; PHA production with, 257, 259, 262–63; PHB production with, 263; quantum dots and detection of, 979; reduction in concentration and effectiveness of disinfection, 81; sources of, 81; stormwater properties and quality criteria, 9, 10*t*, 81, 83, 83*t*, 85*t*; stormwater treatment measures and removal of, 11, 83*t*, 87*t*, 88, 99*t*; testing for and measurement of, 81
- esterification process wastewater, 244
- 17  $\beta$ -estradiol, 535*t*, 537*t*, 538, 543, 544, 545, 546*t*, 554, 555*t*, 556, 557, 558, 563, 564*t*
- estriol, 535*t*, 537*t*, 545, 555*t*, 563, 564*t*
- estrone, 535*t*, 542, 544, 545, 546*t*, 555*t*, 557, 558
- ethanol, 22, 204*f*, 812, 816, 831, 834, 838, 840, 981
- 17  $\alpha$ -ethinylestradiol, 535*t*, 537*t*, 538, 545, 546*t*, 555*t*
- ethylenediaminetetraacetic acid (EDTA), 563, 597, 599, 642
- eucalyptus bark, 595
- Eudorina* sp., 817
- Euglena* sp., 813, 814*t*
- Europe; chromium in water, sources of, 583; constructed wetlands use in, 340, 344, 352; freshwater resources in, 148*t*; lead consumption in, 585; lead waste and contamination in, 585; mercury contamination in, 585; municipal solid waste anaerobic digestion treatment case studies, 213–15, 214*f*, 215*f*; shale gas resources in, 129*f*; waste and energy policies in, 214; wetlands systems for wastewater treatment in, 199
- eutrophication; impact of, 345, 491–92; increase in, 196; nitrate and, 377, 458*t*, 463; nitrite and, 463; nitrogen and, 379*t*, 382, 419; phosphate and, 458*t*, 463, 467; phosphorous and, 377, 379*t*, 384, 491–92; prevention of, 170, 495–96, 495*f*, 516
- evaporation losses, 22–23
- evapotranspiration, 4
- exopolysaccharides and heavy metal sequestration, 602
- expanded granular sludge bed (EGSB) reactor; acceptability and prevalence of use of, 234–35, 249; biogas production with, 317*f*, 318; biomass retention with, 872; characteristics, process function, and applications, 243, 245–46, 315, 317–18, 318*f*; chemical wastewater treatment with, 245–46; efficiency of, 234–35; hybrid systems/combined processes, 805; organic loading rate, 317–18; recycling needs and energy use, 242; UASB efficiency compared to, 246, 318
- explosives and explosives manufacturing, 653*t*, 799, 802
- extracellular polymeric substances (EPS); activated sludge process and, 278, 283; ASBBR and formation of, 795–96; biofilm and anaerobic attached growth processes, 320; exopolysaccharides and heavy metal sequestration, 602; hydrogen-producing granules formation and, 241, 247; membrane fouling and, 804, 805, 892, 893
- extraction treatments, 615, 642
- Falkenmark Index, 147–49, 148*t*
- fats. *See* oils, fats, and greases

- feast and famine fermentation, 258–59
- feces; biodegradability of, 907–12, 908*e*, 909*e*, 912*f*, 919;  
biodegradation of feces and amount and character of compost, 30, 912–925; characteristics of, 906–12, 907*t*; COD of, 907–9, 907*t*, 908*e*, 909*e*; mass unit  
characteristics of, 909–12, 910*e*, 911*e*, 912*f*; pollution load of, 907, 907*t*; production rate per adult per day, 915. *See also* brown water
- FEFLOW model, 121
- fenoprop, 539, 546*t*
- Fenton process, 544
- fertilizers; anaerobic granular sludge biosolid use as, 231–32; animal waste and wastewater use as, 758, 771; biostimulation and heavy metals remediation, 603; land-use management changes and use of, 750; nitrogen use in, 759–763, 762*t*; nitrous oxide sources, 738–39; phosphorous-bearing AWBs use as, 495*f*, 503; phosphorous use in, 756–58, 760*f*; potassium use as, 754, 763; price for and material-specific prices of components, 770–72, 771*t*; recycled phosphorous fertilizers, 522–23; resource economy and recovery/recycling from wastewater, 765; sludge disposal on agricultural fields, 271; treatment of sludge using vermicomposting before use as, 26, 256, 270–78, 273*t*
- fibre filters, 96, 99*t*, 100*f*
- filtration; greywater treatment methods, 16; mercury removal with, 586; packed-bed filtration, 189, 191*t*; seawater treatment for RO plants, 14; stormwater treatment methods, 11, 12*t*; surfactants removal with, 642; wastewater treatment methods, 161, 162, 163*t*, 190*t*, 193*t*
- Finland, Wassa process solid waste anaerobic digestion treatment in, 214
- firefighting; stormwater reuse for, 77, 82*t*, 94; stormwater water quality guidelines, 10*t*; water budget analysis for district water cycle, 157*t*, 158
- fixed-bed reactor; anammox process in, 439; concepts and applications, 190*t*; fixed-bed biofilm reactor (up-flow biofilter/up-flow biofilm reactor), 436, 442, 444*t*
- flame retardant technology, 983–84
- flocculation; bioflocclulants from sludge, 256; concepts and mechanisms, 601; heavy metals remediation, 28, 600–602; sludge and biogas production, 18; starch-based flocculant, 800–801
- floods/flooding; assessment tools and models for forecasting, 24; climate change and changes in precipitation patterns, 738, 739–740; data collection and management of, 23–24; sustainable water management and, 3
- Florida, greywater/rainwater reuse in, 189
- fluidized bed reactor. *See* anaerobic fluidized bed reactor (AFBR)/fluidized bed reactor (FBR)
- fluoride; beneficial uses for, 456; biosorbent desorption and regeneration capacities, 481*t*; biosorbents for removal of, 470–71, 473*t*, 483; commercial adsorbents for removal of, 459*t*, 460; health hazards related to excess intake of, 456–57, 458*t*, 470; permissible limits for drinking water, 458*t*; sources of, 456; stormwater properties, 85*t*; WHO limits on amounts in drinking water, 457

- fluoxetine, 547*t*, 555*t*  
 fly ash, 274, 598*t*, 599*t*  
 food; biogas production from food waste, 17; climate change adaptation strategies and food security, 746–47; ecosystem services, 115–16; food security and groundwater availability, 25, 110, 114; water as constraint on expanding food supplies, 114–15  
 food industry; anaerobic granular sludge treatment of, 232, 235; anaerobic granular sludge treatment of wastewater from, 237, 244; AnMBR for treatment of wastewater from, 881; CWs for treatment of wastewater from, 341, 344; enzyme production from waste from, 281–82; food packaging materials, 978–79; hybrid AnMBR system for treatment of wastewater from, 876*t*; hydrogen production with wastewater from, 835, 836*t*, 837*t*, 838, 840, 842; nanomaterials and nanotechnologies applications, 30, 978–79; oily wastewater properties, 663*t*; UASB treatment of wastewater from, 798; vermicomposting use of waste from, 273*t*, 274, 275, 276–77; wastewater characteristics from, 17, 881; water quality requirements of, 5  
 food-to-microorganism ratio, 388–89  
 formaldehyde, 238  
 forward osmosis, 11, 15*t*  
 fossil fuel-based energy; biofuels as substitute for, 29; reduction in need for, 14, 829; resource savings with biobased over conventional production of, 815–16, 857; white biotechnology and reduction in use of, 22  
 fossil groundwater, 116–17  
 fracking process and groundwater management, 25, 110, 121–22, 125–130, 126*f*, 127*f*, 128*f*, 129*f*  
 France; mercury contamination in, 585; TrOCs in surface waters in, 535–36*t*; Valorga process solid waste anaerobic digestion treatment, 215  
 freeze desalination, 15*t*  
 French Polynesia, Valorga process solid waste anaerobic digestion treatment in, 215  
 freshwater; limitations on natural sources of, 4–5, 537; sustainable management of, 608; water cycle and, 149, 150–51; worldwide renewable freshwater availability, 147–49, 148*t*  
 Freundlich isotherm model; activated charcoal and adsorption of nitrite, 469; SBAC and adsorption of dyes, 728; wetlands plant-based activated carbon, 361, 361*e*, 363–64, 364*t*, 365, 365*t*, 367, 367*t*  
 fuel cells; CHP system types, 18; hydrogen fuel cells, hydrogen storage, and nanomaterials, 976, 985, 986*t*; microbial fuel cells, 29, 213, 790, 793, 805–11, 806*f*, 807–9*t*, 816, 818  
 fungi; filamentous fungi, 280–81, 282, 283; sludge floc hydrolysis use of fungal cultures, 279–281; wastewater treatment methods, 17  
 gas lift reactor, 439, 441  
 Gaussian kernel, 742, 742*e*, 744  
 gemfibrozil, 552, 555*t*  
 general circulation models (GCMs); availability of, 109; development and purpose of, 108–9; downscaling models using kernel regression, 29; downscaling models using kernel regression, 741–45, 742*e*, 743–44*e*, 744*t*, 745*t*, 746*f*,

- 747f; groundwater management policy development based on, 114, 135; groundwater resources predictions and climate change scenarios, 108–10; potential predictor selection, 742; precipitation prediction with, 29; sources of data, 741
- genistein, 545
- Geological Survey, U.S. (USGS), 114, 120–21
- geo-purification systems, 190–91t, 215–220, 216f, 218f, 219t
- Germany; anaerobic treatment plants in, 297; constructed wetlands use in, 352; Dranco process solid waste anaerobic digestion treatment, 215; lead waste and contamination in, 585; nitrogen materials-flow analysis, 754, 759–763, 762f; phosphorous materials-flow analysis, 754, 756–59, 760f; potassium fertilizer exports, 763; SAT geo-purification systems in, 216f, 217; TrOCs in surface waters in, 535–36t; wastewater treatment costs, 772–784, 774e, 775e, 776f, 778t, 779t, 780t, 781–82e, 781t, 782t, 783t, 784t
- Gibbs free energy, 792, 793
- glibenclamide, 555t
- glucose; anaerobic degradation of phenols, 244; biological phosphorus removal process, 386, 391; bioplastics from, 257t; biostimulation and heavy metals remediation, 603; hydrogen production with, 832, 833f, 834, 840, 855, 856t
- glycogen-accumulating organisms (GAOs), 386–88, 387f
- gold; hydrogen production and gold nanoparticles, 842; MEUF and removal of, 637; surfactant concentration, S/M ratio, and removal of, 628
- GRACE (Gravity Recovery and Climate Experiment), 107, 135
- Granular Activated Carbon (GAC) adsorption filtration, 56–60, 57f, 57t, 58f, 59t
- grass/vegetated swales, 12t, 86, 87t, 90
- Grau second-order multi-component substrate removal model, 329–330, 329–330e, 330f
- greases. *See* oils, fats, and greases
- Great Artesian Basin (GAB), Australia, 110, 117, 130–33, 131f, 135
- Great Artesian Basin Bore Rehabilitation Program (GABBRP), 132–33
- Great Artesian Basin Consultative Council, 132
- Great Artesian Basin Coordinating Committee (GABCC), 131, 132–33
- Great Artesian Basin Water Resource Assessment* program, 132
- Greece; lead waste and contamination in, 585; TrOCs in surface waters in, 535–36t
- Green Chemistry principles, 496
- greenhouse gases; agriculture, emissions for, 738–39; algal biofuels and reduction in, 816–17; anaerobic digesters and reduction of, 17; anaerobic granular systems, carbon credits, and reduction of emissions of, 236, 250; anaerobic pond for POME treatment, emissions from, 964, 969; climate change and, 737, 738–39, 739f, 789, 815, 818; impact of emissions, 738–39, 789, 815, 818; increase in emission of, 737, 739f; nanomaterials and nanotechnologies for removal and remediation, 981–83; palm oil mill emission reduction initiatives, 30, 955–56, 968; transportation, emissions for, 738; water and

- energy efficiency measures and reduction in output of, 23; wetland and aquatic treatment systems and reduction of, 203–4; white biotechnology and reduction in, 22
- green technologies; advances in, xiii; advantages and benefits of, xiii, 2, 4, 31; concepts and principles of, xiii, 4–6; framework in the development of, 5–6, 5*f*; Green Chemistry principles, 496; heavy metals bioremediation, 28, 582, 602–9, 608*f*; nanomaterials and nanotechnologies applications, 976–79; need analysis, 4–5; promotion of, 2; resource economic potential and implementation of, 29; resource-economic potential and implementation of, 753; restraint for establishment and implementation of, 20, 22; sustainable water management and, 4, 608–9, 608*f*
- Greenway Park stormwater harvesting scheme case study, 76, 81, 82*t*, 83*t*, 90, 93–94, 93*f*
- Grethlein, Hans E., 868–69, 870*t*
- greywater; characteristics and fit-for-purpose treatment and applications, 16; discharge volumes and pollutant loads from household appliances, 903–4, 904*t*; OWDTs and separation of higher-load and lower-load greywater, 904–5; resource potential and treatment costs of partial streams, 782–84, 783*t*, 784*t*; sources of, 16, 769; treatment and reuse of, 189, 749; wastewater partial stream separation and recovery/recycling resources, 769, 769*t*, 770*t*
- greywater treatment methods; biological treatment processes, 16; chemical treatment processes, 16; constructed wetlands (CWs), 16; filtration, 16; membrane bioreactor (MBR), 16; microfiltration (MF), 16; sequencing batch reactor (SBR), 16; ultrafiltration (UF), 16
- gross pollutant traps (GPTs), 86, 87*t*, 90, 93, 93*f*, 94
- groundwater; biodiversity in, 115–16; case studies of management policy and practice, 112–14, 130–35, 131*f*; climate change and sustainable management of, 25, 107–10; coal bed methane and shale gas production and, 25, 110, 121–22, 125–133, 126*f*, 127*f*, 128*f*, 129*f*, 135; coal mining and, 25, 110, 121–25, 124*f*, 130–33, 135; as common property resource, 111–12; conductivity, 116; demand management green technology opportunities for, 7–8*t*; depletion and degradation challenges, 116–18; discharge of treated water for replenishment of, 608–9, 608*f*; distribution of global water, 107, 108*f*; ecosystems and availability of, 25, 110, 111, 114–16, 115–16; ecosystem services, 115–16; environmentally sustainable level of take (ESLT), 134; falling water tables, data on, 116; food security and availability of, 25, 110, 114; fossil groundwater, 116–17; GCMs and groundwater resources predictions, 108–10; global water cycle component, 25, 107, 108*f*; green, blue, renewable, and non-local water for irrigation, 116, 117*f*, 135; green-blue analysis of water availability, 110; heavy metals in, 579, 581; hydrologic budget/balance, 111–12; integrated water resources management principles, 111; interconnected surface water and groundwater systems, 108*f*, 110, 119–121, 119*f*; irrigation use

- of, 110, 111, 113–16, 115f;  
 limitations on amounts available,  
 4–5, 537; measurement of volumes  
 with satellite technologies, 25, 107,  
 110–11; mineral resource  
 extraction and, 121–133, 135;  
 models as tools for sustainable  
 management, 118–121, 119f, 135;  
 nitrate contamination, prevalence  
 of, 463; non-renewable  
 groundwater, 116–17, 135; peak  
 water and unitization concept, 111,  
 114, 116–17; quality of in areas with  
 and without application of POME,  
 965, 966t; recharge calculations and  
 averages, 109; recharge losses with  
 municipal treatment plants, 376;  
 recharge of with onsite treatment  
 systems, 376; reduction in water  
 losses, 22–23; renewable  
 groundwater, 116, 117f, 135; risk  
 management strategy for, 25, 110,  
 118–19; safe yield/perennial yield,  
 112; seawater intrusion into  
 aquifers, 117, 118–19, 120–21, 376,  
 393; stress on worldwide resources,  
 107, 111, 135–36; subsurface  
 groundwater dependent  
 ecosystems, 116; sustainability of  
 resources, definition of, 109;  
 sustainable diversion limits (SDLs),  
 134–35; sustainable management  
 and health of, 2; sustainable  
 management and over-extraction  
 of, 3, 110; sustainable management  
 of, 25, 107–18, 135–36; sustainable  
 yield, 112, 119–120, 134;  
 wastewater contaminants and  
 environmental risks, 377; water  
 supply role of, 111–13
- Guaraní Aquifer Sustainable  
 Development and Environmental  
 Protection Program, 113
- Guaraní Aquifer System, South  
 America, 112–13, 114
- halogenated wastes/compounds, 244,  
 793, 882
- Halomonas boliviensis*, 257
- hardness/water hardness; first flush  
 runoff, 48, 49f, 55t; rainwater  
 properties, 9t, 38, 39t, 44t, 46, 55t;  
 stormwater properties and quality  
 criteria, 79, 80t, 85t
- hazelnut shells, 456, 598t
- health and human health risks;  
 anionic pollutants, hazards related  
 to, 27, 455, 456–57, 458t; arsenic,  
 hazards related to, 27–28, 457, 458t,  
 471, 477, 589–590; chromium,  
 hazards related to, 27–28, 458t, 471,  
 590; composting toilets and health  
 risk assessment, 933–38, 935f, 936f,  
 937t, 938f, 939f; cyanide, hazards  
 related to, 458t, 470, 653t; fluoride,  
 hazards related to excess intake of,  
 456–57, 458t, 470; heavy metals,  
 impact of, 27–28, 581, 589–592,  
 615, 653t; lead, hazards related to,  
 27–28, 590–91; mercury, hazards  
 related to, 27–28, 591–92; nitrate,  
 hazards related to, 377, 419, 457,  
 458t, 463, 466; nitrite, hazards  
 related to, 419, 458t, 468; nitrogen,  
 nitrogen compounds, and human  
 health risks, 377, 379t, 419;  
 perchlorate, hazards related to,  
 458t, 469; phenols, hazards related  
 to, 653t; refractory wastewater,  
 hazards related to, 653, 653t;  
 selenium, hazards related to, 457,  
 471, 478; stormwater irrigation  
 hazards, 79; stormwater quality  
 criteria for public health risk  
 management, 10t, 81, 82t, 83t, 84t,  
 94–96; TrOCs, hazards related to,  
 27, 533, 534, 537t, 538; wastewater  
 contaminants, health risks from,  
 16, 376–78, 379t
- health care; nanodiagnostics, 987–88;  
 nanodrugs, 987; nanomaterials and

- nanotechnologies applications, 30, 985, 987–88
- heat; anaerobic treatment processes, methane combustion in microturbine, and production of, 212–13; waste heat energy, 14, 15*t*, 18, 21*t*, 816
- heterogeneous photocatalysis (HP); advantages of, 680; applications of, 680, 690–97, 691–92*t*, 693*e*, 695*t*, 698–99; bacteria deactivation, 694–96, 695*t*; concepts, fundamentals, and mechanisms, 679–682, 681*e*, 681*f*; dissolved oxygen and, 28, 686–87; efficiency of and operational parameters, 28; heavy metals remediation, 693–94, 693*e*; hybrid systems/combined processes, 28, 697–98, 698*t*; kinetics of photocatalytic reactions, 28, 688–690, 688–690*e*; light intensity and, 28, 686; nitrate reduction, 696–97; operational parameters, 683–87, 685–86*e*, 685*f*; optimization methodology, 687–88; organic compounds degradation, 684, 690–93, 691–92*t*; pH and, 28, 685–86, 685–86*e*; photocatalyst composition and characteristics, 684, 685*f*; photocatalyst loading, 28, 683–84; photocatalytic reactors, 682–83, 682*f*; pollutant concentration and, 28, 684; principles for water reclamation by, 28; process efficiency, 687–88; semiconductor use in, 679, 680–82, 681*e*, 681*f*; shading effect, 684; temperature and, 28, 687; titanium dioxide role in, 680–82, 681*e*, 681*f*, 683–87, 685–86*e*, 685*f*, 690–98, 691–92*t*, 695*t*; wastewater reuse and, 680
- heterotrophic bacteria/biomass; growth of and aerobic biodegradation of toilet waste, 908–9, 908*e*, 909*e*, 910, 915–18, 916*f*, 917*t*, 918*e*, 932; hydrogen production, 841; initial concentration of, 919
- high retention membrane bioreactor (HRMBR), 560
- Hive Bazaar, India, 114
- HMX (high melting explosive, or octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine), 802
- holmium (Ho), 462, 463*f*
- homogeneous photocatalysts, 679
- humic substances/humic acid (HA); flocculation of HA-bound heavy metal complexes, 601; gravity-fed GAC and membrane filters system and removal of, 70*t*, 71; heterogeneous photocatalysis treatment of, 684; molecular weight distribution of rainwater organic matter, 41–42, 53–54, 54*f*; nanomaterials for removal of, 982; PEUF process use of, 599; vermicomposting and level of, 276, 277
- Hunter Valley mining and pit lake, 123, 125
- hybrid UASB-filter reactor, 207–8, 246–47, 799, 844
- hydraulic loading/hydraulic loading rates; natural wastewater treatment and disposal technologies, 193*t*; onsite wastewater treatment systems, 410; reservoir storage of reclaimed water and water quality, 167–68; stormwater irrigation and hazards from, 79; wetlands systems, 200, 200*t*
- hydraulic retention time (HRT); anaerobic attached growth processes, 320, 322; anaerobic baffled reactor, 318; anaerobic contact process, 307; anaerobic digestion process, 209, 211*t*, 302, 315, 878; anaerobic granular sludge



- treatments, 238, 243, 247, 250;  
 anaerobic sludge blanket processes, 315; anaerobic suspended growth processes, 305–7; AnMBR process, 802, 804, 868, 878, 879, 888, 892–93; biological nutrient removal and, 390; continuous stirred tank reactor, 842–43, 869; Kompogas process, 215; North Cary Water Reclamation Facility use of, 414*t*; onsite wastewater treatment systems, 414*t*; rainwater tanks, water quality, and, 46; reservoir storage of reclaimed water and water quality, 167–68, 170; wetlands systems, 200–201, 202
- hydrocarbons, 77, 705, 773–74
- hydrochlorothiazide, 555*t*
- hydrodynamic cavitation, 698, 698*t*
- hydrogenases, 832–33, 832*e*, 839, 840–41, 842
- hydrogen/biohydrogen; advantages and sustainability of biohydrogen, 829–830, 857; anaerobic fermentative production, 240–41, 830, 857; anaerobic granular sludge processes and, 240–41, 249; anaerobic processes and production of, 205, 213, 240–41, 298–300, 298*f*, 299*f*, 796–97, 830–33, 830*e*, 831*e*, 832*e*, 833*f*; artificial neural network modeling to optimize production of, 849–856, 850*f*, 851*f*, 852*e*, 852*f*, 853–55*e*, 853*f*, 856*t*; biochemical processes, 29; biochemistry of production of, 832–33, 832*e*, 833*f*; biological hydrogen and electricity production with MFCs, 811; biological parameters, 29; bioreactor configurations, 29, 842–44, 855, 856*t*, 857; conversion of organic compounds to, 213, 240; cost of, 29; energy yields by bioreactor type, 843, 844; fermentative biohydrogen production, 29; future research recommendations, 857; global energy crisis, biohydrogen as solution to, 829–830; granulation of hydrogen-producing bacteria and CSTR, 247–48; inoculum types, 838–39; kinetic models and process kinetics, 29; kinetics of production of, 844–48, 845–48*e*; methane fermentation and production of, 885–86; microbiology of production of, 830–32, 831*e*, 832*e*; nanoparticles and production of, 841–42; nutrients and, 839; parameters for production of, 29, 833–842, 849; pH and, 839–840, 842, 855, 856*t*; photosynthesis and production of, 830; renewable sources of, 240–41; substrate concentration, 845–48, 845–48*e*, 855, 856*t*; substrate types, 833–38, 836–37*t*; surfactants and, 841, 842; sustainability of, 29; temperature and, 855, 856*t*; temperature and production of, 841, 842; wastewater treatment for, 29; water role in production of, 830
- hydrogen fuel cells, hydrogen storage, and nanomaterials, 976, 985, 986*t*
- hydrogen peroxide, 544, 671, 671*t*
- hydrogen sulfide, 165, 166*f*, 300, 654
- Hydrogeosphere model, 121
- hydrological water cycle, 25, 149, 150–51
- hydrologic budget/balance, 111–12
- hydrolysis process; aerobic biodegradation of toilet waste, 908, 915–18, 916*f*, 917*t*; anaerobic conversion of substrate to hydrogen, 830; anaerobic digestion process, 298–300, 298*f*, 299*f*, 302, 874; methane fermentation, 885; nutrients and, 211*t*; pH and, 210*t*, 890–92

- hydrolytic and fermenting  
microorganisms, 302, 874, 886*t*
- hydroxide precipitation, 592–93, 593*f*
- 1-hydroxybenzotriazole (HBT), 548–550, 549*t*
- hydroxyzine, 556–57
- ibuprofen, 535*t*, 537*t*, 538, 540, 541, 542, 543, 544, 547*t*, 554, 555*t*, 557, 558
- India; anaerobic treatment plants in, 297; anaerobic treatment systems use in, 209; arsenic disposal in, 583; arsenic in water in, 477, 589; climate change, adaptation strategies in, 738; climate change impacts on agriculture in, 739–740; crop yield and climate change, 740; droughts in, 740, 748; green, blue, renewable, and non-local water for irrigation in, 116, 117*f*; Hivre Bazaar groundwater management policy, 114; irrigation with groundwater in, 110, 114, 115*f*; mercury contamination in, 585; monsoon season in, 739–740; Pichola Lake Basin climate change impact case study, 741–45, 742*e*, 743–44*e*, 744*t*, 745*t*, 746*f*, 747*f*; precipitation patterns, climate change and changes in, 739–740; precipitation projections in, 29; rainwater harvesting in, 748; soil productivity in, 740; water shortages in, 740; water tables data in, 116
- indomethacin, 552, 555*t*
- Indonesia; economic benefits of palm oil industry in, 955; land application of POME, regulation of, 963, 964–65; national effluent standards in, 964; palm oil mills in, 30; palm oil production in, 955, 956; renewable energy market in, 970
- Indonesian Sustainable Palm Oil (ISPO), 957
- industrial by-product-based adsorbents, 597, 598–99*t*
- industrial waste and wastewater; activated sludge use for PHA production, 262; AFBR for treatment of, 801–2; anaerobic granular sludge treatment of, 232, 237, 244; anammox process for treatment of, 432, 433, 443–45, 444*t*; AnMBR for treatment of, 803, 869, 880–85; *Bt* biopesticide production with, 265; characteristics/properties of, 17, 428–29, 428*t*, 432, 437, 438, 880–82; ECMR treatment of, 28, 661–672, 674–75; electrical energy from with MFCs, 806, 807–8; energy production potential of, 790–93, 791*t*; enzyme production from, 281–82; GAC–AFBR system for treatment of, 800–801; heavy metals in, 579, 581, 581*f*; hybrid AnMBR system for treatment of, 876*t*; hydrogen production with, 835–38, 836–37*t*; mercury contamination, 585; nanomaterials and nanotechnologies for treatment of, 979–984; oily wastewater, ECMR treatment of, 663–67, 663*t*, 665*f*, 665*t*, 666*t*, 667*f*; phenolic wastewater, ECMR treatment of, 667–670, 669*f*; photocatalytic treatment processes, 980; refractory organic compounds in, 246, 651, 652–55, 653*t*; SNAD process treatment of, 433; sustainable water management and, 608–9, 608*f*; treatment methods, 17, 651, 796, 798–99, 799, 881; vermicomposting use of, 273*t*, 274, 275, 276–77. *See also specific industries*
- industries; biofuel production and competition for land and water resources, 22; chemical from,

- detection in water, 533;  
 groundwater depletion and  
 industrial pollution, 117–18;  
 nanomaterials and  
 nanotechnologies applications, 30;  
 rainwater water quality guidelines,  
 9; stormwater water quality  
 guidelines, 10*t*; water budget  
 analysis for district water cycle,  
 157*t*, 158; water efficiency  
 measures, 21*t*; water quality  
 requirements of, 5; water-related  
 policies and issues, complexity and  
 interconnectedness of, 20, 22  
 infrastructure, investments in and  
 sustainable water management, 3–4  
 inorganic carbon, 422  
 inorganic materials/pollutants; sludge  
 properties, 706, 708*t*; treatment  
 methods for removal of, 16–17;  
 wastewater properties, 16  
 insecticides, 584, 668, 693  
 insects, climate change and, 740–41  
 insurance, crop failure, 750  
 integrated water resources  
 management (IWRM), 22, 111  
 Intergovernmental Panel on Climate  
 Change, 109, 737  
 internal circulation (IC) anaerobic  
 reactor, 243, 248  
 International Association of  
 Hydrogeologists (IAH) Australia,  
 111  
 intraparticle diffusion, 499  
 ion exchange; anionic pollutants  
 removal with, 455, 460–61; arsenic  
 removal with, 482; biosorbent  
 desorption and regeneration, 479,  
 482; chromium removal with, 476,  
 476*f*, 584; concept of, 595; heavy  
 metals remediation, 28, 581, 595,  
 595*e*, 601, 615, 642; lead removal  
 with, 585; mercury removal with,  
 586; MEUF, surfactant  
 concentration, and, 629–630;  
 neutral salts and desorption of  
 phosphorous from AWBs, 502;  
 nitrogen removal with, 420;  
 phosphate removal with, 382–83,  
 502; phosphorous removal with,  
 494*t*, 496–97, 498*f*, 499; surfactants  
 removal with, 642; wastewater  
 treatment for recycled water, 5, 16,  
 17, 162, 163*t*; water quality and, 5  
 ionic surfactants, 618, 629  
 iopromide, 543–44  
 Iran, 117*f*  
 iron (Fe); aesthetics and water  
 containing, 48; algae cultivation  
 and removal of, 812; anaerobic  
 processes and, 303; bioleaching,  
 603–5, 604*e*, 607*t*; bioprecipitation  
 and removal of, 605; biostimulation  
 and removal of, 603; CWs and  
 removal of, 354; electrodialysis and  
 removal of, 600; Fe(III)-loaded  
 orange waste gel, 511*t*; Fe-modified  
 activated carbon and removal of Cr  
 (VI), 366–67, 366*t*, 367*t*; Fe-only  
 hydrogenases, 833; ferrite processes  
 and TrOC removal, 544; first flush  
 runoff, 48, 49*f*, 54, 55*t*; GAC  
 adsorption filtration and removal  
 of, 58, 59*t*, 60; gravity-fed GAC and  
 membrane filters system and  
 removal of, 68, 69*t*; hydrogen  
 production and, 839; hydrogen  
 production and hematite iron  
 nanoparticles, 842; Iron coated  
 lignocellulose pellets, 982–83;  
 membrane filtration and removal  
 of, 62*t*, 63; metal-impregnated  
 chelate resins, 462; metal-  
 impregnated/treated biosorbents,  
 463*f*, 467–68, 473*t*, 475*t*, 478, 479,  
 481*t*, 482, 497, 498*f*, 501*t*, 505, 506,  
 511*t*, 512*t*, 513*t*, 514–16, 517*t*;  
 nano-scale zerovalent iron and  
 zerovalent iron, 982; natural  
 component of AWBs, 505; [Ni-Fe]

- hydrogenases, 833, 839; pH, MEUF, and removal of, 631; rainwater properties, 37, 40*t*, 45*t*, 55*t*, 68; sludge properties, 706, 707*t*, 708, 708*t*; stormwater irrigation and hazards from, 79; stormwater properties, 79, 80*t*, 83*t*, 101
- iron slags, 598*t*
- irrigation; green, blue, renewable, and non-local water for, 116, 117*f*; Greenway Park stormwater harvesting scheme case study, 76, 81, 82*t*, 83*t*, 90, 93–94, 93*f*; greywater use for, 16, 749; groundwater pumping for, 110, 111, 113–16, 115*f*; heavy metals in water used for, 615; rainwater water quality guidelines, 9; saline irrigation water, 16; stormwater quality criteria for public health risk management, 81, 82*t*, 83*t*, 84*t*; stormwater reuse for, 77, 79–81, 80*t*, 82*t*, 94; stormwater water quality guidelines, 10*t*, 81, 82*t*, 83*t*; sustainable irrigation concepts, 114–16; treated wastewater used for, 149, 157*t*, 161–62; Turrumurra stormwater harvesting scheme case study, 76, 79, 80*t*, 81, 83, 84*t*, 85*t*, 88, 89*t*, 90, 91–93, 92*f*; water budget analysis for district water cycle, 157*t*, 158; water efficiency measures, 21*t*
- Isochrysis galbana*, 812
- Israel, Dan Region Project SAT geopurification system case study, 218–19, 218*f*
- Italy, lead waste and contamination in, 585
- jackfruit, 598*t*
- Japan; activated sludge use for PHA production, research on, 262; anaerobic treatment plants in, 297; AnMBR research in, 869; arsenic in water in, 477; mercury waste and contamination in, 592; Wassa process solid waste anaerobic digestion treatment, 214
- Joint UK Land Environment Simulator (JULES), 109
- kaolinite and kaolinite clay, 597
- Ken's Foods, 871*t*
- kernel regression, 29, 741–45, 742*e*, 743–44*e*, 744*t*, 745*t*, 746*f*, 747*f*
- ketoprofen, 535*t*, 539, 550, 555*t*, 556, 558, 691*t*
- kitchen sinks; chromium in water from, 583–84; discharge volume and pollutant loads from, 903–4, 904*t*; greywater source and uses, 16
- kitchen wastes; lead waste from, 585; vermicomposting use of, 273*t*, 275, 276
- Klebsiella aerogenes* recombinants, 257*t*
- Klebsiella pneumoniae*, 695*t*
- Kompogas process, 215
- Korea, TroCs in surface waters in, 535–36*t*
- Kubota Corporation, 869
- Kubota Submerged Anaerobic Membrane Biological Reactor (KSAMBR), 869, 871*t*
- Kyoto Protocol, 236, 250
- laccase, 544–45, 548–551, 548*f*, 549*t*, 561–63, 564*t*
- Lacticoccus lactis*, 261
- Lactobacillus* sp., 831; *L. delbrueckii*, 261; *L. lactis*, 261; *L. rhamnosus*, 695*t*
- lactone, 358, 360*t*, 361, 363*t*, 364, 364*t*
- lagoon treatment systems/ponds; advantages and disadvantages, 193*t*, 196–97; anaerobic lagoons, 194–95, 323–26, 324*f*, 325*e*, 325*f*; case studies, 197–98; concepts and applications, 25–26, 190–91*t*, 193*t*,

- 194; costs associated with, 194;  
performance and pollutant removal  
with, 190–91*t*, 194–95; winter  
temperatures and performance of,  
196
- lakes. *See* surface water/reservoirs
- land application; natural wastewater  
treatment and disposal  
technologies, 193*t*; POME  
application in oil palm plantations,  
963, 964–65, 965*f*, 966*t*; sludge  
disposal on agricultural fields, 271,  
581, 705
- landfills and solid waste; anaerobic  
granular sludge treatment of solid  
waste, 240; arsenic sludge disposal  
in into, 583; capping landfills and  
bioconversion of methane, 240;  
ethanol conversion from solid  
waste, 816; hydrogen production  
with solid wastes, 835; landfill  
leachate, anammox granules from,  
424–25, 424*f*; landfill leachate,  
anammox process for treatment of,  
430, 432, 433, 437, 441, 443, 444*t*;  
landfill leachate, AnMBR for  
treatment of, 803; landfill leachate,  
CWs for treatment of, 199, 341,  
344, 349; landfill leachate, electrical  
energy from with MFCs, 809*t*;  
landfill leachate, energy production  
potential of, 791*t*; landfill leachate,  
properties of, 428*t*, 438, 443;  
municipal solid waste anaerobic  
digestion treatment case studies,  
213–15, 214*f*, 215*f*; prevalence of  
use of landfills for solid waste  
disposal, 443; sludge and organic  
waste disposal in landfills, 235, 236,  
250, 581, 705
- land filtration, 26
- land management; climate change  
and land-use management changes,  
750; sustainable water management  
and, 4
- Langmuir-Hinshelwood model, 688–  
690, 688–690*e*
- Langmuir isotherm model; activated  
charcoal and adsorption of nitrite,  
469; biomass-based activated  
carbon and phosphate uptake, 468;  
biosorbents and adsorption of  
As(V), 477–78; biosorbents and  
adsorption of Se(IV), 479; chitosan-  
coated silica, 471; copper-  
impregnated neem leaves and  
adsorption of Cr(VI), 477; SBAC  
and adsorption of dyes, 728;  
wetlands plant-based activated  
carbon, 361, 361*e*, 363–64, 364*t*,  
365, 365*t*, 367, 367*t*
- lanthanum (La); La(III)-loaded  
orange waste gel, 507, 510*t*; metal-  
impregnated chelate resins, 462,  
463*f*; metal-impregnated/treated  
biosorbents, 463*f*, 468, 473*t*, 498,  
498*f*, 499, 500*t*, 503, 512*t*, 514, 515,  
517*t*
- laundry and clothes washing;  
anaerobic baffle technology use for  
water from, 319; chromium in  
water from, 583–84; discharge  
volume and pollutant loads from,  
903–4, 904*t*; greywater source and  
uses, 16, 769; lead waste from, 585;  
reclaimed water use for, 158;  
stormwater reuse for, 77, 79, 81,  
82*t*, 94; water and energy efficiency  
measures, 20, 21*t*, 23; water budget  
analysis for district water cycle,  
157*t*
- leach field (subsurface wastewater  
infiltration system), 381–82, 394*f*,  
395–96
- lead (Pb); activated carbon for  
removal of, 585; adsorption process  
for removal of, 597, 598*t*;  
bioaugmentation and biosorbents  
for heavy metal remediation, 604*t*;  
bioleaching, 605; chelating

- precipitation and removal of, 594;  
 coagulation for removal of, 585;  
 CWs and removal of, 354;  
 environmental and human health  
 impacts related to, 48;  
 environmental impacts of, 27–28,  
 588; first flush runoff, 48, 49*f*, 54,  
 55*t*; flocculation of HA-bound  
 heavy metal complexes, 601; GAC  
 adsorption filtration and removal of,  
 58, 59*t*, 60; gravity-fed GAC and  
 membrane filters system and  
 removal of, 68, 69*t*, 72; groundwater  
 quality in areas with and without  
 POME application, 966*t*, 967*t*;  
 health hazards related to, 27–28,  
 590–91; industrial waste properties,  
 579; ion exchange for removal of,  
 585; media filtration for removal of,  
 585; membrane filtration and  
 removal of, 63, 63*t*, 64–65; metal-  
 cyanide complexes, adsorption of,  
 470; metal-impregnated/treated  
 biosorbents, 472*t*; MEUF and  
 removal of, 635; nanomaterials for  
 removal of, 981–82; pH, MEUF, and  
 removal of, 632; Pourbaix diagram  
 of, 586–88, 587*f*; properties,  
 occurrences, and forms, 580*t*, 584–  
 85; rainwater properties, 37, 40*t*, 45*t*,  
 46, 55*t*, 64, 68; rainwater tank  
 hazards, 36*t*; regulation of and  
 permissible limits for drinking water  
 and soil, 584; removal of, 585;  
 reverse osmosis for removal of, 585;  
 sand filtration for removal of, 585;  
 sludge-based ceramic particles  
 properties, 710, 710*t*; sludge  
 properties, 706; sources of waste and  
 contamination, 585, 590–91;  
 stormwater properties, 85*t*, 101;  
 surfactant concentration,  
 S/M ratio, and removal of, 630;  
 vermicomposting and reduction  
 of, 272
- leaks and water losses, 22–23, 749  
 life cycle assessment (LCA), 18–19,  
 816  
 ligand exchange; arsenic removal  
 with, 482; fluoride removal with,  
 471; neutral salts and desorption of  
 phosphorous from AWBs, 502;  
 phosphorous removal with, 497–  
 98, 498*f*; polymeric ligand exchange  
 (PLE) resin, 460–61, 466, 468  
 lignin peroxidase (LiP), 544–45, 548,  
 551  
 lignite coal, 475*t*  
 lime softening, 584  
 linuron, 555*t*  
 lipase, 279, 281–82, 283, 830  
 lipid peroxidation, 346–47  
*Listeria monocytogenes*, 695*t*  
 lithium-ion batteries, 976–77, 985  
 logistic model, 845–48, 846–48*e*  
 looestrife, 359*t*, 360*f*  
 losses/evaporation losses, 22–23  
 lotus stalk and lotus stalks-based  
 activated carbon, 359*t*, 360*f*, 364–  
 66, 364*t*, 365*t*  
 Louisiana, Denham Springs pond  
 system case study, 198  
 low-impact development, 188  
 Ludzack-Ettinger (MLE) process,  
 400–401  
 Luedeking-Piret model, 848, 848*e*  
 lutetium (Lu), 462, 463*f*  
 lysozyme (muramidase), 279*t*, 281
- macrophytes, 198, 199, 200, 201, 202*t*,  
 347–48, 348*t*  
 magnesium (Mg); algae cultivation  
 and removal of, 812; anaerobic  
 processes and, 303; fertilizer price  
 and material-specific prices of  
 components, 771*t*; first flush  
 runoff, 50*t*, 51*t*, 52*t*, 55*t*; hydrogen  
 production and, 839; natural  
 component of AWBs, 505; pH,  
 MEUF, and removal of, 631;

- rainwater properties, 37–38, 39t, 43, 44t, 46, 55t; stormwater properties, 85t; wastewater properties as resources, 754, 764–65
- magnesium ammonium phosphate (MAP), 771–72
- magnetic separation, 494t
- Malaysia, 956
- management/water management; assessment tools for, 24; complexity and interconnectedness of water-related policies and issues, 20, 22–24; governance and delivery of water, key areas for, 22, 23t; integrated water resources management principles, 22, 111; public awareness of environmental issues and calls for treatment standards, 337; trends and future research needs, 22–24, 23t. *See also* sustainable water management
- manganese (Mn); algae cultivation and removal of, 812; CWs and removal of, 354; first flush runoff, 48, 49f, 55t; GAC adsorption filtration and removal of, 58, 59t, 60; gravity-fed GAC and membrane filters system and removal of, 68, 69t; industrial waste properties, 579; membrane filtration and removal of, 62t, 63; Mn-modified activated carbon, 362–64, 363t, 364t; rainwater properties, 40t, 45t, 55t, 68; sludge-based ceramic particles properties, 710; stormwater properties, 101
- manganese peroxidase (MnP), 544–45, 548
- materials balance analysis, 25, 156, 156f, 159–160, 159e, 160e, 172–74, 172e, 172f, 173e, 174t, 179
- materials flow management; principles of and sustainable resource management, 29, 753; recycled water and, 29, 753; wastewater partial stream separation and materials flow management, 765–770, 766t, 768t, 769t, 770t, 786
- mean cell residence time (MCRT), 388, 389, 390
- mechanical vapor compression (MVC), 13
- media filtration; high-rate media filtration, 72, 73f; lead removal with, 585; onsite wastewater treatment systems, 400, 415; stormwater treatment methods, 90
- mefenamic acid, 535t, 552, 555t
- Membrane Anaerobic Reactor System (MARS), 869, 870t
- membrane bioreactor (MBR); acceptability and prevalence of use of, 554, 868; activated carbon adsorption–MBR system, 561; advantages of, 164, 868; aerobic MBR comparison to anaerobic, aerobic, and AnMBR treatments, 874, 875t; aerobic MBRs and combination treatment systems, 874; anaerobic-aerobic-oxic–membrane bioreactor treatment system, 174, 174f, 175–78, 177f, 179, 874; anammox process in, 438–39, 440–41, 443, 444t; biomass concentration in, 554f, 557; biomass retention with, 793; characteristics and functions, 441, 551–54, 551f, 552f, 553f; costs associated with, 553; DO and, 554f, 558; economic climate and use of, 337; effectiveness of treatment with, 164, 337, 552–54, 558, 868, 874; environmental impact of, 18–19; external MBR, 18–19; granular-based anaerobic processed coupled with, 250; greywater treatment methods, 16; high retention membrane bioreactor, 560;

- immersed MBR, 18–19; integrated membrane processes for TrOC removal, 558–564, 564*t*, 565; MBR–NF/RO treatment system, 559, 559*f*, 565; membrane fouling issues, 250, 804–5; nitrogen (N), 874; osmotic membrane bioreactor, 559–561; pH and, 554*f*, 557–58; promising future of, 164; quality and reliability of effluent for discharge or reuse, 164, 552–54, 558, 874; size of, 553, 868; solids retention time, 553, 554*f*, 557; startup time needed for anammox process, 441; temperature and, 554*f*, 558; TrOC treatment with, 27, 539, 551–58, 554*f*, 555–56*t*, 565; wastewater treatment methods, 17, 164, 250. *See also* anaerobic membrane bioreactors (AnMBRs)
- membrane distillation, 11
- membrane reactor; enzymatic membrane reactor (EMR), 561–63, 562*f*, 564*t*; heavy metals remediation, 581. *See also* electrocatalytic membrane reactor (ECMR); membrane bioreactor (MBR)
- Membrane Sewage Treatment System (MSTS), 869
- membrane technology and membrane-based separation processes; anionic pollutants removal, 455; chemical cleaning of membranes, 620–22; costs associated with, 56, 455; direct filtration, 162, 163*t*, 164; ECMR integration of electrochemical oxidation and membrane-based separation, 28, 651–52, 673; gravity-fed GAC and membrane filters system, 64–72, 65*f*, 66*t*, 67*f*, 68*f*, 69*t*, 70*t*, 71*f*; heavy metals remediation, 28, 597, 599–600, 601, 615–16, 642; limitations of, 455; membrane fouling from DOC, 64, 68; membrane fouling issues, 620–22, 651, 652; membrane-photocatalytic systems, 683; oily wastewater treatment with, 663–64; phosphorous removal with, 494*t*; rainwater treatment methods, 56, 60–64, 60*t*, 61*f*, 62–63*t*, 63*t*, 72–73, 73*f*; stormwater treatment methods, 11, 96, 97–98, 98*f*, 99*t*; TrOC treatment with, 27, 540–43, 541*f*, 565; wastewater treatment methods, 16–17, 161, 162, 163*t*, 164, 651
- mercury (Hg); adsorption process for removal of, 596*t*, 599*t*; chelating precipitation and removal of, 594; CWs and removal of, 354; distillation and removal of, 586; environmental impacts of, 27–28, 588; filtration and removal of, 586; first flush runoff, 50*t*, 51*t*, 52*t*, 53; health hazards related to, 27–28, 591–92; heterogeneous photocatalysis treatment, 693–94, 693*e*; industrial waste properties, 579; ion exchange for removal of, 586; mass flow in wastewater treatment plant, 586, 586*f*; membrane filtration and removal of, 63; nanomaterials for removal of, 982, 983; Pourbaix diagram of, 586–88, 587*f*; precipitation and removal of, 586; properties, occurrences, and forms, 580*t*, 585, 591; rainwater properties, 37–38, 46, 68; removal of, 586, 586*f*; sludge-based ceramic particles properties, 710*t*; sludge properties, 706, 708*t*; sources of contamination, 585; sources of waste and contamination, 591–92; stormwater properties, 85*t*; vermicomposting and reduction of, 272



- mesophilic conditions and organisms;  
anaerobic digestion process, 210*t*,  
302; anaerobic granular sludge  
treatment, 239, 242, 246; AnMBR  
process, 867, 871, 880, 883, 888–  
890; biogas production and, 888–  
890; hydrogen production and, 841;  
temperature, composting process,  
and, 925–26, 927*f*, 929*f*, 943;  
Valorga process, 215; Wassa  
process, 214
- metabolic products, 26
- metabolism, water, 167
- metallic membranes, 872
- metals/heavy metals; anaerobic  
processes and, 303, 304; costs  
associated with wastewater  
treatment and, 765; definition of  
and list of heavy metals, 579, 580*t*;  
efficiency of removal of, 579;  
environmental impacts of, 27–28,  
588–89, 615, 653*t*;  
exopolysaccharides and heavy  
metal sequestration, 602; feed metal  
concentration and efficiency of  
MEUF process, 632–33; first flush  
runoff, 48, 49*f*, 50*t*, 51*t*, 52*t*, 53, 54,  
55*t*; flow of heavy metals to waste,  
579, 581, 581*f*; health hazards  
related to, 27–28, 581, 589–592,  
615, 653*t*; hydrogen production  
and nanoparticles, 842; inhibitory  
effects of on anammox process,  
437; low metal concentrations,  
treatment of wastewater  
containing, 636; metal-  
impregnated biosorbents, 462, 463,  
463*f*, 466, 470, 471, 472*t*, 477, 481*t*,  
482, 483, 497–98, 500*t*, 504–5, 514–  
15, 516, 517*t*, 525; pH and removal  
of, 195; Pourbaix diagrams of, 586–  
88, 587*f*; properties, occurrences,  
regulations, and disposal of arsenic,  
chromium, lead, and mercury, 582–  
88; rainwater properties, 37, 40*t*,  
45*t*, 46, 64; rainwater/stormwater  
properties, 9; sludge properties,  
271, 579, 581, 581*f*; sources of, 579,  
581, 581*f*, 615; stormwater  
properties and quality criteria, 10*t*,  
25, 77, 85*t*, 101; stormwater reuse  
hazards, 79; stormwater treatment  
measures and removal of, 11, 88,  
99*t*; wastewater properties, 16, 17,  
271, 579, 581, 615, 622
- metals/heavy metals remediation;  
adsorption, 17, 28, 470, 595–97,  
596*t*, 598–99*t*, 602, 642–43; algae  
cultivation, 812; anaerobic lagoons,  
194–95; bioaugmentation, 28, 603;  
bioleaching, 28, 603–5, 603–5*e*,  
607*t*; bioprecipitation, 28, 605–6,  
607*t*; bioremediation/green  
technologies, 28, 582, 602–9, 608*f*;  
biosorption, 28, 602, 604*t*;  
biostimulation, 28, 603;  
biosurfactants, 28, 605; chemical  
precipitation, 28, 581, 592–94, 593*f*,  
594*f*, 601, 615, 642; coagulation, 28,  
600–602, 642; constructed  
wetlands, 339–340, 344; effluent  
quality after wastewater treatment,  
regulation of, 622; electrochemical  
processes, 615, 642;  
electrocoagulation technique, 581;  
extraction treatments, 642;  
filtration, 642; flocculation, 28,  
600–602; GAC adsorption  
filtration, 58, 60, 596*t*; gravity-fed  
GAC and membrane filters system,  
68, 71, 72; heavy pollution  
surcharges for wastewater  
treatment, 773–74; heterogeneous  
photocatalysis treatment, 693–94,  
693*e*; ion exchange, 28, 581, 595,  
595*e*, 601, 615, 642; lagoon  
treatment systems, 194–95; lotus  
stalks-based activated carbon, 364–  
66, 364*t*, 365*t*; membrane filtration,  
28, 62–63*t*, 63, 64–65, 597,

- 599–600, 601, 615–16; membrane reactor, 581; nanotechnologies, 581, 982; oxidation processes, 615, 642; phytoremediation, 28, 606–8, 607*f*; reduction processes, 642; reverse osmosis (RO), 642; sludge-based ceramic particles properties, 709–10, 710*t*; sludge properties, 705, 706, 708*t*; strategies and technologies for, 28, 581–82, 591–608, 615–16; vermicomposting biotechnology, 28, 271, 272, 276–77, 606; wastewater properties as resources, 754. *See also* micellar enhanced ultrafiltration (MEUF)
- metal working industries; electroplating industries, wastewaters from, 636, 637; oily wastewater properties, 663*t*; salts in wastewaters from, 637–38; wastewater characteristics from, 17
- methane (CH<sub>4</sub>); anaerobic granular sludge treatment conversion of waste into, 231, 236, 238, 239–240, 242, 243, 249; anaerobic processes and production of, 297, 298–301, 298*f*, 299*f*, 303, 792, 793, 798; AnMBR methane recovery efficiency, 803–4; coal-bed methane (CBM), coal seam gas (CSG), and shale gas production and groundwater resources, 25, 110, 121–22, 125–133, 126*f*, 127*f*, 128*f*, 129*f*, 135; electricity, energy loss during conversion to, 805; emission sources, 738; energy density of wastewater and production of, 792; environmental impact of recovery of, 815; evaporator condensate, methane production from, 882–83; factors in yield of, 242; fermentation processes and production of, 874, 885–86, 893–95; global warming potential of, 818; HRT, SRT, and production of, 892–93; impact of emissions, 738, 815; increase in emission of, 737, 739*f*; natural gas replacement with, 818; pH and fermentation processes, 890–92; POME treatment and methane capture/biogas production, 968–970, 969*f*, 970*f*, 972–73; recovery of, methods and technologies, 815; sinks, 738; temperature and fermentation processes, 888–890; transport of biomethane, 816; uses for, 231; wastewater as source of, 790–93, 791*t*. *See also* biogas/biofuel
- Methanococcus mazei*, 886*t*
- methanogens; acid inhibition and growth of, 874, 883–84, 885, 891; ammonia and, 209, 210*t*; anaerobic treatment and growth of, 793; AnMBR and growth of, 868, 881–84; conditions for growth of, 209; dehalogenation process and, 237–38; hydraulic retention time and, 302; methanogenesis process, 298–300, 298*f*, 299*f*, 790, 792, 793, 874, 885–86, 890–92; methanogenic archaea, 874, 886*t*; nutrients and, 211*t*, 303; pH and, 209, 210*t*, 300, 302–3, 874, 890–92; polymer-assisted granulars, 245; temperature and, 246; toxic substances on, impact on, 881–82; UASB granule formation, 797
- methanol; anaerobic processes reactions, 204*f*, 238, 244, 246; bioplastics from, 257*t*, 259; denitrification process, 384, 429; heavy metals remediation, 693–94; methane from, 247
- Methanosaeata*, 801
- Methanosarcinaceae, 801
- Methanosarcina* sp., 797; *M. barkeri*, 886*t*
- Methanothrix* sp., 797; *M. soehngenii*, 886*t*

- methemoglobinemia, 377, 379*t*, 419, 457, 466
- methoxychlor, 545
- Methylobacterium* sp.; *M. extorquens*, 257*t*; *M. organophilum*, 259; *M. rhodesianum*, 257*t*
- metronidazole, 545
- Mexico, 117*f*
- micellar enhanced ultrafiltration (MEUF); anionic surfactants, 616, 619; cationic surfactants, 616, 619; chemical cleaning of membranes, 620–22; co-existence of anions and efficiency of, 641; co-existence of pollution and metal cations and efficiency of, 640; concentration polarization (CP), 622–23, 623, 629, 630; concepts and mechanisms, 28, 597, 616, 617–19, 617*f*, 618*f*, 644; conductivity and, 640–41; costs associated with, 597, 641; critical micelle concentration (CMC), 616, 617–18, 619–620, 620*f*, 627–630, 633–35, 641; critical micelle concentration (CMC) and type of membrane, 639–640; critical micelle concentration (CMC), reduction of, 635–38; cross-flow velocity, 626; efficiency of metal removal, 597, 644; gel concentration, 629, 638; heavy metals remediation, 28, 597, 616; initial metal feed concentration and efficiency of process, 632–33; limitations of, 616; limitations of, strategies for overcoming, 641–42; low metal concentrations, treatment of wastewater containing, 636; membrane fouling issues, 620–22, 626; membrane nominal molecular weight limit and permeate flux, 623; membrane types and molecular weight cut-off (MWCO), 638–640; MEUF-ACF hybrid process, 28, 616, 644; micelle aggregation layer (MAL), 624, 625, 627; micelles, 617–19, 617*f*, 618*f*; nonionic surfactant, 619; operating parameters for, 622–641; permeate flux, 622–24, 625, 627, 628–29, 633, 634, 636, 639, 641; pH and, 630–31; pressure and permeate flux, 623–24; recovery of surfactants, 597, 599, 642; relative flux, 623; retentate, 597, 599, 623, 624, 629, 633, 641–42; retentate pressure, 624; surfactant recovery, 597, 599, 641–42; surfactant-rich effluent from, treatment of, 616, 642–43, 644; surfactant role in, 616, 617–19, 617*f*, 644; surfactant selection for heavy metal remediation, 597, 617–19; surfactant to metal molar ratio and surfactant concentration, 597, 627–630, 636; temperature and, 633–35; transmembrane pressure/operating pressure, 624–27, 639. *See also* cetylpyridinium chloride (CPC); sodium dodecyl sulphate (SDS)
- micelles, reverse, 841
- Michealis-Menten kinetic model, 792
- Michigan, Muskegon SAT geopurification system case study, 219–220, 219*t*
- Micractinium* sp., 815
- microbial desalination cells, 11
- microbial fuel cells (MFCs); applications of technology to different wastewater streams, 806–11, 807–9*t*; biological hydrogen and electricity production with, 811; complete mixing flow pattern, 811; concepts and mechanisms, 213, 805–11, 806*f*; construction of, 816; environmental impacts of, 816; plug flow flow pattern, 811; voltage measurement and Gibbs free energy, 793; wastewater treatment and electricity production, 29, 213, 790, 805–11, 818
- Microbial Load Index (MLI), 245

- Micrococcus luteus*, 604*t*
- microfiltration (MF); characteristics of membranes, 17; greywater treatment methods, 16; membranes for AnMBRs, 872; stormwater treatment methods, 97; wastewater treatment methods, 17, 162, 163*t*, 164
- microorganisms; anaerobic granular formation from, 232; anaerobic granular sludge treatment and reduction of, 231; anaerobic microorganisms and anaerobic digestion, 26, 298–300, 298*f*, 299*f*, 301, 797, 801, 831, 868, 874, 886, 886*t*, 889, 892; AnMBR and growth of, 868, 874, 878–79; bioaugmentation and biosorbent applications, 603, 604*t*; bioleaching, 603–5, 607*t*; food-to-microorganism ratio, 388–89; heavy metals remediation, 603–8, 607*t*; inhibitory effects of heavy metals on, 437; mesophilic microorganisms and composting process, 925–26, 927*f*, 929*f*, 943; PHA production, 256–58, 257*t*; pH impact on, 890–92; sludge as source of, 26; syntrophic species and relationships/reactions, 232, 233–34, 234*t*, 339; thermophilic microorganisms and composting process, 925–26, 942, 943; vermicasts microbial population, 275–76; wastewater treatment measures and removal of, 161, 162; wetlands systems and removal of, 202. *See also* methanogens
- Middle East, 114, 115*f*, 216
- mineral resources, groundwater management and extraction of, 121–133, 135
- mineral salts. *See* salts/mineral salts and total dissolved salts (TDS)
- mining industry; coal mining and groundwater resources, 25, 110, 121–25, 124*f*, 130–33, 135; NF membranes for treating wastewater from, 600; vermicomposting use of waste from, 274
- mixed-liquor recycle from the anoxic zone (MLRAX), 390
- mixed-liquor recycle from the oxic zone (MLROX), 390
- mixed liquor recycles (MLR), 390
- mixed liquor suspended solid (MLSS); anaerobic contact process, 313–14, 314*e*; biological nutrient removal, 389, 390; MBR system and, 553, 557, 558; recycle rate, 401; recycling of, 403
- mixed liquor volatile suspended solids (MLVSS); anaerobic sequencing batch reactor, 248; AnMBR production, 888; food-to-microorganism ratio, 388–89; mass balance for anaerobic suspended growth processes, 314–15, 314–15*e*
- MODFLOW models, 119, 120–21, 133; MODFLOW-2005, 121; MODFLOW-SURFACT, 121; MODFLOW-USG, 121, 133; MODHMS, 121
- Modified Five-Stage Bardenpho process, 401–2, 401*f*, 407*t*, 415
- Modified University of Cape Town, South Africa (MUCT) process, 403–4, 403*f*, 406, 407*t*, 415
- moisture; aerobic biodegradation, composting process, and, 906; aerobic biodegradation, composting process, and moisture content, 914, 921–24, 921*t*, 925, 926–933, 930*f*, 931*f*, 932*f*, 934*f*, 942–45, 944*f*; feces characteristics, 906–7, 907*t*; optimum range for moisture content, 926–29, 932, 942; regulation of in composting toilet, 926–28
- molasses; bioplastics from, 257*t*; bioprecipitation process and heavy

- metals remediation, 605–6; *Bt* biopesticide production with, 264, 270; hydrogen production with wastewater from, 835, 836*t*, 842; PHA production with, 258, 261, 263
- molybdenum; algae cultivation and removal of, 812; anaerobic processes and, 303; hydrogen production and, 839; membrane filtration and removal of, 63; properties, occurrences, and forms, 580*t*; SAT treatment and removal of, 217
- monitoring systems and technologies, 23–24
- Monod kinetic model; biomass and substrate rate of change, 330–32, 330–32*e*, 331*f*; hydrogen production process, 845, 845*e*; hydrolysis and aerobic growth, 916, 917*t*; substrate COD concentration and energy production, 792
- monomers; acidogenesis process, 210*t*, 211*t*, 299–300, 299*f*, 304; anaerobic digestion and, 298–300, 298*f*, 299*f*
- Montana, Polson lagoon system case study, 197
- montmorillonite, 597
- Morocco, wetlands systems in, 200
- moxifloxacin, 691*t*, 693
- mulberry shoot powder, 470, 472*t*
- Mulder, Arnold, 421
- Multi-Criteria Analysis (MCA), 24
- multiple effect distillation (MED), 11, 13
- multistage flash (MSF) system, 11, 13
- Municipal Separate Storm Sewer System (MS4), 9
- munitions specific waste, 802
- muramidase (lysozyme), 279*t*, 281
- Murray-Darling Basin (MDB), Australia, 110, 130–31, 131*f*, 133–35
- Murray-Darling Basin Authority (MDBA), 131, 133–35
- mustard tuber wastewater, 808*t*, 811
- Myriophyllum matogrossense*, 346
- Nadaraya-Watson formula, 742, 742*e*
- Nanochloropsis*, 812
- nanocomposite membranes, 14
- nanofiltration (NF); advantages and benefits of, 599; characteristics of membranes, 17; heavy metals remediation, 599–600; MBR–NF/RO treatment system, 559, 559*f*, 565; membrane technology, 30; membrane types and molecular weight cut-off (MWCO), 540–43; operating pressure and cross-flow velocity, 542–43; osmotic membrane bioreactor–NF system, 559–561; pH of feed solution, 542; temperature of feed solution, 542; TrOC removal with, 539, 540–43, 541*f*, 565; wastewater treatment methods, 17, 162, 163*t*
- nanomaterials and nanotechnologies; adsorbents and adsorption processes, 30, 981–83; agricultural applications, 30, 977–78, 979–984; applications for, 30; carbon nanotubes, 596, 695*t*, 976, 977, 982, 983–84, 985; chemical industries applications, 977; classification of, 975; definition of, 975; emerging contaminants from, concern about, 117–18; energy production and storage applications, 30, 976–77, 984–85, 986*t*; environmental benefits of, 30; flame retardant technology, 983–84; food industry applications, 30, 978–79; green process and engineering applications, 976–79; health care applications, 30, 985, 987–88; heavy metals remediation, 581; hydrogen production and

- nanoparticles, 841–42; industrial and agricultural wastes treatment applications, 978, 979–984; nanoclay, 979, 983–84; nanocubes, 975; nanofilms, 975; nanorods, 975; nanotubes, 975, 976, 977, 981, 982, 984; nanowires, 975, 976–77; phenomena effects and properties, 975; pollution removal and remediation applications, 30, 976, 980, 981–83; quantum dots, 975, 979; sustainable society and, 975–76, 988; water treatment applications, 30, 980–83
- nanomembrane-consisted filtration (NF), 980–81
- naphthalene, 655, 665*t*
- naproxen, 535*t*, 539, 543, 547*t*, 550, 555*t*, 556
- natural gas replacement with methane, 818
- natural wastewater treatment and disposal technologies; comparison of treatment technologies, 193*t*; concepts and major categories, 25–26, 188–193, 190–92*t*, 193*t*; costs of, 193*t*, 217; decentralized wastewater management, 187–88, 220–23; effectiveness of treatment with, 190–91*t*, 193*t*, 337–38; geo-purification systems, 190–91*t*, 215–220, 216*f*, 218*f*, 219*t*; implementation strategies and future perspectives, 220–23, 221*t*; lagoon treatment systems, 190–91*t*, 193*t*, 194–98, 196*f*; natural wetland and aquatic treatment systems, 190–91*t*, 193*t*, 198–204, 200*t*, 202*t*, 204*f*. *See also* anaerobic digestion/ treatment processes; constructed wetlands (CWs)
- Nebraska, Lincoln CW systems case study, 204
- neem cake and leaves, 272, 474*t*, 477
- Neochloris oleoabundans*, 813, 814*t*
- neodymium (Nd), 462, 471, 473*t*
- Netherlands/Holland; anaerobic treatment plants in, 297; Delft University of Technology and SHARON process, 429–430, 429*f*, 430*e*, 431, 443, 444*t*; Gist-Brocades plant and anammox research, 421; SAT geo-purification systems in, 216*f*, 217; Valorga process solid waste anaerobic digestion treatment, 215; Wassa process solid waste anaerobic digestion treatment, 214
- neutrals; anaerobic digestion processes and, 302–3; gravity-fed GAC and membrane filters system and removal of, 70*t*, 71; neutral salts and desorption of phosphorous from AWBs, 502–3, 526
- New York, New York City Comprehensive Water Reuse Program, 189
- New Zealand, constructed wetlands use in, 340
- nickel (Ni); adsorption process for removal of, 596*t*, 597, 598*t*; algae cultivation and removal of, 812; anaerobic processes and, 303; bioleaching, 605; bioprecipitation and removal of, 605; biosurfactants and removal of, 605; co-existence of pollution and metal cations and efficiency of MEUF, 640; conductivity and removal with MEUF, 640–41; CWs and removal of, 354; feed metal concentration and efficiency of MEUF process, 632; first flush runoff, 50*t*, 51*t*, 52*t*, 53; hydrogen production and, 839; hydrogen production and nickel nanoparticles, 842; industrial waste properties, 579; membrane filtration and removal of, 63; metal-impregnated/treated biosorbents, 515; MEUF and removal of, 636,

- 638, 640; [Ni-Fe] hydrogenases, 833, 839; pH, MEUF, and removal of, 631; properties, occurrences, and forms, 580*t*; rainwater properties, 37–38, 46, 68; SAT treatment and removal of, 217; sludge-based ceramic particles properties, 710*t*; sludge properties, 706; stormwater properties, 85*t*; surfactant concentration, S/M ratio, and removal of, 628–29
- nitrate; activated carbon for removal of, 457, 459*t*; anaerobic digestion processes and, 304; biosorbent desorption and regeneration capacities, 480*t*; biosorbents for removal of, 463–67, 464*t*; co-existence of anions and efficiency of MEUF, 641; commercial adsorbents for removal of, 459*t*, 460; conversion to gaseous nitrogen, 760; environmental impacts of, 457, 458*t*; first flush runoff, 50*t*, 51*t*, 52*t*, 53, 55*t*; GAC adsorption filtration and removal of, 59*t*, 60; health issues related to water polluted with, 377, 419, 457, 458*t*, 463, 466; heterogeneous photocatalysis reduction, 696–97; membrane filtration and removal of, 62*t*, 64; North Cary Water Reclamation Facility use of, 414; onsite wastewater treatment systems and removal of, 377, 378; permissible limits for drinking water, 458*t*; pollutant loads from household appliances, 904*t*; prevalence of groundwater contamination, 463; rainwater properties, 38, 39*t*, 44*t*, 46, 55*t*; sources of, 456; stormwater properties, 85*t*; surface water contamination with, effects of, 377; US EPA limits on amounts in drinking water, 457; wetlands systems and removal of, 199–200
- nitric oxide (NO), 425, 425*e*
- nitrification-denitrification, 27, 199, 202–3, 340, 341, 347–48, 349–351, 383–84, 383*f*, 388, 420, 421, 421*f*, 915
- nitrite; anammox process use of, 27, 420–22, 425, 425*e*, 426–27, 428; biosorbents for removal of, 465*t*, 468–69; CANON process, 430–33, 431*e*, 431*f*; first flush runoff, 50*t*, 51*t*, 52*t*, 53, 55*t*; free nitrous acid (FNA), 428, 435–36, 436*e*; GAC adsorption filtration and removal of, 59*t*, 60; health issues related to polluted water, 419, 458*t*, 468; inhibitory effects of on anammox process, 434–35, 434*t*; membrane filtration and removal of, 62*t*, 64; moisture content, composting process, and formation of, 930, 931*f*, 932; permissible limits for drinking water, 458*t*; prevalence of water contamination with, 468; rainwater properties, 38, 44*t*, 46, 55*t*; SHARON–Anammox process, 429–430, 429*f*, 430*e*, 431; SNAD process, 432–33, 433*f*; sources of, 468; stormwater properties, 85*t*
- nitrogen (N); algae cultivation and removal of, 812–15, 814*t*; anaerobic processes and, 303; AnMBR for removal of, 879; applications of, 760–61, 762*t*; biological nutrient removal case study, 410–15, 411*t*, 413*t*; biological removal of, 383–84, 383*f*, 400–408, 400*f*, 401*f*, 403*f*, 404*f*, 405*f*, 406*f*, 407–8*t*, 420 (*see also* anaerobic ammonium oxidation [Anammox]); chemical removal measures, 420; composting toilet, aerobic biodegradation, and, 915, 943–44; concern about pollution from, 419–420; CWs and

removal of, 199–200, 201, 202–3, 202*t*, 339–340, 341, 344, 347–48, 348*t*, 349–351, 350*f*, 351*t*, 354–56, 354*t*, 356*t*; cycle, 421, 421*f*; discharge limits, 419–420; environmental impacts of, 377, 379–380, 379*t*, 382, 419; feces characteristics, 907*t*; fertilizer applications, 759–763, 762*t*; fertilizer price and material-specific prices of components, 771*t*; German materials-flow system, 754, 759–763, 762*f*; health issues related to polluted water, 377, 379*t*, 419; heavy pollution surcharges for wastewater treatment, 773–74; hydrogen production and, 839; increase in pollution from, 419; lagoon treatment systems and removal of, 195; nitrification and oxygen consumption, 933; nitrification-denitrification, 27, 199, 202–3, 340, 341, 347–48, 349–351, 383–84, 383*f*, 388, 420, 421, 421*f*, 915; physical removal measures, 420; pollutant loads from household appliances, 903–5, 904*t*; reclaimed water quality criteria, 173*f*, 177–78, 177*f*; recovery and recycling of from wastewater, 759–763, 762*f*; refractory wastewater properties, 653*t*; removal of through anammox process integration with other nitrogen removal processes, 428–433, 429*f*, 430*e*, 431*f*, 433*f*, 443–45, 444*t*; sludge properties, 18, 266, 706, 707*t*; stormwater irrigation and hazards from, 79; stormwater properties, 77, 78*t*, 85*t*, 86; stormwater treatment measures and removal of, 11, 86, 87*t*, 88, 89*t*, 99*t*; vermicomposting and level of, 272, 274, 276–77; wastewater partial stream separation and

recovery/recycling resources, 766–770, 766*t*, 768*t*, 769*t*, 770*t*, 786; wastewater properties, 17, 379*t*, 428*t*; wastewater properties as resources, 754, 759–763, 818; wastewater treatment costs and, 775; wastewater treatment measures and removal of, 27, 161, 163*t*, 190*t*, 379–380, 382, 420; water treatment measures and removal of, 420; wetlands systems and removal of, 199, 200, 201–3, 202*t*

nitrogen gas, 27, 420–22, 425

nitrous oxide (N<sub>2</sub>O), 737, 738–39, 739*f*

*Nocardia erythropolis*, 604*t*

nonionic surfactant, 619, 629, 635–37

non-potable water; district water cycle materials balance model, 155–56, 156*f*; rainwater reuse and quality guidelines, 9, 35, 72, 75–76, 189; stormwater reuse and quality guidelines, 10*t*, 77, 79–81, 80*t*, 82*t*, 94–96; treated wastewater used for, 149, 157*t*, 189; water budget analysis for district water cycle, 156–59, 157*t*, 158*e*, 159*e*; water efficiency measures and recycled water use, 21*t*

nonylphenol, 535*t*, 537*t*, 539, 546*t*, 551, 552–53, 554, 555*t*, 556, 561

nonylphenol ethoxylates, 553, 557, 635

North America; freshwater resources in, 148*t*; wetlands systems for wastewater treatment in, 199

North American Treatment Wetland Database (NADB), 341

North Carolina; Charlotte, North Carolina (CNC) process, 406, 406*f*, 408*f*, 415; North Cary Water Reclamation Facility biological nutrient removal technology case study, 410–15, 411*t*, 412*t*, 413*t*, 414*t*; Orange Water and Sewer



- Authority (OWASA) process, 405–6, 405*f*, 406, 408*f*, 415; permit limits for for water reclamation facility, 411, 411*t*; swine operations, ammonia emissions, and public health and environmental regulations, 197
- North Cary Water Reclamation Facility biological nutrient removal technology case study, 410–15, 411*t*, 412*t*, 413*t*, 414*t*
- Norway, constructed wetlands use in, 352
- NSW Aquifer Interference Policy, 122
- nuclear energy and resources, 19, 789
- nutrients; aerobic processes compared anaerobic granular sludge processes, 239; algae cultivation and removal of, 812–15, 814*t*; anaerobic processes and, 209, 211*t*, 301, 303; AnMBR for removal of, 879–880; biological removal case study, 410–15, 411*t*, 412*t*, 413*t*, 414*t*; biological removal of, 383–88, 383*f*, 385*f*, 387*f*; biological removal of, factors that affect, 388–391; biological removal of, operational issues associated with, 391–93; biological removal treatment processes and systems, 400–408, 400*f*, 401*f*, 403*f*, 404*f*, 405*f*, 406*f*, 407–8*t*; hydrogen production and, 839; macrophytes and uptake of, 200, 201, 202*t*, 347–48, 348*t*; natural wastewater treatment and disposal technologies, 193*t*, 337–38; onsite wastewater treatment systems and removal of, 376, 377, 378; phased isolation ditch (PID) technology and removal of, 410–15; recovery and recycling of, 30, 31; recovery of through recycled water, 16; recovery of through reuse of biosolids, 18; removal of, factors that affect, 388–391; removal processes, 11, 26; slime and microbial growth from, 6, 79; sludge properties, 265, 266, 270–71, 706; stormwater properties, 9, 10*t*, 25, 77, 79, 85*t*, 101; stormwater treatment measures and removal of, 88, 89*t*; vermicasts micro- and macro-nutrients, 275–76; wastewater treatment measures and removal of, 161, 162, 379–380, 382–83; wetlands systems and removal of, 200, 201–4, 202*t*
- nut shells and hulls, 456, 462*t*, 473*t*, 477, 598*t*
- oak chips and leaves, 462*t*, 477
- oat hulls, 462*t*
- Oceania, freshwater resources in, 148*t*
- octadecylamine acetate (ODA), 631, 640, 641
- octadecyltrimethyl ammonium bromide (OTAB), 619
- octadecyl trimethyl ammonium chloride (OTAC), 634–35
- odors; anaerobic treatment processes and, 301; composting toilets and, 905, 930, 931, 932, 941, 942, 945–46; recycled water storage and, 165; refractory wastewater properties, 653*t*, 654
- ofloxacin, 543–44, 555*t*
- oil palm empty fruit bunch-based carbon and activated carbon, 362*t*
- oil palm plantations; agricultural practices at, 955; condition of and sustainable management, 30, 955–56; EFB mulching and EFB/POME co-composting at, 961, 962*f*, 963*f*, 971, 971*f*, 972–73, 972*t*; groundwater quality in areas with and without application of POME, 965, 966*t*; growth of palm oil demand and growth of plantations, 956; increase in productivity of land on, 956; land application of POME

- in, 963, 964–65, 965*f*, 966*t*; number of, 956; oil palm lifespan and productivity yields, 956; ownership of, 956; productivity and land application of POME in, 964–65, 965*f*; soil characteristics of, 30, 955, 961; sustainable practices at, 955
- oils, fats, and greases; biogas production from, 17; bioplastics from, 257*t*; ECMR treatment of oily wastewater, 663–67, 663*t*, 665*f*, 665*t*, 666*t*, 667*f*; enzyme production from, 281–82; PHA production with, 258, 259, 260; refractory wastewater properties, 653*t*; sludge properties, 706, 707*t*; wastewater properties, 17
- OLAND (Oxygen-Limited Autotrophic Nitrification Denitrification), 430
- onsite wastewater differentiable treatment system (OWDTS); advantages and benefits of, 905; concept and principles of, 30, 903–5, 904*f*; design of, 30, 906. *See also* composting toilets/biotoilets
- onsite wastewater treatment systems (OWTSs); advantages and benefits of, 26, 376; applications of, 378–79, 415; biological nutrient removal, 383–88, 383*f*, 385*f*, 387*f*; biological nutrient removal, factors that affect, 388–391; biological nutrient removal, operational issues associated with, 391–93; biological nutrient removal systems, 400–408, 400*f*, 401*f*, 403*f*, 404*f*, 405*f*, 406*f*, 407–8*t*, 415; concepts, features, and types, 375–76; costs associated with, 376, 380; design and installation of, 376–77, 380–83; ecologically and economically attractive features of, 376; effectiveness of treatment with, 376; evolution and history of, 26, 376, 377–78; failed septic systems, environmental risks from, 377, 378; mounded and filled systems, 396, 398*t*; North Cary Water Reclamation Facility case study, 410–15, 411*t*, 412*t*, 413*t*, 414*t*; nutrient removal processes, 26; performance of, 26; phased isolation ditch (PID) technology and nutrient removal removal, 410–15; pollutants of concern in effluent from, 376, 377, 378, 379*t*; principles of, 380–83; public health issues related to discharge from, 376–78, 379*t*; selection, sizing, and installation of systems, 409–10; septic tanks and conventional treatment systems, 318, 376, 377, 378, 381, 382, 393–97, 394*f*, 397*f*, 398*t*, 415; site evaluation and soil properties for, 376–77, 409–10; stormwater impacts on, 392; subsurface wastewater infiltration system (leach field), 381–82, 394*f*, 395–96; treatment processes and systems for, 393–408, 394*f*, 397*f*, 398*t*, 400*f*, 401*f*, 403*f*, 404*f*, 405*f*, 406*f*, 407–8*t*; types of, 26
- orange waste, juice, and peel; biosorbent applications, 456, 462, 473*t*, 475*t*, 478, 504, 507, 598*t*; biosorbent desorption and regeneration capacities, 481*t*, 500*t*, 501*t*, 521–22; metal-impregnated orange waste gel, 498, 500*t*, 504; modifications for better adsorption capacity and performance, 517*t*; saponified orange juice residue (SOJR), 462, 463*f*; selection of for AWBs, 524; Zr(IV)-loaded orange waste gel, 471, 481*t*, 482, 501*t*, 507, 521–22

- Orange Water and Sewer Authority (OWASA) process, 405–6, 405*f*, 406, 408*f*, 415
- Oregon Water Resources Commission, 113
- Oregon Water Resources Department, 113
- organic carbon; first flush runoff, 51*t*; GAC adsorption filtration and TOC, 56, 57, 58*f*, 99*t*; gravity-fed GAC and membrane filters system and DOC, 64–65, 67–68, 68*f*, 69*t*, 70*t*, 71, 71*f*, 72; inhibitory effects of on anammox process, 438; membrane filtration and TOC, 62*t*, 63, 99*t*; membrane fouling from DOC, 64, 68; rainwater properties, 45*t*, 46; stormwater treatment measures and removal of, 99*t*; vermicomposting and reduction of, 272, 277
- organic compounds/micro-pollutants; aerobic treatment of, 763–64, 764*t*; algae cultivation and removal of, 812; anaerobic treatment of, 763–64, 764*t*; AnMBR for removal of, 879–880; biodegradation of, 255; categorization of matter in raw and treated rainwater, 70*t*, 71–72; conversion to hydrogen, 213, 240; costs associated with wastewater treatment and, 765; CWs and removal of, 339–340, 341; degradation of recalcitrant and toxic, 237–38, 249–250, 683; gravity-fed GAC and membrane filters system and removal of, 70*t*; heterogeneous photocatalysis treatment of, 684, 690–93, 691–92*t*; hydrophilic organic compounds, 70*t*, 71; hydrophobic organic compounds, 70*t*, 71; inhibitory effects of on anammox process, 438; lagoon systems and air pollution, 196–97, 196*f*; membrane filtration and removal of, 16–17; nanomaterials and nanotechnologies for removal of, 980–82; refractory wastewater properties, 654–55; relationships among compounds and formation of fine particles in the atmosphere, 196–97, 196*f*; renewability of water resources and pollution from, 755; resource potential of, calculation of, 764; sludge properties, 270–71, 706, 707*t*; solubilization of and MEUF, 28; wastewater properties, 379*t*, 767–68; wastewater properties as resources, 754, 763–64, 764*t*; wastewater treatment costs and, 774
- organic materials/waste; aerobic treatment of, 763–64, 764*t*; anaerobic degradation of and biogas production, 830, 830*e*; anaerobic granular sludge treatment conversion of organic waste into methane, 231; anaerobic process performance and wastewater characteristics, 301–2; anaerobic treatment of, 763–64, 764*t*; AnMBR for treatment of, 803–4; background organic matter and effectiveness of activated carbon adsorption process, 539–540; biogas production from, 17, 239–240, 763–64, 764*t*, 790; categorization of matter in raw and treated rainwater, 70*t*, 71–72; CWs and removal of, 339–340, 344, 347; gravity-fed GAC and membrane filters system and removal of, 70*t*, 71–72; landfills for disposal of organic waste, 236; membrane fouling from, 68; molecular weight distribution of rainwater organic matter in Sydney rain tanks, 41–43, 41*t*, 42*t*, 43*t*, 53–54, 54*f*;

- nanomaterials and  
nanotechnologies for removal and  
remediation, 30; natural wastewater  
treatment and disposal  
technologies, 337–38; refractory  
wastewater properties, 654;  
stormwater properties, 25, 101;  
stormwater reuse hazards, 79;  
treatment methods for removal of,  
16–17; wastewater properties, 16,  
379*t*; wastewater treatment costs  
and, 774; wastewater treatment  
measures and removal of, 161, 162,  
163*t*
- Organisation of American States  
(OAS), 113
- ornamental water bodies. *See*  
recreation and recreational/  
decorative water bodies
- orthophosphate; corrosion inhibitor  
uses of, 38; first flush runoff, 50*t*,  
51*t*, 52*t*, 53, 55*t*; GAC adsorption  
filtration and removal of, 59*t*, 60;  
membrane filtration and removal  
of, 62*t*, 64; rainwater properties, 38,  
39*t*, 44*t*, 46, 55*t*
- Oscillatoria*, 812
- osmotic membrane bioreactor  
(OMBR), 559–561
- oxalic acid, 545, 660, 665*t*, 666*t*, 684,  
693–94, 696, 698*t*
- oxidative stress, 346
- oxygen; availability of in CWs, 349–  
352, 350*f*. *See also* dissolved oxygen  
(DO)
- Oxygen-Limited Autotrophic  
Nitrification Denitrification  
(OLAND), 430
- oxygen utilization rate (OUR);  
biodegradability of feces and, 907,  
908, 926; heterotrophic biomass  
calculation, 919; kinetic parameter  
estimations for aerobic  
biodegradation, 920–21, 923–24,  
923*t*, 924*f*; moisture content,  
composting process, and, 929–933,  
932*f*, 934*f*; temperature and, 926,  
927*f*, 928*f*, 929*f*
- oxyracycline, 438
- oyster shells and oyster shell powder,  
498, 505, 516
- ozonation reactor (OR), 697
- ozone layer and ozone depletion, 737,  
816
- ozone/ozonation; disinfection of RO  
feed water, 14; disinfection of  
stormwater with, 11; wastewater  
treatment methods, 162, 671, 671*t*
- packed-bed filtration, 189, 191*t*
- packed-bed reactors. *See* anaerobic  
packed-bed reactor (APBR)
- Pakistan, 116, 117*f*
- palm fibers and waste, 499, 500*t*, 502,  
506, 507
- palm kernel/palm kernel oil;  
bioplastics from, 257*t*; kernel  
processing to make oil, 958–59,  
958*f*
- palm oil; crude palm oil (CPO)  
production, 955; global demand for  
and growth of industry, 956; oil  
palm lifespan and productivity  
yields, 956; POME generated per  
ton of COP, 955; processing steps,  
957–960, 958*f*, 959*f*, 960*f*;  
productivity levels of, 955, 956;  
sustainability and the palm oil  
industry, 965, 968–973, 969*f*, 970*f*,  
971*f*, 972*f*; sustainable industry  
practices, promotion of, 957; yield  
of CPO from fresh fruit bunches,  
955, 958. *See also* oil palm  
plantations
- palm oil mills; anaerobic granular  
sludge treatment of wastewater  
from, 237; boiler ash waste, 955,  
958, 960–61, 960*f*, 960*t*, 961*f*; boiler  
unit efficiency initiatives, 957, 971–  
72; condition of and sustainable

- management, 30, 955–56; crude palm oil (CPO) production, 30; decanter solids waste, 955, 958, 960*f*, 960*t*, 961; energy and water consumption efficiency at, 957, 958–960, 959*f*, 960*t*, 961–62, 968–970, 969*f*, 970*f*, 972; environmental impact of and risks from, 30, 955, 956–57, 963–65, 968; fiber waste, 955, 958–961, 960*f*, 960*t*, 961*f*, 971; fresh fruit bunch (FFB)/empty fruit bunch (EFB) waste from, 30, 955, 957, 958, 960*f*, 960*t*, 961–62, 961*f*, 962*f*, 963*f*, 969–973, 971*f*, 972*t*; greenhouse gas emission reduction initiatives, 30, 955–56, 968; increase in efficiency at, 956–57; PLC implementation at, 957; power generation efficiency at, 957; recycling biomass waste from, 955, 958, 959*f*, 961*f*, 962*f*, 963*f*; shell waste, 955, 958–961, 960*f*, 960*t*, 961*f*, 971; sterilizer unit efficiency initiatives, 957, 971–72; sustainable management of, 956–57; waste and co-products management at, 30, 957, 958–963, 959*f*, 960*f*, 960*t*, 965, 968–973; zero-waste concept and sustainable management, 30, 970–73, 971*f*, 972*t*. *See also* oil palm plantations
- palm pith carbon, 362*t*
- paracetamol, 555*t*, 557
- Paraguay, Guaraní Aquifer System, 112–13, 114
- paroxetine, 555*t*
- pathogens; anaerobic granular sludge treatment and reduction of, 231; anaerobic lagoons and reduction in, 324; anaerobic processes and removal of, 301, 302; composting toilets and health risk assessment, 933–38, 935*f*, 936*f*, 937*t*, 938*f*, 939*f*; CWs and removal of, 339–340; lagoon treatment systems and removal of, 194; onsite wastewater treatment systems and removal of, 376, 377, 378; SAT treatment and removal of, 217; sludge properties, 705, 706; stormwater irrigation hazards, 79; stormwater reuse and reduction in exposure to, 81, 84*t*; stormwater reuse and removal of, 79, 81, 82*t*, 83*t*; stormwater reuse for toilet flushing and clothes washing and exposure to, 79; stormwater treatment measures and removal of, 88–90, 89*t*; thermal disinfection and destruction of, 933; treatment methods for removal of, 16–17, 81, 82*t*; wastewater properties, 16, 379*t*; wetlands systems and removal of, 204
- peanut shells, 462*t*, 475*t*, 477, 479
- pecan shells, 462*t*
- pentachlorophenol (PCP), 247, 547*t*, 800
- perchlorate; activated carbon for removal of, 457, 459*t*, 460; biosorbent desorption and regeneration capacities, 480*t*; biosorbents for removal of, 469–470, 472*t*; commercial adsorbents for removal of, 459*t*; environmental impacts of, 469; health hazards related to, 458*t*, 469; permissible limits for drinking water, 458*t*, 469
- peroxidase (POD), 345, 346
- personal care products. *See* pharmaceutical products and personal care products
- pesticides/herbicides; activated carbon adsorption and removal of, 538–39; advanced oxidation processes and removal of, 543–44, 680; algae cultivation for photoremediation of, 812; detection of in water, 533, 536*t*; enzymatic degradation of, 544–551,

- 546–47*t*, 547*t*, 548*f*; heterogeneous photocatalysis degradation of, 690, 691*t*, 693; high-pressure membrane filtration and removal of, 540–43; MBR system and removal of, 555*t*; nanomaterials and efficiency of, 978; sludge conversion for use as biopesticides, 256; stormwater properties, 77. *See also* *Bacillus thuringiensis* (*Bt*) based biopesticides; biopesticides
- pests, climate change and, 740–41
- petrochemical/petroleum/refinery industries; anaerobic treatment of wastewaters from, 249, 326; AnMBR for treatment of wastewater from, 803, 884; CWs for treatment of wastewater from, 341; oily wastewater properties, 663*t*; phenolic wastewater properties, 668; wastewater characteristics from, 17; wastewater characteristics/properties, 17, 652, 653*t*, 654, 655, 884
- Petroleum (Onshore) Act 1991*, 127
- pH; acetogens and, 874, 890–91; aerobic processes compared anaerobic granular sludge processes, 239; anaerobic digestion processes and, 209, 210*t*, 300, 301, 302–3, 874, 890–92; anammox process and, 425–26, 428; AnMBR and, 874; AnMBR process, 890–92; AWBs adsorption capacities and, 503–5, 504*f*, 509–11*t*, 525; biogas production and, 890–92; biological nutrient removal and, 386, 387, 390; biosorbent desorption and, 499; biosorption processes and, 503–5, 504*f*, 509–11*t*, 525, 601; earthworm sensitivity to, 274; ECMR and, 659–660, 659–660*e*, 661*f*; first flush runoff, 50*t*, 51*t*, 52*t*, 55*t*; groundwater quality in areas with and without POME application, 966*t*, 967*t*; heterogeneous photocatalysis and, 28, 685–86, 685–86*e*; hydrogen production and, 839–840, 842, 855, 856*t*; MBR and, 554*f*, 557–58; membrane fouling and, 891–92; metal removal and, 195; methanogens and, 209, 210*t*, 300, 302–3, 874; MEUF process and, 630–31; microorganisms, impact of pH on, 890–92; NF feed solution, 542; phosphorous removal and, 497–98, 499, 503–5, 504*f*, 509–11*t*, 525–26; photocatalytic treatment processes and, 28; rainwater properties, 9*t*, 38, 39*t*, 44*t*, 46, 47, 55*t*; RO feed solution, 542; sludge properties, 707*t*; stormwater properties and quality criteria, 9, 10*t*, 83, 85*t*; vermicomposting and reduction of, 272, 274; wastewater properties, 428*t*
- pharmaceutical industries; AFBR for treatment of wastewater from, 801–2; AFBR treatment of wastewater from, 799; anaerobic granular sludge treatment of wastewater from, 237, 244; anaerobic treatment of wastewaters from, 326; AnMBR for treatment of wastewater from, 884–85; BAF water treatment comparison between SBCP and commercial ceramic particles, 716–17, 717*f*; disposal of wastewater without treatment, 884–85; hybrid anaerobic systems to treat wastewater from, 885; UASB treatment of wastewater from, 798–99; wastewater characteristics/properties, 17, 437, 445, 652, 653*t*, 654, 884–85; water quality requirements of, 5
- pharmaceutical products and personal care products; activated carbon adsorption and removal of,

- 538–540; advanced oxidation processes and removal of, 543–44, 680; adverse health and environmental effects of, 534, 537*t*; AnMBR for removal of, 879; blackwater and pharmaceutical residues, 938; detection of in water, 533, 535*t*; emerging contaminants from, concern about, 117–18; enzymatic degradation of, 544–551, 546–47*t*, 547*t*, 548*f*; enzymatic membrane reactor and removal of, 561–63, 564*t*; high-pressure membrane filtration and removal of, 540–43; MBR system and removal of, 551–58, 554*f*, 555*t*; nanomaterials use in, 117–18; pharmaceutical active compounds (PhACs), 16; stormwater properties, 77; wastewater properties, 767–68; wastewater treatment for removal of, 767–68. *See also* antibiotics; endocrine disrupting compounds (EDCs)
- phase change material (PCM), 718–19
- phased isolation ditch (PID) technology, 410–15
- phenazone, 544
- phenols/phenolics; activated carbon and removal of, 360–64, 360*t*, 362*t*, 363*t*, 364*t*; adsorption capacity of chlorophenols on various adsorbents, 362*t*; anaerobic digestion processes and, 304; anaerobic granular sludge treatment and degradation of, 238, 244; cattail fiber-based activated carbon and removal of, 360–62, 360*t*, 362*t*; ECMR treatment of phenolic wastewater, 667–670, 669*f*; hazards related to, 653*t*; photocatalysis/physical chemical operations, 698*t*; refractory wastewater properties, 653*t*, 667–68; stormwater properties, 77
- phenyl urea herbicides, 544
- phenytoin, 544
- phosphate; AWBs (unmodified) adsorption performance, 508, 512*t*; biosorbent desorption and regeneration capacities, 480*t*, 481*t*, 499–503, 500–501*t*; biosorbents for removal of, 465*t*, 467–68; co-existence of anions and efficiency of MEUF, 641; commercial adsorbents for removal of, 459*t*, 460; environmental impacts of, 457, 458*t*, 467; fertilizer price and material-specific prices of components, 771, 771*t*; permissible limits for drinking water, 458*t*; pH and biosorbent desorption, 499, 502; removal methods and technologies, 382–83, 502; sludge production from elimination of, 775, 775*e*; sources of, 456
- phosphoric acid, 357, 358*f*, 706, 723, 724*t*
- phosphorous (P); adsorption process for recovery of, 521–22, 522*f*, 526; aerobic biodegradation of toilet waste, 915; algae cultivation and removal of, 812–15, 814*t*; anaerobic processes and, 303; AnMBR for removal of, 879; availability of, 756; AWBs (modified) adsorption performance, 508, 512–13*t*, 514–16, 517–19*t*; AWBs (unmodified) adsorption performance, 508, 512*t*, 514, 525; AWBs adsorption capacities, factors that influence, 503–8, 504*f*, 509–11*t*, 525; AWBs adsorption processes mechanisms, 469–499, 498*f*; AWBs desorption and regeneration capacities, 499–503, 500–501*t*, 521–22; AWBs for removal/recovery of, 27, 495–96, 525–26; AWBs for removal/recovery of, selection of, 523–24, 524*f*; biological nutrient removal

case study, 410–15, 411*t*, 413*t*;  
 biological removal of, 384–88, 385*f*,  
 387*f*, 391, 392–93, 400–408, 400*f*,  
 401*f*, 403*f*, 404*f*, 405*f*, 406*f*, 407–8*t*;  
 chemicals removal of, 385, 391–92;  
 commercial adsorbents for removal  
 of, 508, 513*t*; costs associated with  
 recovery and mining of, 523; CWs  
 and removal of, 201, 202–3, 202*t*,  
 339–340, 341, 344, 347–48, 348,  
 348*t*, 354–56, 356*t*; environmental  
 impacts of, 377, 379–380, 379*t*, 384,  
 491–92; feces characteristics, 907*t*;  
 fertilizer applications, 756–58, 760*f*;  
 fertilizer price and material-specific  
 prices of components, 771, 771*t*;  
 forms of in aqueous solutions, 492,  
 492*f*; function and uses of, 491;  
 German materials-flow system,  
 754, 756–59, 760*f*; heavy pollution  
 surcharges for wastewater  
 treatment, 773–74; hydrogen  
 production and, 839; importance  
 of, 756; lagoon treatment systems  
 and removal of, 195; nanomaterials  
 for removal of, 982–83; natural  
 wastewater treatment and disposal  
 technologies, 193*t*; onsite  
 wastewater treatment systems and  
 removal of, 377, 378; pH and  
 removal of, 497–98, 499;  
 phosphorous concentration and  
 AWBs adsorption capacities, 505–  
 6, 509–11*t*; pollutant loads from  
 household appliances, 903–5, 904*t*;  
 reclaimed water quality criteria,  
 173*f*, 177–78, 177*f*; recovery and  
 recycling of from wastewater, 756–  
 59, 760*f*; recovery of, barriers for,  
 522–23; recovery of, drivers and  
 importance of, 492, 495–96, 516;  
 recovery of, methods and  
 technologies, 520–22, 520*f*, 522*f*,  
 526; regulations on discharge of,  
 491–92; removal and recovery from

wastewater, 27, 492; removal  
 methods and technologies, 492–96,  
 494–94*t*, 495*f*; rock reserves and  
 mining, 27, 492, 495*f*, 496, 516, 525,  
 756; SAT treatment and removal of,  
 217, 219*t*, 220; sludge production  
 from elimination of, 775, 775*e*;  
 sludge properties, 18, 266, 706,  
 707*t*; sources of, 491; stormwater  
 irrigation and hazards from, 79;  
 stormwater properties, 77, 78*t*, 79,  
 80*t*, 85*t*, 86; stormwater treatment  
 measures and removal of, 86, 87*t*,  
 88, 89*t*, 99*t*; surface water  
 contamination with, effects of, 377;  
 thermal activation of AWBs and  
 removal of, 516, 519*t*;  
 vermicomposting and increase of,  
 272, 274, 276; wastewater partial  
 stream separation and recovery/  
 recycling resources, 766–770, 766*t*,  
 768*t*, 769*t*, 770*t*, 786; wastewater  
 properties, 17, 379*t*, 389–390, 428*t*,  
 491–92; wastewater properties as  
 resources, 754, 756–59, 818;  
 wastewater treatment costs and,  
 775; wastewater treatment  
 measures and removal of, 161, 163*t*,  
 190*t*, 379–380, 382–83, 389–390;  
 wetlands systems and removal of,  
 200, 201–3, 202*t*  
 photocatalysis/photocatalytic  
 treatment processes; concepts and  
 mechanisms, 679; industrial and  
 agricultural wastes treatment  
 applications, 671, 978, 980; light  
 intensity and, 28; nanomaterials  
 and nanotechnologies applications,  
 978, 980; photocatalysis/physical  
 chemical operations, 697–98, 698*t*;  
 photocatalytic membrane reactors,  
 683; photocatalytic oxidation, 16;  
 photocatalytic reactors, 682–83,  
 682*f*; types of, 679. *See also*  
 heterogeneous photocatalysis (HP)



- photodegradation, 679
- photoelectrochemical (PEC) process, 977
- photosynthesis, 346, 830
- Phragmites australis* (*Phragmites communis*), 202*t*, 345, 346, 347, 348, 348*t*, 359*t*, 360*f*
- physical characteristics and properties; CWs and removal of, 338, 339–340; storage of reclaimed water and water quality, 16*f*, 164–66; stormwater properties, 25, 77, 85*t*, 101; wastewater treatment measures and removal of, 162, 164
- physical treatment methods; heavy metals remediation, 28; intraparticle diffusion, 499; nitrogen removal, 420; nitrogen removal with, 420; phosphate removal with, 382–83; phosphorous removal, 492, 494*t*
- phytoestrogens, 533
- phytoremediation processes; concepts and principles of, 606; heavy metals remediation, 28, 271, 606–8, 607*f*; phytodegradation, 606; phytoextraction, 606; phytostabilization, 607–8; phytostimulation, 607, 607*t*; phytovolatilization, 607
- Pichola Lake Basin climate change impact case study, 741–45, 742*e*, 743–44*e*, 744*t*, 745*t*, 746*f*, 747*f*
- pine wood, bark, and sawdust; biosorbent applications, 464*t*, 466, 499, 504, 505, 506, 511*t*; biosorbent desorption and regeneration capacities, 500*t*; composting toilet use of sawdust, 940; modifications for better adsorption capacity and performance, 518*t*, 519*t*; modifications for better AWBs, 516, 518*t*, 519*t*; thermal activation of and phosphorous removal, 516, 519*t*
- pink water, 799
- pistachio hulls, 456
- Pistia stratiotes*, 202*t*, 348*t*
- Pistia stratiotes*, 355
- Planctomycetes 'Brocadiales'; anammox process use of, 420, 421–22, 422*t*; microbial physiology and growth requirements, 423–28, 424*f*, 425*e*, 427*e*, 433, 439–440, 441, 442, 445; nitrite inhibitory effects on, 434–35, 434*t*
- plankton, 164–65, 654
- plants; allocation and configuration of for CWs, 353–55; antioxidant activities in CW plants, 346; biofilter vegetation management, 91; burning of dead wetland plants, 338; climate conditions and adaptability, 345; common types used for CWs, 345; CW vegetation management, 91; Denham Springs pond system case study, 198; first experiments with use of for wastewater treatment, 199; harvesting of in CWs, 355–56; lipid peroxidation, 346–47; macrophytes, 198, 199, 200, 201, 202*t*, 347–48, 348*t*; natural purification, environmental water bodies, and water quality, 167; oxidative stress, 346; photosynthesis, 346; pollutant tolerance and pollutant removal capacity of, 201, 202*t*, 345–48, 348*t*; proline, 347; rainwater tank hazards, 36*t*; reclamation and recycling of, 26, 338, 344, 355–367, 355–368; seasonal temperature variations and selection of, 354, 356*t*; selection of for CWs, 26, 338, 344, 345–48, 348*t*, 353–55, 367–68; water hyacinth, 199, 200–201, 200*t*, 355. *See also* phytoremediation processes
- plastics; biodegradable types of, 262; eco-friendly types, importance of

- development and production of, 256; environmental impact of and risks from, 256; food packaging materials, 978–79; nanomaterials applications for photo-degradation of, 980; petrochemical-derived types, 256; plasticizers as wastewater properties, 767–68; residues derived from in sludge, 705; volume of nondegradable waste, 256. *See also* bioplastics
- plug-flow anaerobic reactors, 212*t*, 389
- point-of-use water treatment technologies, 24
- policies and regulations; complexity and interconnectedness of water-related policies and issues, 20, 22–24; establishment and updating of, 31; governance and delivery of water, key areas for, 22, 23*t*; green technologies and, 2; sustainable water management and implementation of, 2
- politics and political issues; demand management and, 6, 7–8*t*; sustainable water management and, 4; water-related policies and issues, complexity and interconnectedness of, 20, 22
- pollution; best management practices for control of, 187, 192*t*; CWs and removal of, 199–203, 338, 339–340, 341, 344, 345–355, 348*t*, 350*f*, 351*t*, 354*t*; district water cycle and prevention of, 25; heavy pollution surcharges for wastewater treatment, 773–74, 775; management of water systems and, 1; nanomaterials and nanotechnologies for removal and remediation, 30, 976, 980, 981–83; natural bodies of water for removal of, 167; non-point source pollution control, 187; plant tolerance to and removal capacity for plant selection for CWs, 201, 202*t*, 345–48, 348*t*; pricing water and, 21*t*; public awareness of environmental issues and calls for treatment standards, 337; renewability of water resources and, 755; sewage discharge in surface waters in developing countries, 1; stormwater irrigation hazards, 79; stormwater properties, 76–77, 78*t*, 85*t*; wastewater treatment and prevention of, 753–54; water quality deterioration and, 537–38; white pollution, 980
- pollution, air; lagoon systems and air pollution, 196–97, 196*f*; Sydney air pollution sources and distribution, 36–37, 47
- poly-3-hydroxybutyrate (PHB), 257–58, 257*t*, 259, 260–61, 261–62, 263
- poly-3-hydroxyvalerate (PHV), 261–62
- polyacrylonitrile membranes, 564*t*
- polyamide membranes, 639
- polychlorobiphenyls (PCBs), 238
- polyethersulfone (PES) membranes, 540, 564*t*, 639, 872
- polyethylene glycol (PEG) membrane, 639
- polyethylene terephthalate wastewater, 244
- Polygonum orientale*, 359*t*, 360*f*, 363–64, 363*t*, 364*t*
- polyhydroxyalkanoates (PHA); biological phosphorus removal process, 385–86, 385*f*; chemical diversity of, 257–58, 257*t*; cost of production of, 256, 259, 261; fermentation processes, 258–59; individual bacterial systems, 258, 259–261; media choices for production of, 257*t*, 258; microorganisms involved in production of, 256–58, 257*t*; mixed or co-culture systems, 258, 261–62;

- potential for future uses of, 256;  
research on bacterial production of, 256; sludge use for production of, 26, 256–263
- polymer enhanced ultrafiltration (PEUF); advantages of, 599;  
concepts and mechanisms, 599;  
heavy metals remediation, 597, 599;  
polymeric agents for, 599
- polymeric membranes, 872
- polymers; anaerobic digestion and complex organic polymers, 298–300, 298*f*, 299*f*; anaerobic granulation process enhancement with, 245, 248, 797–98;  
biodegradable types of, 256; flame retardant technology, 983–84;  
nanocomposite materials, 977, 983–84. *See also*  
polyhydroxyalkanoates (PHA)
- polyphosphate accumulating organisms (PAOs), 385–88, 385*f*, 391, 401, 405–6, 414
- polystyrene, 980
- polysulfone/polysulfonate membranes, 60*t*, 66*t*, 562, 631, 632, 634, 639
- polyvinyl alcohol/polymide membranes, 540
- polyvinyl chloride (PVC), 980
- polyvinylidene fluoride (PVDF) membranes, 562–63, 872
- ponds. *See* lagoon treatment systems/ponds
- pools and spas, 20, 157*t*
- population; energy consumption rate projection for growth in, 789;  
growth rate of world population, 1, 75, 789; water supply and use patterns and, 1, 75
- potable water; cross-connection risks when plumbing recycled water into buildings, 79, 81; district water cycle materials balance model, 155–56, 156*f*; increase in demand for, 187; rainwater water quality for, 25; stormwater reuse for and quality parameters, 81, 83–86, 85*t*, 94; water budget analysis for district water cycle, 156–58, 157*t*, 158*e*; water efficiency measures and recycled water use, 21*t*
- Potamogeton* spp.; *P. crispus*, 355, 356*t*; *P. maackianus*, 354–55; *P. pectinatus*, 202*t*, 348*t*
- potassium (K); algae cultivation and removal of, 812; fertilizer applications, 754, 763; fertilizer price and material-specific prices of components, 771*t*; first flush runoff, 50*t*, 51*t*, 52*t*, 55*t*; German potassium fertilizer exports, 763; hydrogen production and, 839; importance of, 763; rainwater properties, 37–38, 39*t*, 43, 44*t*, 46, 55*t*; recovery and recycling of from wastewater, 763; stormwater properties, 85; vermicomposting and level of, 272, 274, 276–77; wastewater partial stream separation and recovery/recycling resources, 766–770, 766*t*, 768*t*, 769*t*, 770*t*; wastewater properties, 16; wastewater properties as resources, 754, 763
- potassium hydroxide (KOH), 357, 723, 724–25*t*, 727
- poultry litter and wastewater, 201, 211*t*, 275, 595
- Pourbaix (Eh–pH) diagrams of heavy metals, 586–88, 587*f*
- power plants, co-location of desalination facilities near, 14
- pravastatin, 555*t*
- precipitation; climate change and changes in patterns for, 738, 739–740; global water cycle component, 107, 108*f*; Pichola Lake Basin climate change impact case study, 741–45, 742*e*, 743–44*e*, 744*t*, 745*t*,

- 746f, 747f. *See also* rainwater; stormwater
- precipitation techniques; agents for, 765; anionic pollutants removal, 455–56; bioprecipitation, 605–6, 607t; chelating precipitation, 594; chemical precipitation and heavy metals remediation, 28, 581, 592–94, 593f, 594f, 601, 615, 642; chemical precipitation and phosphate removal, 382–83; hydroxide precipitation, 592–93, 593f; mercury removal with, 586; phosphorous recovery, 520–22, 520f, 522f, 523, 526; phosphorous removal, 492, 493t, 495f; sulfide precipitation, 592, 593–94, 594f; surface precipitation of phosphorous, 498, 499, 502; surfactant recovery, 641–42; surfactants removal with, 642; wastewater treatment methods, 17
- pricing and costs; balance sheet classification and distribution of cost centers, 784–85, 785t; cost-reflective pricing, 21t; fertilizer price and material-specific prices of components, 770–72, 771t; heavy pollution surcharges, 773–74, 775; negative externalities included in, 21t; perceptible market value and importance of a resource, 754; pollution-dependent costs, 781–82, 781–82e, 782t; stormwater treatment systems life cycle cost analysis, 90–91; tariff structure and water saving practices, 749; wastewater-borne resources, costs associated with, 765; wastewater budget and allocation of costs, 775–781, 776f, 778t, 779t, 780t, 781t; wastewater charges, basis for, 773–74; wastewater resource potential and treatment costs of partial streams, 782–84, 783t, 784t; wastewater treatment costs, 753, 765, 772–784, 774e, 775e, 776f, 778t, 779t, 780t, 781–82e, 781t, 782t, 783t, 784t; white biotechnology, competition for land and water resources, and, 22
- probiotic wastewater, 835, 836t, 842
- progesterone, 543
- programmable logic controller (PLC); North Cary Water Reclamation Facility use of, 411, 412, 414; palm oil mill implementation of, 957
- proline, 347
- Propionibacterium*, 261
- propionic acid; anaerobic digestion and, 300; anaerobic digestion and hydrogen production, 831–32, 840; biological nutrient removal and BOD:P ratio, 392; *Bt* biopesticide production, 269–270; hybrid UASB reactor treatment and removal of, 247; methanogens sensitivity to, 891; PHA production, 261, 261–62
- propionyl CoA, 261–62
- propoxur, 545
- propranolol, 543–44
- propyphenazone, 555t
- protease; alkaline protease, 284–85; *Bt* biopesticide production, 265, 266, 269; characteristics and properties of, 282–83; production of, 278, 279, 279t, 282–83, 284–85
- Protection of the Environment Operations Act 1997*, 122
- protozoan pathogens, 16, 83t, 163t, 379t
- Pseudomonas* spp.; bioaugmentation and biosorbents for heavy metal remediation, 604t; *P. aeroginesae*, 260; *P. aeruginosa*, 257t, 282, 695t, 696; *P. denitrificans*, 257t; PHA production with, 257; *P. oleovorans*, 257t; *P. putida*, 257t, 604t
- psychrophilic conditions; anaerobic granular sludge treatment, 241–42,

- 250; AnMBR process, 880, 888–890; biogas production and, 888–890
- pulp-paper industries; algae cultivation in effluents from for wastewater treatment and biofuel production, 813; anaerobic granulation treatment process use, 237–38, 244; AnMBR for treatment of wastewater from, 803, 882–83; chlorinated organic compounds from, 237–38, 244; CWs for treatment of wastewater from, 341; methane production from evaporator condensate, 882–83; PHA production from activated sludge from, 262; sludge-based activated carbon from sludge from, 727; treated wastewater used for, 162; UASB treatment of, 244; UASB treatment of wastewater from, 798; vermicomposting use of sludge from, 273*t*, 274, 275, 276–77; wastewater characteristics/properties, 17, 282, 882–83
- purification and purified water; environmental water bodies/landscaping lakes, natural purification, and water quality, 166–68, 167*f*, 170, 171*t*, 172, 172*f*, 174–78, 175*f*, 176*f*; industrial needs for, 5; nanomaterials and nanotechnologies for, 30; natural purification, 25; renewability of water resources and, 755; value of water and level of purity, 755–56; water cycle and, 150–51
- pyruvate, 832, 833*f*; pyruvate:ferredoxin oxidoreductase, 832–33; pyruvate:formate lyase, 832–33
- quality/water quality; district water cycle management, 25, 160–61; environmental pollution and deterioration of, 537–38; environmental water bodies/landscaping lakes, natural purification, and water quality, 166–68, 167*f*, 170, 171*t*, 172, 172*f*, 174–78, 175*f*, 176*f*; first flush runoff rainwater, quality and characteristics of, 25, 47–54, 47*t*, 49*f*, 50*t*, 51*t*, 52*t*, 54*f*, 55*t*; industrial water needs and, 5; public awareness of environmental issues and calls for treatment standards, 337; rainwater, quality and characteristics of, 6, 9, 9*t*, 25, 35–47, 36*t*, 39–40*t*, 41*f*, 42*f*, 43*f*, 44–45*t*, 54, 55*t*; regulations for control of, 5; storage of water and, 164–66, 166*f*; stormwater, quality and characteristics of, 6, 9, 10*t*, 25, 76–81, 78*t*, 80*t*, 81, 83–86, 85*t*, 94–96; sustainable water management and, 4; water use and, 755
- quarternization, 515–16
- quaternary ammonium, amine, and amino compounds and quarternization, 461–62, 467, 469–470, 477–79, 497, 515–16, 518–19*t*, 525, 526
- radioactive materials, 789
- rainwater; catchment area properties and quality of, 9, 9*t*; characteristics and fit-for-purpose treatment and applications, 6, 9–11; demand management green technology opportunities for, 8*t*; desalinated water feedstock use of, 14; expansion of use of, 4–5; harvesting of as alternative water supply, 25, 35, 748; management of all water systems as a whole, 2; non-potable uses of, 35, 72, 75–76; potable purposes for, 25; programs for roof water and stormwater harvesting in Australia, 75–76; public opinion and acceptability of treated

- stormwater, 75; quality and characteristics of first flush runoff rainwater, 25, 47–54, 47*t*, 49*f*, 50*t*, 51*t*, 52*t*, 54*f*, 55*t*; quality and characteristics of harvested rainwater, 6, 9, 9*t*, 25, 35–47, 36*t*, 39–40*t*, 41*f*, 42*f*, 43*f*, 44–45*t*, 54, 55*t*; regulations and management practices, 9; storage of rainwater and treated water, prototype for, 72–73, 73*f*; sustainable water management and use of, 2; treatment and reuse of, 4–5, 25, 75–76, 189; treatment of to allow unrestricted use of, 35
- rainwater harvesting and tanks; first flush devices, 53; first flush runoff quality and characteristics, 25, 47–54, 47*t*, 49*f*, 50*t*, 51*t*, 52*t*, 54*f*; locations and characteristics of tanks, 25, 36–37, 37*f*, 43; molecular weight distribution of rainwater organic matter in first flush, 53–54, 54*f*; molecular weight distribution of rainwater organic matter in rain tanks, 41–43, 41*t*, 42*t*, 43*t*; programs for, 75–76; residence time of water in tank for the duration between storm events and water quality, 41, 42, 42*t*; residence time of water in tank over a long period with intermittent rain and water quality, 41, 42–43, 43*t*; size of tank and water quality, 46, 48; storage of rainwater and treated water, prototype for, 72–73, 73*f*; treatment of water before use, 54; water quality and characteristics, 25, 35–47, 36*t*, 39–40*t*, 41*f*, 42*f*, 43*f*, 44–45*t*, 68; water quality comparison of various sources, 54, 55*t*
- rainwater treatment technologies and systems, 56–72; disinfection treatments, 11, 65, 72; GAC adsorption filtration, 56–60, 57*f*, 57*t*, 58*f*, 59*t*; gravity-fed GAC and membrane filters system, 64–72, 65*f*, 66*t*, 67*f*, 68*f*, 69*t*, 70*t*, 71*f*; high-rate media filtration, 72, 73*f*; membrane filtration, 56, 60–64, 60*t*, 61*f*, 62–63*t*, 63*t*, 72–73, 73*f*; sand filtration, 56
- Ralstonia eutropha*, 256, 260, 263
- RDX (royal demolition explosive, or hexahydro-1,3,5-trinitro-1,3,5-triazine), 802
- reactive oxygen species (ROS), 346–47
- recreation and recreational/  
decorative water bodies; greywater use for, 16, 189; integrated water management and, 22; mining and pit lakes, 122–23; rainwater reuse for, 189; stormwater water quality guidelines, 10*t*; water budget analysis for district water cycle, 157*t*
- recycled water; advantages and benefits of use of, 19; characteristics and fit-for-purpose treatment and applications, 16–19; cross-connection risks when plumbing into buildings, 79, 81; demand management green technology opportunities for, 8*t*; district water cycle materials balance model, 155–56, 156*f*; expansion of use of, 4–5, 149, 187, 581, 749; green technologies to support use of, 4, 19–20; life cycle energy consumption and recycled water reuse, 19; materials balance analysis, 156, 156*f*, 159–160, 159*e*, 160*e*, 172–74, 172*e*, 172*f*, 173*e*, 174*t*, 179; materials flow management and, 29, 753; MBR effluent, quality and reliability of for discharge or reuse, 552–54, 874; rainwater/stormwater purposes, 25;

- renewability of water resources and, 755; source separation/partial stream separation, 29, 753, 755–56, 764, 765–770, 766*t*, 768*t*, 769*t*, 770*t*, 786; sustainable water management and use of, 2, 75, 537–38, 608–9, 608*f*, 867; treatment methods, 16; treatment of before use of, 4–5, 538, 749; TrOCs in, impacts of and concerns about, 533–34, 537–38; wastewater reuse and heterogeneous photocatalysis, 680; wastewater treatment stages for wastewater reuse, 161–64, 163*t*; water budget analysis for district water cycle, 156–59, 157*t*, 158*e*, 159*e*; water efficiency measures, 21*t*
- redox-mediators, 548–550, 549*t*
- reduction processes; heavy metals remediation, 615, 642; surfactants removal with, 642
- reed; biosorbent applications, 456, 464*t*, 465*t*, 466, 467, 469–470, 472*t*; biosorbent desorption and regeneration capacities, 501*t*, 502; modifications for better adsorption capacity and performance, 518*t*, 519*t*; phosphorous adsorption applications, 496, 497, 504, 505, 506, 507, 515; *Phragmites australis* (*Phragmites communis*), 202*t*, 345, 346, 347, 348, 348*t*, 359*t*, 360*f*; plant selection for CWs, 355, 356*t*
- refractory wastewater; biological characteristics, 654–55; biological treatment processes, 653–54; characteristics/properties of, 652–55, 653*t*; chemical characteristics, 654; energy production from, 792–93; environmental impacts of, 653, 653*t*; GAC–AFBR system for treatment of, 800; health hazards related to, 653, 653*t*; industrial wastewater properties, 246, 651, 652–55, 653*t*; physical characteristics, 654; sources of, 652, 653*t*
- reservoirs. *See* surface water/reservoirs
- resources; concentration of in wastewater and effective utilization or recycling of, 756; demand for and prices for raw materials, 754; dilution of and usability of, 756; economic value of wastewater-borne resources, 29, 753, 765, 770–72, 771*t*, 786; essential vs. non-essential, 754; importance and perceptible market price of, 754; integrated water management and, 22; mineral resource extraction and groundwater, 121–133, 135; organic compounds, calculation of resource potential of, 764; renewable vs. non-renewable, 754; resource economy and recovery/recycling from wastewater, 765, 786; sludge properties, 18, 28, 255–56, 706, 707*t*, 708, 729; sustainable water management and, 2, 3*f*; wastewater properties as resources, 753–765, 760*f*, 762*f*, 764*t*, 790, 818
- response surface methodology (RSM), 660, 661*f*, 849
- reverse micelles, 841
- reverse osmosis (RO); advances and innovations in process, 11; anionic pollutants removal with, 455; chromium removal with, 584; concepts and mechanisms, 600; cost of, 11; disinfection of feed water prior to, 13–14; fouling and scaling mechanisms and control measures, 14; green technological developments for, 13–14; heavy metals remediation, 600, 615, 642; lead removal with, 585; limitations of, 600; MBR–NF/RO treatment system, 559, 559*f*, 565; membrane improvement, 13–14; membrane

- types and molecular weight cut-off (MWCO), 540–43; nanocomposite membranes, 14; operating pressure and cross-flow velocity, 542–43; osmotic membrane bioreactor–RO system, 559–561; pH of feed solution, 542; point-of-use treatment using, 24; prevalence of use of, 11; salinity of feed solution, 542; surfactants removal with, 642; sustainable water management and use of, 75; temperature of feed solution, 542; TrOC removal with, 540–43, 541*f*, 565; wastewater treatment methods, 17, 162, 163*t*; water quality and, 5
- rhamnolipids, 605
- Rhodobacter* sp., 259; *R. sphaeroides*, 841
- Rhodopseudomonas palustris*, 257, 259
- Rhodospirillum* sp., 259
- rice bran, straw, and husks; biosorbent applications, 464*t*, 466, 472*t*, 474*t*, 475*t*, 476, 477, 479, 598*t*, 599*t*; *Bt* biopesticide production, 264; characteristics and properties of activated carbon from, 359*t*; composition and properties of, 462*t*; enzyme production, 283; PHA production, 258; rice grain-based spentwash, 260–61; vermicomposting biotechnology, 272
- rice mill waste and wastewater, 283, 808*t*, 811
- risk management; composting toilets and health risk assessment, 933–38, 935*f*, 936*f*, 937*t*, 938*f*, 939*f*; composting toilets and toxicity assessment, 938–941, 940*f*, 941*f*; concept and process of, 118; cross-connection risks between stormwater and sewage networks, 77; cross-connection risks when plumbing recycled water into buildings, 79, 81; groundwater-related risks, 25, 110, 118–19; palm oil mills and POME, 30, 963–65, 968; stormwater quality criteria for public health risk management, 10*t*, 81, 82*t*, 83*t*, 84*t*, 94–96
- risperidone, 556–57
- roads, pollutant concentration in stormwater runoff, 77, 78*t*
- rotating biological contactor (RBC), 205, 439
- rotating biological contractor (RBC), 441
- Roundtable of Sustainable Palm Oil (RSPO), 957, 968
- roxithromycin, 555*t*
- rubber wood, 474*t*, 480*t*
- runoff, global water cycle component, 107, 108*f*
- Saccharomyces*, 806
- Salmonella* ssp., 204, 377, 695*t*, 937, 939*f*
- salts/mineral salts and total dissolved salts (TDS); electrolyte concentration in wastewaters and MEUF, 637–38; first flush runoff, 50*t*, 51*t*, 52*t*, 53, 55*t*; neutral salts and desorption of phosphorous from AWBs, 502–3, 526; rainwater properties, 37–38, 39–40*t*, 43, 44–45*t*, 46, 55*t*; refractory wastewater properties, 654; SBAC activation with inorganic salts, 727; SBAC activation with inorganic salts, 725–26*t*; stormwater properties, 85*t*; wastewater treatment measures and removal of, 162
- samarium (Sm), 462, 463*f*
- sand filtration; lead removal with, 585; rainwater treatment methods, 56; recycled water treatment methods, 16; stormwater treatment methods, 12*t*, 86, 87*t*, 98–100, 99*f*



- Saudi Arabia, 116, 117*f*
- sawdust; bacterial tolerance of, 905–6, 914, 914*f*, 932; biosorbent applications, 456, 464*t*, 465*t*, 466, 468, 474*t*, 598*t*; biosorbent desorption and regeneration capacities, 479, 501*t*; biotoilet use of, 905–6, 906*f*; decomposition of, 914, 931–32; length of time for use in biotoilet, 915; modifications for better adsorption capacity and performance, 519*t*; moisture content of and the composting process, 921–24, 921*t*, 925, 926–933, 930*f*, 931*f*, 932*f*, 942–45, 944*f*; phosphorous adsorption applications, 497, 507; thermal activation of and phosphorous removal, 516, 519*t*; toxicity assessment, 938–941, 940*f*, 941*f*; types of sawdust used in composting toilets, 940; volume of sawdust matrix, estimation of, 948–950, 948*e*, 949*e*
- scallop shells, 505, 508
- scandium (Sc), 462, 463*f*
- Scenedesmus* sp., 812, 815, 817; *S. obliquus*, 812; *S. quadricauda*, 812
- Schizochytrium limacinum*, 812
- seawater; coagulation and filtration techniques for RO plants, 14; intrusion into coastal aquifers, 117, 118–19, 120–21, 376, 393; sustainable water management and use of seawater RO, 75
- SEAWAT model, 119
- sedimentation processes; chemically-assisted primary sedimentation, 18; sludge and biogas production, 18; stormwater treatment methods, 11, 12*t*, 86, 90, 94; wastewater treatment methods, 161
- Seidel, Käthe, 199, 352
- selenium (Se); biosorbents for removal of, 475*t*, 478–79; commercial adsorbents for removal of, 459*t*; environmental impacts of, 457, 458*t*, 471; first flush runoff, 50*t*, 51*t*, 52*t*, 53; health hazards related to, 457, 471, 478; hydrogen production and, 839; membrane filtration and removal of, 63; permissible limits for drinking water, 458*t*; properties, occurrences, and forms, 580*t*; rainwater properties, 37–38, 46, 68; SAT treatment and removal of, 217; selenate [Se(VI)], 457, 459*t*, 478–79; selenite [Se(IV)], 457, 459*t*, 478–79
- septic tanks and conventional treatment systems, 26, 318, 376, 377, 378, 381, 382, 393–97, 394*f*, 397*f*, 398*t*, 415
- sequencing batch reactor (SBR); advantages and benefits of, 439; anammox process in, 426, 435–36, 438–440, 443, 444*t*; CANON process in, 431–32; economic climate and use of, 337; effectiveness of treatment with, 337; greywater treatment methods, 16; nutrient removal with, 383; onsite wastewater treatment systems, 400, 415; PHA production using, 262; SHARON process in, 430; startup time needed for anammox process, 439–440
- settling tanks and basins, 11, 12*t*, 94
- sewage; contamination levels, 187; contamination of stormwater drainage system with, 77, 83; discharge of in surface waters in developing countries, 1
- sewage systems and treatment plants; alternatives to, 903; criticism of and drawbacks to for developing countries, 903; water use by, 903
- shale gas, coal-bed methane (CBM), and coal seam gas (CSG)

- production and groundwater resources, 25, 110, 121–22, 125–133, 126*f*, 127*f*, 128*f*, 129*f*, 135
- SHARON (Single reactor High activity Ammonia Removal Over Nitrite), 429–430, 429*f*, 430*e*, 431, 443, 444*t*
- shortages and scarcity of water; Australia, water shortages and restrictions in, 75; causes of, 1–2; climate change and, 740; Falkenmark Index for evaluation, 147–49, 148*t*; groundwater depletion and degradation challenges, 116–18; increase in, 1, 147, 187, 337, 790, 867; worldwide problem of, 147–150, 148*t*, 537–38, 609; worldwide renewable freshwater availability, 147–49, 148*t*
- silicon (Si), 357, 708
- silver (Ag); first flush runoff, 50*t*, 51*t*, 52*t*, 53; membrane filtration and removal of, 63; metal-impregnated/treated biosorbents, 472*t*; NF membranes for recovery of, 600; rainwater properties, 37–38, 46, 68
- simvastatin, 539
- Simultaneous partial Nitrification, Anammox and Denitrification (SNAD), 432–33, 433*f*, 443, 444*t*, 445
- simvastatin, 554, 556
- Singapore, 149
- Single reactor High activity Ammonia Removal Over Nitrite (SHARON), 429–430, 429*f*, 430*e*, 431, 443, 444*t*
- Single-stage Nitrogen removal using Anammox and Partial nitrification (SNAP), 430
- slaughterhouse wastewater, 211*t*, 214, 244, 246, 265, 275, 324, 791*t*, 798, 803, 805, 876*t*
- sludge; activated carbon production from, 28–29, 719–729, 721–22*t*, 724–26*t*; aerobic processes and production of, 236, 255; agricultural fields, disposal on, 271, 581, 705; amount generated, 255; anaerobic granular processes and production of, 236, 250; anaerobic processes and production of, 255; anammox process and production of, 423; AnMBR production of, 888, 892–93; *Bt* biopesticide production with, 264; carbon resource from for PHA production, 256; ceramic particle production from, 28–29, 708–19, 709*t*, 710*t*, 711*f*, 712*f*, 713*f*, 714*f*, 715*f*, 717*f*, 729; characteristics/properties of, 18, 705, 706–8, 707*t*, 708*t*; composition and properties of, 255–56, 266, 270–71; cost associated with treatment and disposal of, 255, 297; disposal of, 28, 235, 236, 250, 581, 705–6; electrical energy from with MFCs, 882; generation of by WWTPs, 255, 270; heavy metals properties of, 271, 579, 581, 581*f*; increase in production of, 705, 729; MBR system production of, 553; phosphate/phosphorous elimination, quantity of sludge from, 775, 775*e*; primary sludge, 705, 706, 707*t*; processing, treatment, and disposal of, 255, 270–71; production of and biogas production, 18; quantity of, concerns related to, 28; resources in and recycling of, 18, 28, 255–56, 706, 707*t*, 708, 729; secondary sludge, 705, 706, 707*t*; settleability and foam problems, 390; surplus sludge production, calculation of, 774, 774*e*; toxicity of, 706; treatment of before use on agricultural fields, 271; types of, 705; value-added products from, 26, 255–56, 285 (*see also specific*

- products*). *See also* activated sludge/activated sludge process
- sludge-based activated carbon (SBAC); applications for water treatment, 727–29; chemical activation for production of, 719–720, 723–27, 724–26*t*; granular SBAC, 728–29; physical activation for production of, 719, 720–23, 721–22*t*; powdered SBAC, 727–28; production of, 28–29, 719–727
- sludge-based ceramic particles (SBCP); applications of, 708–9, 729; biological aerated filter (BAF) applications, 710–17, 713*f*, 714*f*, 715*f*, 717*f*; characteristics of, 709–10, 709*t*, 710*t*, 711*f*, 712*f*, 729; construction materials application, 718–19; efficiency of filtering by, 710, 729; electrobath reactor application, 717–18; heavy metals properties of, 709–10, 710*t*; manufacturing process, 709; production of, 28–29, 708–9; safety of, 709–10, 710*t*; sludge–fly ash ceramic particles, 709–10, 709*t*, 710*t*, 712–16
- Small and Decentralized Wastewater Management Systems* (Crites and Tchobanoglous), 187–88
- Smart Approved WaterMark scheme, 20
- SNAD (Simultaneous partial Nitrification, Anammox and Denitrification), 432–33, 433*f*, 443, 444*t*, 445
- SNAP (Single-stage Nitrogen removal using Anammox and Partial nitrification), 430
- social concerns and issues; demand management and, 6, 7–8*t*; district water cycle management benefits, 178–79; green technologies and, 4; green technologies development and, 5–6, 5*f*; integrated water management and, 22; public opinion and acceptability of treated stormwater, 75; public opinion and acceptability of water management decisions, 24, 31; quantitative assessment of technical, economic, environmental, and social considerations, 24; sustainable development and management and, 965; sustainable water management and, 2, 3, 3*f*, 4; water-related policies and issues, complexity and interconnectedness of, 20, 22; white biotechnology, attitudes toward competition for land and water resources, 22. *See also* health and human health risks
- sodium; first flush runoff, 50*t*, 51*t*, 52*t*, 55*t*; hydrogen production and, 839; rainwater properties, 37–38, 39*t*, 43, 44*t*, 46, 55*t*; stormwater properties, 85*t*; wastewater properties, 16
- sodium dodecyl benzene sulphonate (SDBS), 628, 635–36
- sodium dodecyl sulphate (SDS), 643; feed concentration and CP, 623, 629–630; heavy metals removal and MEUF process, 597; membrane type and CMC, 639–640; pH and MEUF, 630–31; recovery of, 597, 599; reduction in use of and reduction in CMC, 635–38; surfactant to metal molar ratio and surfactant concentration, 627–630, 636; temperature and CMC, 634
- sodium hydroxide (NaOH); chemical activation of SBAC, 723, 724*t*; desorption of phosphorous from AWBs, 500–501*t*, 502–3, 521, 522; hydroxide precipitation, 592–93, 593*f*; regeneration of biosorbents, 479–482, 480–81*t*
- soil; anaerobic granular sludge biosolid use as soil conditioners,

- 231–32; climate change and soil productivity, 740; heavy metals contamination of, 588–89; lead, permissible limits for agricultural soil, 584; oil palm plantations soil characteristics, 30, 955, 961; phosphorous-bearing AWBs use as soil conditioners, 503; soil/aquifer/riverbank (SAT) geo-purification systems, 190–91*t*, 215–220, 216*f*, 218*f*, 219*t*
- solar energy, 14
- solar light, 682–83
- solids retention time/sludge retention time (SRT); anaerobic attached growth processes, 320, 322; anaerobic contact process, 307; anaerobic digestion process, 878–79; anaerobic digestion processes, 204, 211*t*, 242, 303, 304; anaerobic suspended growth processes, 305–7; AnMBR process, 802, 804, 868, 878–79, 882, 888, 892–93; continuous stirred tank reactor, 869; MBR system, 553, 554*f*, 557; North Cary Water Reclamation Facility use of, 412, 414*t*
- solid waste. *See* landfills and solid waste
- sorbic acid, 269–270
- South America; freshwater resources in, 148*t*; Guaraní Aquifer System, 112–13, 114; shale gas resources in, 129*f*
- South Asia, irrigation with groundwater in, 114
- soybean-processing wastewater; hybrid AnMBR system for treatment of, 876*t*; hydrogen production with, 837*t*, 838
- soybeans; hulls, anionic pollutants removal with, 456; hulls, biosorbent applications for, 462*t*, 467, 475*t*, 478; hulls, modifications for better adsorption capacity, 518*t*; milk residue, selection of for AWBs, 524; productivity yield of, 956; soya/soy flour and *Bt* production, 264, 265, 268, 270
- Spain; mercury contamination in, 585; TrOCs in surface waters in, 535–36*t*
- spas and pools, 20, 157*t*
- Sphaerotilus natans*, 257*t*
- Spirulina*, 812
- sponge, 14
- staged multi-phase anaerobic (SMPA) reactor system, 249
- Staphylococcus xylosus*, 604*t*
- starch and starchy wastewater; *Bt* biopesticide production with, 264, 265–66, 270; electrical energy from with MFCs, 882; PHA production with, 258, 261; wheat starch wastewater, 870*t*, 876*t*
- steel slags, 598*t*, 599*t*
- steroid hormones, 533, 534, 537*t*, 543, 545, 549*t*
- storage, storage systems, and storage capacity; aquifer storage of desalinated water, 14; gardens on urban storage rooftops, 20; green technologies development objectives, 20; water balance analysis and, 6; water quality during storage, 164–66, 166*f*
- stormwater; bacteriological properties of, 25, 85*t*, 101; best management practices for, 192*t*; biological properties of, 25, 85*t*; catchment area properties and quality of, 77, 78*t*; chemical properties of, 25, 77, 79, 83, 85*t*; concept and definition of, 76–77; demand management green technology opportunities for, 8*t*; disinfection treatments, 11, 81, 82*t*, 83*t*, 90; expansion of use of, 4–5; harvesting of as alternative water supply, 25, 75–76; heavy metals in, 10*t*, 25, 77, 79, 85*t*, 101;

- management of all water systems as a whole, 2; non-potable reuse of, 77, 79–81, 80*t*, 82*t*; organic materials in, 25, 101; physical properties of, 25, 77, 85*t*, 101; pollutants in, 76–77, 78*t*, 85*t*; potable reuse of, 81, 83–86, 85*t*, 94; quality/ characteristics and fit-for-purpose treatment and applications, 6, 9–11, 10*t*, 12*t*, 25, 76–81, 78*t*, 80*t*, 81, 82*t*, 83*t*, 94–96; quality criteria for public health risk management, 10*t*, 81, 82*t*, 83*t*, 84*t*, 94–96; regulations and management practices, 9; reuse purposes for, 25; sewage contamination in stormwater drainage system, 77, 83; sustainable water management and use of, 2; treatment of before reuse of, 4–5, 75–76, 77, 79, 84, 86–101. *See also* rainwater
- stormwater harvesting; advantages and benefits of, 75–76, 91, 101; Blackmans Swamp Creek stormwater harvesting project case study, 76, 83, 94; disinfection treatments, 81, 82*t*, 83*t*; energy consumption savings per unit of water supplied, 76; Greenway Park stormwater harvesting scheme case study, 76, 81, 82*t*, 83*t*, 90, 93–94, 93*f*; non-potable reuse of stormwater, 77, 79–81, 80*t*, 82*t*, 94–96; pollutants in stormwater, 76–77, 78*t*, 85*t*; potable reuse of stormwater, 81, 83–86, 85*t*, 94; programs for, 75–76; public opinion and acceptability of treated stormwater, 75; quality criteria and fit-for-purpose treatment and applications, 25, 77, 79–81, 80*t*, 81, 82*t*, 83*t*, 94–96; treatment of before reuse of, 75–76, 77, 79, 84, 86–101; Turramurra stormwater harvesting scheme case study, 76, 79, 80*t*, 81, 83, 84*t*, 85*t*, 88, 89*t*, 90, 91–93, 92*f*; UV light disinfection of stormwater, 81, 82*t*, 83*t*, 90, 91, 93, 93*f*; volume of stormwater runoff, 75
- stormwater treatment technologies and systems; biofilters, 11, 12*t*, 86, 87*t*, 88–90, 89*t*, 91, 95, 101; constructed wetlands (CWs), 12*t*, 86, 87*t*, 88–90, 91, 95, 101; conventional treatment systems, 86–96, 87*t*, 89*t*, 92*f*, 93*f*, 101; deep bed filters, 96–97, 99*t*; fibre filters, 96, 99*t*, 100*f*; filtration, 11, 12*t*; GAC biofilters, 96, 97, 98–100, 99*f*, 99*t*, 101; grass/vegetated swales, 12*t*, 86, 87*t*, 90; gross pollutant traps (GPTs), 86, 87*t*, 90, 93, 93*f*, 94; high-rate treatment technologies, 96–101, 98*f*, 99*f*, 99*t*, 100*f*; life cycle cost analysis, 90–91; membrane filtration, 11, 96, 97–98, 98*f*, 99*t*; operation and maintenance of, 90–91, 95; performance of, 100–101, 100*f*; sand filtration, 12*t*, 86, 87*t*, 98–100, 99*f*; sedimentation processes, 11, 12*t*, 86, 90, 94; selection of appropriate system, 101; settling tanks and basins, 11, 12*t*, 94; treatment train configuration, 86
- Stover-Kincannon model (original and modified), 328–29, 328–29*e*, 329*f*
- Streptococcus* sp., 831, 886*t*
- Streptomyces rimousus*, 604*t*
- stygo fauna, 116
- submerged anaerobic membrane bioreactors (SAnMBRs), 872, 873*f*
- submerged membrane photocatalytic reactor (SMPR), 697
- substoichiometric titanium dioxide membrane, 656–57, 658*f*, 670
- substrate; anaerobic conversion of to hydrogen, 830–33, 831*e*, 832*e*, 833*f*;

- anaerobic granule development and substrate conversion rate, 234; anaerobic migrating blanket reactor, 319; biomass and substrate rate of change in UASB reactor, 330–32, 330–32e, 331f, 332e, 332f; C/N ratio and degradation of, 211t; COD concentration and energy production, 792; constructed wetlands, 339, 340f, 342–44, 343f; diffusion of, avoidance of, 237; enzyme production, 278–285; feedstocks and types of digesters, 209, 212t, 244; hydrogen production, kinetics of production, 844–48, 845–48e; hydrogen production, types for, 833–38, 836–37t; mixing and anaerobic process, 211t; Monod kinetic model analysis, 330–32, 330–32e, 331f, 916; nammox process, 425–27; nutrient requirements for anaerobic and aerobic processes, 329; PHA production, 256, 257t, 258–263; removal rate model analysis, 328–330, 328–330e, 329f, 330f; solids retention time and, 304; substrate concentration and hydrogen production, 845–48, 845–48e, 855, 856t; vermicomposting biotechnology, 272–73, 273t, 274, 275, 277
- subsurface wastewater infiltration system (leach field), 381–82, 394f, 395–96
- sugar beet pulp, 456, 464t, 466–67
- sugarcane bagasse and pith, 456, 462t, 464t, 465t, 466–68, 501t, 504, 506, 507, 515, 517t, 518t, 521–22, 524, 598t, 599t
- sugars; amount generated per ton of COP, 955, 963; anaerobic digestion and, 298–300, 298f, 299f; anaerobic pond for POME treatment, greenhouse gas emissions from, 964, 969; anaerobic treatment and methane capture/biogas production, 968–970, 969f, 970f, 972–73; anaerobic wastewater treatment, 963–64, 964f; biological treatments with land application, 963; biological treatments without land application, 963–64, 964f; bioplastics from, 257t; *Bt* biopesticide production with, 264; characteristics and properties of, 955, 962–63; EFB/POME co-composting at plantations, 961, 962f, 963f, 971, 971f, 972–73, 972f; electricity generation from, 968–970, 969f, 970f, 972–73; energy crops and hydrogen production, 834–35; environmental impact of and risks from, 30, 955, 963–65, 968; greenhouse gas emission reduction initiatives, 968; groundwater quality in areas with and without application of, 965, 966t; hydrogen production with, 833, 836t, 837t; land application in oil palm plantations, 963, 964–65, 965f, 966t; PHA production with, 258, 261, 262; production of, 955, 957–58, 961–62; sources of, 962; sustainable management of, 955–56, 965, 968–973, 969f, 970f, 971f, 972f; utilization of, 955, 963; zero-waste concept and sustainable management, 30, 970–73, 971t, 972t
- sulfamethoxazole, 535t, 538, 540, 542, 543–44, 547t, 555t, 558
- sulfate/sulphate; anaerobic digestion processes and, 304; anaerobic granular sludge treatment, 246; first flush runoff, 50t, 51t, 52t, 55t; hazards related to, 653t; moisture content, composting process, and concentrations of, 930, 931f, 932; rainwater properties, 37–38, 40t,

- 43, 45*t*, 46, 55*t*; refractory wastewater properties, 654; stormwater properties, 85*t*
- sulfide/sulphide; anaerobic digestion processes and, 304; anaerobic processes and, 303; hazards related to, 653*t*; refractory wastewater properties, 653, 653*t*, 654, 655; sulfide precipitation, 592, 593–94, 594*f*
- sulfonic acid groups and ion exchange process, 595, 595*e*
- sulfur bacteria, 933
- sulfuric/sulphuric acid; chemical activation of biomasses, 463, 465*t*; pH control with, 265–66; phosphorous mining applications, 756; SBAC activation, 723, 724*t*, 726*t*
- sulfur/sulphur; algae cultivation and removal of, 812; anaerobic processes and, 303; corrosive properties, costs related to, 765; nanomaterials for removal of, 981; vermicomposting biotechnology studies using sulfur residues, 274; wastewater properties as resources, 754, 764–65
- sunflower stalks, 456
- surface water/reservoirs; demand management green technology opportunities for, 7*t*; environmental water bodies/landscaping lakes, natural purification, and water quality, 166–68, 167*f*, 170, 171*t*, 172, 172*f*, 174–78, 175*f*, 176*f*; global water cycle component, 108*f*; green, blue, renewable, and non-local water for irrigation, 116, 117*f*; green-blue analysis of water availability, 110; interconnected surface water and groundwater systems, 108*f*, 110, 119–121, 119*f*; limitations on amounts available, 4–5, 537; natural bodies of water for removal of pollution, 167; Pourbaix (Eh-pH) diagrams of heavy metals, 586–88, 587*f*; reduction in water losses, 22–23; sewage discharge into in developing countries, 1; storage of reclaimed water and water quality, 164–66, 166*f*; sustainable diversion limits (SDLs), 134–35; sustainable water management and health of, 2; wastewater contaminants and environmental risks, 377, 378, 379*t*
- surfactant-based separation techniques, 28, 622, 644. *See also* micellar enhanced ultrafiltration (MEUF)
- surfactants; adsorption process for treatment of surfactant-rich effluent from MEUF, 616, 642–43, 644; anionic surfactants, 616, 619; biosurfactants, 605; cationic surfactants, 616, 619; classification of, 619; co-existence of anions and efficiency of MEUF, 641; co-existence of pollution and metal cations and efficiency of MEUF, 640; concept and definition of, 605, 616, 619; costs associated with, 597, 641; critical micelle concentration (CMC), 616, 617–18, 619–620, 620*f*, 622, 627–630, 633–35, 641; critical micelle concentration (CMC), reduction of, 635–38; foaming in aerobic processes compared anaerobic granular sludge processes, 238–39; hazards related to, 653*t*; heavy metals remediation, 605; hydrogen production with reverse micelles, 841, 842; kraft point, 634; membrane type and CMC, 639–640; MEUF limitations, strategies for overcoming, 641–42; MEUF process and pH, 630–31; MEUF

- role of, 616, 617–19, 617*f*, 644;  
 nonionic surfactant, 619; recovery  
 of and MEUF process, 597, 599,  
 641–42; reduction in use of and  
 reduction in CMC, 635–38;  
 refractory wastewater properties,  
 653, 653*t*, 655; removal of,  
 processes for, 642–43, 644;  
 selection of for MEUF, 597, 617–19;  
 sludge properties, 705; stormwater  
 properties, 77; surfactant to metal  
 molar ratio (S/M), 627–630;  
 surfactant to metal molar ratio and  
 surfactant concentration, 627–28,  
 636. *See also* cetylpyridinium  
 chloride (CPC); sodium dodecyl  
 sulphate (SDS)
- suspended solids and total suspended  
 solids (TSS); AnMBR for removal  
 of, 879–880; CWs and removal of,  
 339–340, 341, 342, 344; first flush  
 runoff, 48, 49*f*, 55*t*; GAC  
 adsorption filtration and removal  
 of, 58, 59*t*; gravity-fed GAC and  
 membrane filters system and  
 removal of, 72; membrane filtration  
 and removal of, 62*t*, 63, 64–65;  
 natural wastewater treatment and  
 disposal technologies, 193*t*, 197;  
 North Cary Water Reclamation  
 Facility biological nutrient removal  
 technology case study, 411, 411*t*;  
 North Cary Water Reclamation  
 Facility use of, 413*t*; rainwater  
 properties and quality criteria, 9, 9*t*,  
 10*t*, 38, 39*t*, 44*t*, 46, 55*t*; reclaimed  
 water quality criteria, 173*f*;  
 refractory wastewater properties,  
 654; SAT treatment and removal of,  
 217; stormwater properties and  
 quality criteria, 9, 77, 78*t*, 79, 80*t*,  
 85*t*, 101; stormwater treatment  
 measures and removal of, 86, 87*t*,  
 88, 89*t*, 99*t*; wastewater properties,  
 17, 389; wastewater treatment  
 measures and removal of, 161, 162,  
 163*t*; wetlands systems and removal  
 of, 203
- sustainability/sustainable  
 development and management;  
 concept and definition of, 965, 975;  
 economic growth and, 829, 965;  
 environmental responsibility and,  
 965, 968; nanomaterials and a  
 sustainable society, 975–76, 988
- sustainable water management;  
 advantages and benefits of, 3–4, 31;  
 allocation decisions and, 4;  
 assessment tools and models as  
 basis for decisions about, 24;  
 concepts and need analysis of, 2–4;  
 factors affecting development and  
 their interdependencies, 2, 3*f*; focus  
 of strategies for, xiii, 4; green  
 technologies and, 4, 608–9, 608*f*;  
 heavy metals bioremediation and,  
 582; importance of, 231; objectives  
 of, 20, 22; public opinion and  
 acceptability of decisions about, 24,  
 31
- Sweden; Wassa process solid waste  
 anaerobic digestion treatment, 214;  
 water quality guidelines, 11
- swimming pools and spas, 20, 157*t*
- swine waste and wastewater; algae  
 cultivation in for wastewater  
 treatment and biofuel production,  
 814*t*, 815; ammonia emissions and  
 public health and environmental  
 regulations, 197; anaerobic digester  
 effluent from, anammox treatment  
 of, 433, 444*t*; anaerobic digester  
 effluent from, properties of, 428*t*,  
 432; anammox bacteria, 421;  
 anammox process for treatment of,  
 444*t*; ASBR for treatment of, 796;  
 characteristics/properties of, 428*t*,  
 432, 437, 438; CWs for treatment  
 of, 341; energy production potential  
 of, 791*t*; feedstocks and types of



- digesters, 212*t*; hybrid AnMBR system for treatment of, 876*t*; PHA production with, 258, 259–260; SNAD process treatment of, 433, 444*t*; UASB treatment of, 244
- Switzerland, Kompogas process solid waste anaerobic digestion treatment, 215
- syringaldehyde (SA), 548–550, 549*t*
- Tahiti, Valorga process solid waste anaerobic digestion treatment in, 215
- Taiwan; anammox granules from landfill leachate WWTP in, 424–25, 424*f*; nitrogen discharge limits in, 420; SNAD process use in, 433
- tea leaves waste and fungus, 456, 464*t*, 466, 474*t*, 476, 477, 478
- technical aspects and issues; green technologies and, 4; green technologies development and, 5–6, 5*f*; quantitative assessment of technical, economic, environmental, and social considerations, 24; sustainable water management and, 4
- temperature; agriculture impacts from increases in, 740–41; anaerobic digestion processes and, 209, 210*t*, 250, 301, 302, 867; anammox process and, 425–26, 427–28, 427*e*; AnMBR process, 867, 871, 880, 883, 888–890; AWBs adsorption capacities and, 505, 509–11*t*; biogas production and, 888–890; biological nutrient removal and, 386, 387–88; climate change and increase in global mean temperatures, 737, 739*f*, 740–41; composting process and, 906, 909, 920, 925–26, 927*f*, 928*f*, 942–45, 944*f*; CW plant selection and seasonal temperature variations, 354, 356*t*; CWs performance and winter temperatures, 341, 342–43, 355, 356*t*; ECMR and, 660, 661*f*; greenhouse gases emissions and, 738–39, 739*f*; heterogeneous photocatalysis and, 28, 687; hydrogen production and, 841, 842, 855, 856*t*; lagoon system performance and winter temperatures, 196; MBR and, 554*f*, 558; MEUF process and, 633–35; NF feed solution, 542; photocatalytic treatment processes and, 28; RO feed solution, 542; storage of reclaimed water and water quality, 164–65; thermal activation of AWBs and phosphorous removal, 516, 519*t*; thermo-chemical technology, 520–21, 520*f*
- tetracycline/tetracycline hydrochloride/oxytetracycline, 437, 438
- textile industries; AFBR for treatment of wastewater from, 801; AFBR treatment of wastewater from, 799; anaerobic treatment of wastewaters from, 249, 326; AnMBR for treatment of wastewater from, 883–84; chromium use by, 590; dyeing wastewater, ECMR treatment of, 670–72, 671*t*, 672*f*; dyes, enzymatic membrane reactor for removal of, 562–63, 564*t*; dyes, SAnMBR for removal of, 883–84; dyes, SBAC water treatment for removal of, 727–28; FB-SBBR for treatment of wastewater from, 796; GAC–AFBR system for treatment of wastewater from, 800–801; oily wastewater properties, 663*t*; phenolic wastewater properties, 668; treated wastewater used for, 162; UASB treatment of wastewater from, 798; wastewater characteristics/properties, 17, 282, 652, 653*t*, 883–84

- Thailand, 200
- thermal vapor compression (TVC), 13
- thermophilic conditions and organisms; anaerobic digestion process, 210*t*, 302; anaerobic granular sludge treatment, 241, 246, 246–47, 250; AnMBR process, 867, 871, 880, 883, 888–890; biogas production and, 888–890; Dranco process, 214–15, 214*f*; hydrogen production and, 841; Kompogas process, 215; temperature, composting process, and, 925–26, 942, 943; Wassa process, 214
- Thiobacillus ferrooxidans*, 604*t*
- thorium (Th), 604*t*
- tin (Sn), 462
- titanium (Ti); metal-impregnated chelate resins, 462; substoichiometric titanium dioxide membrane, 656–57, 658*f*, 670; titanium/doron-doped diamond electrocatalytic membrane, 655–56, 657*f*
- titanium dioxide (TiO<sub>2</sub>); heterogeneous photocatalysis operational parameters, 683–87, 685–86*e*, 685*f*; heterogeneous photocatalysis use of, 680–82, 681*e*, 681*f*, 690–98, 691–92*t*, 695*t*; photocatalyst composition and characteristics, 684, 685*f*; pH values for ECMR, 659–660, 659–660*e*; properties of, 655; titanium dioxide/carbon electrocatalytic membrane, 655, 656*f*, 664–67, 665*t*, 666*t*, 668–670, 671, 671*f*
- TNT (trinitrotoluene), 802
- toilet paper, 905, 945
- toilets; discharge volume and pollutant loads from, 903–4, 904*t*; dual flush, 20; non-water carriage toilets, 903–4, 905. *See also* composting toilets/biotoilets
- toilets, water for and from; anaerobic baffle technology use for water from, 319; chromium in water from, 583–84; greywater for flushing, 16, 189; rainwater reuse for, 189; stormwater reuse for flushing, 77, 79, 81, 82*t*, 94; stormwater water quality guidelines, 10*t*; water budget analysis for district water cycle, 157*t*, 158; water efficiency measures, 23
- tonalide, 535*t*, 543, 555*t*
- total solids (TS); biodegradability of feces and, 907, 912–15, 913*f*; feces characteristics, 907, 907*t*; mass unit characteristics of feces, 909–12, 910*e*, 911*e*, 912*f*; moisture content, composting process, and, 929–932, 931*f*; pollutant loads from household appliances, 903–5, 904*t*
- toulene, 698*t*
- toxicity; anaerobic treatment processes and resistance to, 26; composting toilets and toxicity assessment, 938–941, 940*f*, 941*f*; TrOC toxicity effects, 27, 533–34
- trace organic contaminants (TrOCs); activated carbon adsorption and removal of, 27, 538–540; AnMBR for removal of, 879–880; classes of, 533; environmental impacts of, 533, 534, 537*t*, 538; enzymatic degradation of, 544–551, 546–47*t*, 549*t*, 565; health hazards related to, 533, 534, 537*t*, 538; integrated membrane processes for removal of, 558–564, 564*t*, 565; membrane bioreactor treatment and removal of, 27, 539, 551–58, 554*f*, 555–56*t*, 565; membrane filtration and removal of, 27, 540–43, 541*f*, 565; mixtures of, toxicity of, 534; oxidation processes and removal of, 27, 543–44; prevalence of water

- contamination with, 533, 534, 535–36*t*; sources of, 533; toxic effects of, 27, 533–34; treated wastewater as pathway to aquatic environment, 534; treatment processes and systems for removal of, 27, 538–558; water reuse and concerns about, 533–34, 537–38
- Trapa natans* husk and Fe-modified husk-based activated carbon, 359*t*, 360*f*, 366–67, 366*t*, 367*t*
- tree bark, bark fiber, and stems; energy crops and hydrogen production, 834–35; heavy metals adsorption applications, 595; modifications for better adsorption capacity and performance, 518*t*; phosphorous adsorption applications, 498, 507. *See also* pine wood, bark, and sawdust
- trichloroacetic acid, 541
- trickling filters, 190*t*, 242, 799
- triclosan, 535*t*, 537*t*, 550, 551, 555*t*, 561
- trihalomethane, 538–39, 544, 556*t*, 697, 698*t*
- turbidity; first flush runoff, 48, 49*f*, 54, 55*t*; GAC adsorption filtration and removal of, 58, 59*t*; gravity-fed GAC and membrane filters system and removal of, 67, 68*f*, 69*t*, 72; membrane filtration and removal of, 62*t*, 63, 64–65; rainwater properties, 9*t*, 38, 39*t*, 44*t*, 46, 55*t*, 64; rainwater properties and quality criteria, 9, 10*t*; refractory wastewater properties, 654; stormwater properties and quality criteria, 9, 83, 83*t*, 85*t*, 101; stormwater treatment measures and reduction in, 86, 87*t*, 89*t*, 99*t*
- turbines, 18
- Turramurra stormwater harvesting scheme case study, 76, 79, 80*t*, 81, 83, 84*t*, 85*t*, 88, 89*t*, 90, 91–93, 92*f*
- Typha* spp.; *T. latifolia*, 200, 202*t*, 348*t*; *T. orientalis*, 359*t*, 360*f*
- ucides shells, 474*t*, 475*t*
- ultrafiltration (UF); concepts and mechanisms, 597, 615–16; costs associated with, 616; environmental impact of conventional activated sludge system-ultrafiltration (CAS-UF), 18–19; greywater treatment methods, 16; heavy metals remediation, 597, 599, 615–16; membranes for AnMBRs, 872; operating pressure, 625; stormwater treatment methods, 97; surfactant recovery, 641–42; wastewater treatment methods, 17, 162, 163*t*, 164; water quality and, 5. *See also* micellar enhanced ultrafiltration (MEUF)
- Ultra Flo hollow fibre microfiltration membrane, 60–64, 60*t*, 61*f*, 62–63*t*, 64–72, 65*f*, 66*t*, 67*f*, 68*f*, 69*t*, 70*t*, 71*f*
- ultra-lightweight ceramic (ULWC), 718–19
- Umatilla County Critical Groundwater Taskforce (UCGT), 113
- Umatilla County Planning Commission, 113
- Umatilla River Basin, Oregon, 113–14
- United Kingdom (UK); anaerobic treatment plants in, 297; coal mining and groundwater resources in, 124; ecosystem services study in, 115–16; mercury contamination in, 585; TrOCs in surface waters in, 535–36*t*
- United Nations Development Programme (UNDP); anaerobic digestion facilities as energy supply source, 212; Global Environment Facility (GEF) of, 112–13
- United Nations Food and Agriculture Organization, 583

- United Nations Framework Convention on Climate Change, 748
- United States (US); anaerobic treatment plants in, 297; arsenic in water in, 477, 589; coal-bed methane (CBM), coal seam gas (CSG), and shale gas production and groundwater resources, 126; coal mining and groundwater resources in, 124; constructed wetlands use in, 340, 341–42; green, blue, renewable, and non-local water for irrigation in, 117f; mercury waste and contamination in, 591; mineral resource extraction and groundwater management policies and legislation in, 135; municipal solid waste anaerobic digestion treatment studies, 213–14; shale gas production in, 128–130, 128f, 129f; TrOCs in surface waters in, 535–36t; water tables data in, 116
- U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry, 589
- U.S. Environmental Protection Agency (US EPA); anionic pollutants, permissible limits for drinking water, 457, 458t; arsenic, regulation of and permissible limits for drinking water, 458t, 583; chromium, permissible limits for drinking water, 458t, 583; lead, permissible limits for drinking water, 584; nitrate limits in drinking water, 457, 458t; phosphorous discharge levels, 492; time-temperature requirements for composting process, 933
- University of Cape Town, South Africa (UCT) process, 403, 403f, 404, 407t, 415
- up-flow anaerobic fluidized bed reactor. *See* anaerobic fluidized bed reactor (AFBR)/fluidized bed reactor (FBR)
- upflow anaerobic sludge blanket/bed (UASB) reactor; acceptability and prevalence of use of, 207, 234–35, 249; advantages and benefits of, 441–42, 843–44; anaerobic hybrid reactor compared to, 326; anammox process in, 427, 439, 441–42, 443, 444t; ASBR compared to, 248; biogas production with, 315–16, 316f, 798; biomass and substrate rate of change, 330–32, 330–32e, 331f, 332e, 332f; biomass retention with, 793, 872; biomass washout problems with, 248; characteristics, process function, and applications, 190t, 206–8, 206t, 207f, 243–45, 315–17, 316f, 441–42, 795f, 797–99; costs associated with, 207; efficiency and performance of, 209, 234–35, 797, 799; EGSB efficiency compared to, 246, 318; energy consumption, COD concentrations, and energy self-sufficiency, 242; feedstocks, 212t, 244; granule formation, 244–45, 316, 797–98; hybrid reactor compared, 326f; hybrid systems/combined processes, 799; hybrid UASB-filter reactor, 207–8, 246–47, 799, 844; hydraulic design of, 317, 317e; hydrodynamics in, 247; hydrogen production with, 843–44; industrial wastewater treatment with, 885; limitations of, 244, 326, 844; organic loading rate, 244–45, 248, 315, 317e; polymer-assisted granulation process, 245, 797–98; recycling needs, lack of, 242; startup time needed for, 207, 244–45; stressed loading conditions and startup time, 244–45

- up-flow biofilter/up-flow biofilm reactor (fixed-bed biofilm reactor), 436, 442, 444*t*
- uranium (U), 604*t*
- urban water districts, 149. *See also* district water cycle management
- urine/yellow water; anaerobic pretreatment of, 764; composting toilets and decomposition of, 30; resource potential and treatment costs of partial streams, 782–84, 783*t*, 784*t*; sources of, 768; wastewater partial stream separation and recovery/recycling resources, 767–68, 768*t*, 770*t*, 786
- Uruguay, Guaraní Aquifer System, 112–13, 114
- UV (ultraviolet) light; *Bt* biopesticide sensitivity to, 264, 270; disinfection of stormwater with, 11, 81, 82*t*, 83*t*, 90, 91, 93, 93*f*; disinfection performance and *E. coli* testing, 91; industrial wastewater treatment with, 671; photocatalytic reactors, 682–83, 682*f*; point-of-use treatment using, 24; TrOC removal, 543–44
- valeric acid; anaerobic digestion and hydrogen production, 831–32; PHA production, 261
- Vallisneria spiralis*, 356*t*
- Valorga process, 215, 215*f*
- vapor compression, 11, 13
- verapamil, 556–57
- vermicomposting biotechnology; applications of, 277–78; concepts and principles of, 271–72, 606; earthworm *Eudrilus eugeniae*, 271–72, 273*t*, 274; earthworm species for, 272–73, 273*t*; ecologically and economically sustainable technology, 271, 277–78; heavy metals remediation, 28, 271, 272, 276–77, 606; micro- and macro-nutrients and microbial population in vermicasts, 275–76; moisture and, 274–75; pH and, 272, 274; sludge use for, 26, 256, 270–78; studies on, 273–74; temperature and, 275; tiger worms *Eisenia fetida*, 272, 273, 273*t*, 274; waste types for, 272–73, 273*t*, 274, 275. *See also* earthworms
- veterinary medicine, emerging contaminants from, concern about, 117–18
- Virginia Initiative Plant (VIP) process, 404–5, 404*f*, 406, 408*f*, 415
- viruses; compost removal and infection risk, 937–38, 939*f*; disinfection treatments, 16, 64, 83*t*; onsite wastewater treatment systems and removal of, 377, 378; stormwater reuse guidelines, 82*t*, 83*t*; wastewater properties, 16, 379*t*; wastewater treatment measures and removal of, 163*t*, 980
- volatile fatty acids (VFA); acidogenesis process, 210*t*, 211*t*, 299–300, 299*f*, 304, 840; anaerobic digestion and hydrogen production, 831–32; anaerobic digestion processes and, 209, 210*t*, 298–300, 298*f*, 299*f*, 874; biological nutrient removal and BOD:P ratio, 392; biological phosphorus removal process, 385–87, 385*f*, 387*f*, 391, 401, 405–6; hybrid UASB reactor treatment and removal of, 247; hydrogen production and, 831–32, 840–41; methanogens sensitivity to, 874, 883–84, 885, 891; PHA production, 261; pH value, impact on, 891
- volatile organic compounds (VOCs); emissions of during aerobic processes compared anaerobic granular sludge processes, 238; nanomaterials and

- nanotechnologies for removal and remediation, 981–83; restrictions on emissions, 238
- volatile solids (VS); biodegradability of feces and, 907, 912–15, 913f; feces characteristics, 907, 907t; mass unit characteristics of feces, 909–12, 910e, 911e, 912f; moisture content, composting process, and, 929–932, 931f; sludge properties, 707t
- Volta, Alessandro, 297
- walnut shells, 456, 477
- Wassa process, 214
- wastewater/municipal wastewater; AnMBR for treatment of municipal wastewater, 878–880; characteristics and fit-for-purpose treatment and applications, 16–19; characteristics/properties of, 16–17, 271, 379t, 389, 389–390, 428–29, 428t; closed-loop urban management system for, 187; community point-source wastewater discharges, 187; costs associated with wastewater-borne resources, 765; economic value of wastewater-borne resources, 29, 753, 765, 770–72, 771t, 786; effluent quality after wastewater treatment, regulation of, 622; energy density of, 792; energy production potential of, 790–93, 791t; heavy metals properties of, 16, 17, 271, 579, 581, 581f, 615, 622; hybrid AnMBR system for treatment of municipal sewage, 876t; hydrogen production with, 835–38, 836–37t; low-impact development and management of, 188; management of all water systems as a whole, 2; materials flow analysis, 765–770, 766t, 768t, 769t, 770t; non-potable uses for treated wastewater, 149, 157t; planning and design of water and wastewater systems, 149–156, 153f, 154f, 155f, 156f; primary treatment before AnMBR treatment, 878–880; public opinion and acceptability of treated wastewater, 75; resource potential and treatment costs of partial streams, 782–84, 783t, 784t; resources in and recycling of, 753–765, 760f, 762f, 764t, 790, 818; source separation/partial stream separation, 29, 753, 755–56, 764, 765–770, 766t, 768t, 769t, 770t, 786; water as resource from, 755–56
- wastewater treatment; balance sheet classification and distribution of cost centers, 784–85, 785t; budget and allocation of costs, 775–781, 776f, 778t, 779t, 780t, 781t; centralized treatment systems, 20, 149–150, 152–53, 189, 375, 377–78, 380, 415; costs of, 193t, 772–784, 774e, 775e, 776f, 778t, 779t, 780t, 781–82e, 781t, 782t, 783t, 784t; criteria for sustainable technology, 188–89; decentralized wastewater management, 19, 24, 150, 152–53, 187–88, 189, 190–92t, 193t, 220–23; energy recovery mechanisms, 29, 790; goals of, 188–89, 193t; natural treatment systems, 25–26, 187–222; pollution prevention and, 753–54; public awareness of environmental issues and calls for treatment standards, 337; reuse of after, 5; selection of appropriate system, 188; stages of for wastewater reuse, 161–64, 163t; sustainable energy management systems for, 793–815; sustainable water management and, 3, 608–9, 608f; technologies and systems for water reuse, 16–17
- wastewater treatment plants (WWTPs); bioenergy recovery

- plants/biorefineries role of, 818; co-location of desalination facilities near, 14; energy use and production and optimization of processes, 18–19; environmental impact and optimization of processes, 18–19; groundwater recharge losses with, 376; life cycle energy consumption and recycled water reuse, 19; localized and networked treatment systems and power generation, 19; planning and design of water and wastewater systems, 149–156, 153*f*, 154*f*, 155*f*, 156*f*; sludge generation by, 255, 270; treatment byproducts collection and use by, 17–18
- Water Act 2007*, 133–34, 135
- Water Amendment Act 2008*, 133, 135
- water bodies. *See* recreation and recreational/decorative water bodies; surface water/reservoirs
- water budget analysis, 25
- water celery, 354–55
- water collection and supply systems; demand management and, 6, 7–8*t*; supply-driven water supplies, 6; water balance analysis and, 6
- water cycle; artificial water cycle built by humans, 151–52; concept of, 149; district water cycle concept, 149–153; freshwater resources maintained by, 149; global water cycle, 25, 107, 108*f*, 149; hydrological water cycle, 25, 149, 150–51. *See also* district water cycle management
- WaterGap Global Hydrology Model (WGHM), 109
- water heaters/water heating, 21*t*
- water hyacinth (WH), 199, 200–201, 200*t*, 355, 456
- Water Management Act 2000*, 122
- water resources; allocation decisions and sustainable water management, 4; alternative water supplies, identification of, 2; alternative water supplies, shifting from conventional resources to, 75; assessment tools and models for supply forecasting, 24; best management practices for, 187, 192*t*; biofuel production and competition for land and water resources, 22; characteristics and fit-for-purpose treatment and applications, 6, 9–19; climate change impact on, 29, 737–741, 739*f*; complexity and interconnectedness of water-related policies and issues, 20, 22–24; demand for and pressure on, 147–150, 148*t*, 537–38, 609, 790; demand management, 6, 7–8*t*; failures in management of, 20, 22; Falkenmark Index for evaluation of availability of, 147–49, 148*t*; global amounts of water, 1; governance and delivery of water, key areas for, 22, 23*t*; green-blue analysis of water availability, 110; importance of, 755; management of all water systems as a whole, 2; planning and design of water and wastewater systems, 149–156, 153*f*, 154*f*, 155*f*, 156*f*; quantity of water and supply-driven water supplies, 6; quantity of water and sustainable water management and, 4; renewability of, 755; supply-driven water supplies, 6; value of, 755–56; water balance analysis, 6; water use patterns and sustainability of, 1. *See also* freshwater; groundwater; quality/water quality; seawater; shortages and scarcity of water; surface water/reservoirs
- water treatment; green technologies to support advances in, 4; nanomaterials and nanotechnologies for, 30, 980–83;

- point-of-use treatment technologies, 24; treatment train configuration, 86
- weather forecasting, 750
- wetlands; advantages and benefits of, 198–99; characteristics of, 198; classification of, 198; clogging issues, 203; natural wetland and aquatic treatment systems, 25–26, 190–91*t*, 193*t*, 198–204, 200*t*, 202*t*, 204*f*; performance of, 201–4, 202*t*, 204*f*; productivity of, 198. *See also* constructed wetlands (CWs)
- wheat bran, straw, stalk, and residue; activated wheat straw charcoal, 466; biosorbent applications, 456, 464*t*, 465*t*, 466, 467, 474*t*, 476; biosorbent desorption and regeneration capacities, 480*t*, 482, 501*t*, 502; *Bt* biopesticide production, 264; energy crops and hydrogen production, 834–35; modifications for better adsorption capacity and performance, 518*t*; PHA production, 258; phosphorous adsorption applications, 497, 506, 515; vermicomposting biotechnology, 272
- whew; AnMBR treatment of, 881, 887; *Bt* biopesticide production with, 264; feedstocks and types of digesters, 212*t*; hydrogen production and, 838; hydrogen production with, 837*t*, 840; PHA production with, 258, 261, 262; PHB production with, 263
- white biotechnology, 22
- wind energy, 789
- wood chips, particles, and residue; biosorbent applications, 462*t*; biosorbent desorption and regeneration capacities, 502; intraparticle diffusion and phosphorous removal, 499; modifications for better adsorption capacity and performance, 517*t*, 518*t*, 519*t*; phosphorous adsorption applications, 496, 499, 507
- World Bank, 112–13
- World Health Organization (WHO); anionic pollutants limits for drinking water, 457, 458*t*; arsenic limits in drinking water, 458*t*, 590; fluoride limits in drinking water, 457, 458*t*; lead limits for agricultural soil, 584; mercury limits, 585; nitrate limits in drinking water, 457, 458*t*; recycled water standards, 201
- Xi'an Siyuan University water management case study, 25, 168–179, 169*f*, 171*t*, 172*f*, 173*t*, 174*f*, 174*t*, 175*f*, 176*f*, 177*f*, 178*f*, 180
- yeasts; biostimulation and heavy metals remediation, 603; brewery yeast, 276, 456, 470, 472*t*, 791*t*; wastewater treatment methods, 17
- yellow water. *See* urine/yellow water
- zeolites, 14, 512*t*, 513*t*, 597, 668, 711, 801, 982
- zinc (Zn); adsorption process for removal of, 596*t*, 598*t*, 599*t*; algae cultivation and removal of, 812; bioaugmentation and biosorbents for heavy metal remediation, 604*t*; bioleaching, 605; bioprecipitation and removal of, 605–6; biosurfactants and removal of, 605; co-existence of pollution and metal cations and efficiency of MEUF, 640; CWs and removal of, 354; effects of on anammox process, 437; feed metal concentration and efficiency of MEUF process, 633;



- first flush runoff, 50*t*, 51*t*, 52*t*, 55*t*;  
flocculation of HA-bound heavy  
metal complexes, 601; GAC  
adsorption filtration and removal  
of, 58, 59*t*, 60; gravity-fed  
GAC and membrane filters system  
and removal of, 68, 69*t*, 71;  
groundwater quality in areas  
with and without POME  
application, 966*t*, 967*t*; hydrogen  
production and, 839; industrial  
waste properties, 579; membrane  
filtration and removal of, 63,  
63*t*; metal-impregnated/treated  
biosorbents, 464*t*, 466–67, 473*t*,  
482, 499, 501*t*, 504, 507, 514, 517*t*;  
MEUF and removal of, 635, 636;  
natural component of AWBs,  
505; pH, MEUF, and removal of,  
630–31; properties, occurrences,  
and forms, 580*t*; rainwater  
properties, 40*t*, 45*t*, 55*t*;  
sludge-based ceramic particles  
properties, 710*t*; sludge properties,  
706; stormwater properties, 85*t*;  
surfactant concentration, S/M ratio,  
and removal of, 628, 630  
zinc chloride (ZnCl<sub>2</sub>); chemical  
activation of biomasses, 357, 463,  
464*t*, 466–67, 468, 473*t*, 481*t*, 482,  
499, 501*t*, 504, 507; chemical  
activation of SBAC, 725–26*t*, 727  
zirconium (Zr), 513*t*; metal-  
impregnated chelate resins, 462;  
metal-impregnated/treated bio-  
sorbents, 464*t*, 466, 468, 471, 473*t*,  
475*t*, 498, 514, 517*t*; Zr(IV)-loaded  
apple peels, 500*t*, 502, 507, 521–22;  
Zr(IV)-loaded orange waste gel, 471,  
481*t*, 482, 500*t*, 501*t*, 507, 515, 521–22